
Index

A

- Absorption, 163, 431
 - gaseous pollutant removal, 811
- Acid, *see also specific acids*
 - atmospheric oxidant, 72–73
 - combustion byproduct, 319–322
 - deposition, *see Acidic deposition*
 - manufacture, emissions and controls, 859–860
 - pH scale, 436–437
 - rain, *see Acid rain*
- Acid and base chemistry, environment, 227
 - hydrolysis, 235–237
 - photolysis, 237
 - precipitation reaction, 238
- Acidic deposition, *see also Acid rain*
 - analysis and measurement, 496–497
 - control standards, 700–701
 - definition, 435–439
 - dry, pollutant removal, 259, 549
 - environmental effects
 - aquatic systems, 438–439
 - ecosystems, 359–360, 438–439
 - forests, 406–407, 439
 - oxidant model, 437–438
 - pH, 29, 407
 - wet, pollutant removal, 259, 549–550
- Acid rain, 234–235; *see also Acidic deposition*
 - composition, 438
 - continental transport, 80–85
 - definition, 435–436
 - paint damage, 420
 - particle washout, 80
 - pH shift, 436
- Activation energy, bimolecular collisions, 250–251
- Adiabatic process, *see also Dry adiabatic process*
 - atmospheric mixing, 131–136
- Adsorption, 163
 - gaseous pollutant removal, 811–812
- AERMOD modeling system, 604–605
- Aerodynamic diameter, 788n
- Aerosols, 62; *see also Particulate matter*
- Afterburners, gaseous pollutant conversion, 815–817
- Agglomeration, particulate matter, 59
- Agriculture
 - costs of air pollution, 671–672
 - crop damage, 275, 399–400, 403, 671–672
 - pollution control, 872–876
 - pollution effects on livestock, 408–411

- Air
 - ambient, *see* Ambient air
 - unpolluted, 53–55
- Air basin, 727
- Aircraft
 - regulatory control, 725
 - stratospheric pollution, 52–53
- Air light, 425–426
- Air motion, *see* Atmospheric mixing
- Air pollutants, 825
 - destruction removal, 844
 - emerging technology, 847
 - indirect air impacts, 848–849
 - pre-control considerations
 - contaminant migration, estimation, 830
 - treatability tests, 830–831
 - pyrolysis, 846–847
 - thermal destruction systems
 - fluidized bed, 842–843
 - liquid injection, 840–842
 - multiple chamber, 843
 - multiple hearth, 840
 - rotary kiln, 839–840
 - thermal treatment
 - process application, 837–839
 - stoichiometry, 835–837
 - thermodynamics, 835–837
 - treatment and control, interventions
 - atmospheric transport, 834
 - exposure control, 834–835
 - point of release, 833–834
 - point of response, 835
 - source of contamination, 832–833
- Air pollution
 - biological processes, 155–158
 - characterizing, 199
 - atmospheric chemistry, 248–259
 - chemical characteristics, expression, 207–210
 - chemical concepts, 200–207
 - electromagnetic radiation, 210
 - electron density, 210
 - heterogeneous reaction, 259
 - orbitals, 210
 - organic chemistry, 238–248
 - physics and chemistry, 199
 - scavenging and removal, from
 - atmosphere, 259
 - valence, 210
 - chemical processes, 154–160
 - combination reaction, 154, 159
 - combustion, 159–160
 - decomposition, 159
 - double replacement, 159
 - single replacement, 159
 - chemodynamics, 160–197
 - dissolution, 167–169
 - sorption, 163–167
 - volatilization, 169–173
 - control
 - episode control, 301–306
 - management, 306–310
 - strategy, 296–301
 - definition, 3, 75
 - developing countries, 679
 - future, 917–918
 - history, *see* History of air pollution
 - impact on humans, 381–393
 - hazard identification, 381
 - mechanics, 93–95
 - mercury, 409
 - oxidation numbers
 - for atoms, 216
 - for radicals, 217
 - physical processes, 155–158
 - pollutant, laboratory sampling, 480–484
 - detection, 482–483
 - extraction, 481
 - separation, 481–482
 - prevention
 - future people, 767–770
 - green engineering, 761–767
 - life cycle analysis, 753–756
 - motivations for practicing, 761–767
 - pollution prevention, 756–761
 - sustainability, 743–744
 - regulating, 696–706
 - social aspects, 17
 - systems and processes, 154–198
- Air pollution control, *see* Control
- Air pollution control agencies
 - advisory groups, 737–738
 - emission inventory, 343–346
 - finance, 736–737
 - function, 730–733
 - organization, 733–736
 - regulatory control, 725–726
- Air quality, *see also* Indoor air quality
 - assurance program, 508–510
 - averaging time, 267–270
 - concentration levels, 277–294
 - control regions, 675–676, 727–728
 - criteria, conversion to standards
 - biological, 671–672
 - effects, 659–669
 - physical, 669–671
 - cycles, 270–273

- data analysis and display, 278–285, 510–512
- deterioration, 74
- effects, 286–287
- and hazardous wastes, 825–829
- indices, 288
- maintenance areas, 676
- management, 306–308, 675–676
- monitoring, 275–277
 - mobile, 503–504
 - personal, 506–508
 - remote, 505–506
 - stationary network, 500–503
- standards, 672–677, 697–698
 - conversion from biological data, 671–672
 - conversion from effects data, 659–669
 - conversion from physical data, 669–671
- Air Quality Criteria Document, 664–669
- Air sampling, *see* Sampling
- Airshed, 9, 727
- Air sparging, 848
- Air stripping, 848
- Air toxics, 469
 - physicochemical processes, 218
 - combustions reaction, 218–222
 - ionization, 222–223
 - solubility and electrolytes, 223–226
 - pollutant standards, 698–701
 - sampling, 469
 - sources, 337–343
- Akron, Ohio, visibility study, 434
- Albedo, 443
 - polluted fog, 542
 - solar radiation, 126
- Aldehyde, *see also specific aldehydes*
 - combustion byproduct, 321–322
 - health effects, 390
 - photolysis and reactions, 258
 - smog pollutant, 253–254
- Alkali Act of 1863, 41
- Alkali Inspectorate, 41, 45
- Alkanes, 238, 239
 - gas-phase reaction pathway, 257–259
 - sampling, 469
- Alkenes, gas-phase reaction pathway, 257–259
- Allergens, control techniques, 691
- Allergy, health effects, 315, 381, 405
- Alloy production, pollution control, 871
- Aluminum
 - aquatic pollutant, 439
 - corrosion rate, 414–416
 - pollution control, 863
 - reduction plant pollutant, 332
- Ambient air
 - definition, 263
 - quality standards, 697–698
 - sampling, 457–469
- Ames Salmonella/microsome mutagenicity assay, 383
- Ammonia
 - differential absorption lidar, 505
 - fertilizer pollutant, 405
 - forest pollutant, 403, 405
 - primary pollutant, 273–275
 - sampling, 457–463, 466–468
 - wet deposition analysis, 496–497
- Ammonium ion, pH base, 436
- Ammonium sulfate, atmospheric haze, 430–431
- Ample margin of safety, 28–29
- Anemometer
 - dispersion measurement, 566–569
 - gas flow testing, 904
 - u-v-w* system, 568
- Angle of incidence, 126–127, 129–130
- Animals
 - pollution control, 875
 - pollution effects, 286–288, 406–411, 671–672
- Anion, 223
- Anodic stripping voltammetry, metal analysis, 490
- Anticyclone
 - air stagnation, 539–540
 - local air circulation effect, 150–151
- Aphelion, radiant flux, 126
- Aquatic systems
 - aluminum pollution, 438–439
 - clean air research provisions, 705
 - mercury pollution, 408–409
 - pH, 407, 438–439
- Arithmetic mean value, 283
- Aromatics, 240
- Arrowhead chart, air quality data display, 283
- Arsenic
 - cattle poisoning, 408
 - metal manufacturing source, 332–333
 - smelter emission, 408
- Asbestos, *see also* Fibers
 - health effects, 68–69
 - indoor air pollutant, 681–682, 685
 - particle shape, 71
 - properties, 69–70
 - types, 67–68

- Ash, *see also* Fly ash
 forest fire emission, 314
 volcanic emission, 86, 248, 314
- Asphalt plants, pollution control, 878–879
- Assessment System for Population
 Exposure Nationwide, 624–625
- Atmosphere
 gaseous composition, 53–57, 124
 particulate composition, 59–71
 physical profile, 52–53
 scavenging and removal, 259
- Atmospheric chemistry, 248–259; *see also* Transformation
 gas-phase chemical reaction, 251
 hydrocarbon, role of, 257–259
 nitric oxide, nitrogen dioxide, and ozone cycles, 255
 solar radiation, photoabsorption, 254–255
 solar radiation, role of, 251
 transformation types, 248–250
- Atmospheric compound, 253
- Atmospheric drag, 139–141
- Atmospheric haze
 definition, 426
 effect on visibility, 432–434
 hazy blob, 432
 pollution source, 430–431
 regional, 79–80
- Atmospheric mixing, 131–136
 adiabatic processes, 132–135
 convection currents, 131, 150
 eddy diffusion, 555
 high- versus low-pressure effects, 538–539
 inversions, 135–136
 mixing height, 539–540
 thermodynamics, 131–135
- Atmospheric modern carbon
 biospheric ^{14}C enhancement, 204
- Atmospheric motion, pollution dispersion, 131–135, 562–563
- Atmospheric pressure, *see* Pressure, atmospheric
- Atmospheric tracers, dispersion measurement, 571–575
- Atmospheric transport, *see* Transport
- Atomic absorption spectroscopy, particulate analysis, 490
- Atomic mass unit (amu), 201
- Automobiles, *see also* Gasoline emissions, 77–78, 317, 336, 367
 emission standards, 699, 717–721
 pollution control, 318, 886–889
 regulatory control, 726–727
 sales, 42
- Averaging time, pollutant concentration, 267–270
- Azimuth, solar, 127–128
- ## B
- Background pollution, 79
- Baghouse collector
 nineteenth century technology, 41
 particulate filtration, 797–799, 853–856
- Bakersfield, California, visibility study, 434
- Barbecue grill, pollution source, 317
- Bases, manufacture, emissions and controls, 859–861
- Beaver, Sir Hugh, 40–41
- Benzene
 indoor air pollutant, 683
 sampling, 459–463, 467–468
- Bernoulli equation, 100–101
- Beryllium, pollution control, 863–864
- Best available control technology
 new source control standards, 713–714, 716, 720, 853
 particulate standards, 698
- Bhopal, India, methyl isocyanate pollution, 544–545
- Binary compounds, 217
- Bingham fluids, 115
- Bioaerosols, 685
- Bioconcentration factor, 174
- Bio-diesel fuel, 889
- Biological control systems
 gaseous pollutant removal, 817–820
- Biological gradient *see* dose–response relationship
- Biomagnification, 174
- Bismuth, metal manufacturing emission, 332–333
- Blackbody radiation, 125–126
- Boiler furnace, 40
- Boilers, wood-fired, 876–877
- Box model
 evaluation, 631
 pollution prediction, 585–586
- Boyle's law, 131
- Brayton cycle, 889
- Breezes, *see* Wind
- British Royal Commission on Environmental Pollution, report on costs, 310–311
- Bromine, pollution control, 861
- Brönsted–Lowry model, 227
- Brookhaven gustiness classes, 561–563

- Brown lung disease, 67
- Brundtland Commission, 744
- Bubble concept, emission standards, 716
- Building wake effect, 147
- Bulk Richardson number, dispersion measurement, 569
- Buoyancy force
 - crossover, 584
 - flux parameter, 582
 - plume dispersion, 566
 - plume rise, 582–584
 - thermal instability, 132–133
- Butyraldehyde, odor removal, 821–822
- Buys Ballot's law, 138

- C**
- Cadmium, metal manufacturing
 - pollutant, 332–333
- Calcium, pH effect, 436
- CALPUFF modeling system, 606
- Canada, air quality objectives, 676–677
- Cancer, 4, 11, 12, 28–30, 48, 212–213, 240, 337, 366, 376, 382, 530–532, 621, 686, 714
- Carbon, 238
- Carbon, activated, odor removal, 811
- Carbon cycle, global, 359–360, 403
- Carbon dating, 203–207
- Carbon dioxide
 - accumulation, 72
 - acid rain, 81
 - differential absorption lidar, 505
 - global warming, 85, 442
 - primary pollutant, 273–274
 - sampling, 459–463
 - sources
 - combustion, 319–322
 - forest fires, 314
 - kerosene, 681
 - natural gas, 681
- Carbonic acid
 - acid rain formation, 81, 436
 - stone deterioration, 416–417
- Carbon monoxide
 - air quality level, 277–278
 - air quality standards, 659–660, 697
 - analysis and measurement, 474–475
 - differential absorption lidar, 505
 - exhaust emission for, 887–888
 - global warming, 12, 451
 - health effects, 12, 369, 394
 - indoor air pollutant, 682
 - in situ* air sampling, 463
 - local pollution, 77–78
 - primary pollutant, 273–274
 - sources
 - combustion, 319–322
 - fog, 540–541
 - forest fires, 314
 - incineration, 858–859
 - petroleum refining, 329–330
 - steelmaking, 331
 - vehicle emissions, 77–78, 717
 - urban pollutant, 78–79
- Cascade impactor
 - particle analysis, 488
 - visibility analysis, 495
- Catalytic converters, automobile emission control, 888–890
- Cation, 222
- Cattle, pollution effect, 408–411
- Cement plants, pollution control, 880
- Ceramic candles, mist removal, 810
- Cesium-137, release at Chernobyl, 545
- Chemical industry, pollution control, 859–862
- Chemical Mass Balance, 611, 612
- Chemiluminescence
 - ethylene analysis, 475–476
 - nitrogen dioxide analysis, 476–477
 - ozone analysis, 475
- Chemisorption, 164, 811
- Chemosphere, 52–53
- Chernobyl, USSR
 - global radiation transport, 85
 - radioactive pollution, 544–546
- Chloride ion, wet deposition analysis, 497
- Chlorine
 - ozone destruction, 452
 - permeation sampling, 467–468
 - pollution control, 811, 861
 - Youngstown, Florida spill, 544
- Chlorine monoxide, ozone depletion, 48–49, 452
- Chlorofluorocarbons
 - aerosol propellant, 451
 - global transport, 85
 - half-life, 72
 - ozone destruction, 48–49, 452–453
 - refrigerant pollutant, 451
 - sampling, 469
 - stratospheric accumulation, 52–53, 72
 - upward transfer, 85–86
- Chlorosis, plant injury, 399–400
- Chromatography
 - gas, 479
 - ion, 490
- Chromium
 - and human body, 376–378

- Clean Air Act, *see* United Kingdom, Clean Air Act; US Clean Air Act
- Climate sensitivity parameter, global warming, 450–451
- Climatological Dispersion Model, 640
- Climatology
 - comparability of data, 642–643
 - data sources, 638–641
 - definition, 638
 - hourly observation variables, 638–639
 - representativeness, 641–645
 - stagnation frequency, 646–647
 - ventilation, 647–650
 - wind rose, 650–654
- Cloud chamber, particulate measurement, 65
- Cloud of electron density, 214
- Cloud seeding
 - acid droplets, 436
 - silver iodide, 430, 547
- CMAQ modeling system, 610–611
- Coagulation, 432
- Coal
 - boiler furnace, 40
 - combustion process, 323
 - pollution control, 882
 - pollution source, 40, 79, 329, 330
 - prohibition in London, 38
 - stoker, 41–42
- Coke making, pollution control, 867–871
- Coke oven emissions, 331–332
- Collection, *see* Sampling
- Collectors, *see specific collectors*
- Colorimetric techniques, 477–478, 497
- Combustion, *see also* Incineration; Power generation
 - atmospheric haze, 430–431
 - heat of, 322
 - pollution source, 319–325
 - process, 319–323
 - reactions, 218–222
 - source emissions compared, 324–325
 - submerged, 781–783
- Compound formation, 218
- Comprehensive Air Quality Model with Extensions, 611
- Comprehensive Environmental Response, Compensation, and Liability Act, 34–35, 515
- Computational fluid dynamics model simulation, 596–599
- Concentration gradient, 74
- Concurrent engineering approach, 750
 - case study, 751–753
- Condensation
 - definition, 431–432
 - gaseous pollutant removal, 812–814
- Condensation nuclei, 59, 430, 436
- Conservative tracer, 205
- Consolidated Human Activity Database, 614
- Contaminant, 10
 - chemical, 11
 - physical, 11
- Continental scale of pollution, 80–85
- Continuum fluid mechanics, 98
- Control
 - best practicable means, 309, 713
 - costs, 306–308, 310–311, 669–671, 774–775
 - emission allocation, 308
 - long-range strategy, 306–310
 - mobile sources
 - alternatives to existing, 891–893
 - diesel-powered vehicles, 889
 - gas-powered vehicles, 886–888
 - gas turbines, 889–890
 - jet engines, 889–890
 - nineteenth century technology, 41
 - stationary sources, 852–883
 - agriculture, 872–876
 - chemical industry, 859–862
 - coal preparation, 882
 - energy-producing industry, 853–854
 - forest products, 876–878
 - incineration, 858–859
 - metallurgy industry, 862–871
 - petroleum refining, 881–882
 - power generation, 854–858
 - sewage treatment, 882
 - strategic, 296–301
 - systems, 786–822
 - disposal, 780–783
 - fuel change, 777–778
 - gaseous pollutants removal, 810–820
 - mist removal, 807–810
 - objectives, 786–794
 - odor removal, 821–822
 - particulate matter removal, 794–807, 858–859
 - prevention, 775–776
 - process change, 776
 - removal, 72–73, 778–780
 - tactical, 296–306
- Convection currents
 - atmospheric mixing, 131
 - Hadley cell, 150
- Convergence zone, intertropical, 150

- Copper
 corrosion rate, 416
 pollution control, 864–865
- Coriolis force, atmospheric motion, 137–138, 148
- Correlation coefficient, linear, 628
- Costs
 air pollution, 669–670
 air pollution control agencies, 733–736
 aluminum reduction plant, 332–333
 versus benefits, 310
 control, 306–308, 309–310, 669–6671, 854–855
 effectiveness versus public health, 306–308
 equipment, 329, 774, 775
 fuel conversion, 777–778
 measurement program, 571
 plant damage, 397, 400–403, 671–672
 recovered value, 774–775, 811, 812
 removal systems
 gaseous, 815
 particulate, 805–807, 854–855
 solid waste disposal, 317
 static sampling systems, 466
 steel production, 331
 vehicle emissions control, 726
- Cotton processing, pollution control, 875
- Council on Environmental Quality, 17
- Councils of Government, 834
- Crankcase emission, 886–887
- Crops, *see* Agriculture; Forest products; Plants
- Cross-media transfer, 13
- Cryogenic trap, 459
- Cycles
 annual, 270–272
 diurnal, 270
 seasonal, 270
 weekend-weekday, 270
- Cyclone collector
 nineteenth century technology, 41–42
 particulate removal, 802–803
- Cyclones, atmospheric motion, 150
- D**
- Dander
 control techniques, 691
 indoor air pollutant, 682
- Dark reactions, 249–250
- De Re Metallica*, 39
- Destruction removal efficiency, 792, 844
- Detergent, pollution source, 328
- Dichotomous sampler, particulate measurement, 275
- Diesel engines
 atmospheric haze, 431
 steam replacement, 44
 vehicle pollution control, 889
- Diesel-powered engine, 889
- Differential absorption lidar, air quality sensor, 505–506
- Diffusion, 74
- Dilatant fluids, 115
- Dimethylsulfide, analysis and measurement, 480
- Dioxin, 218–222
 molecular structure, 219
 primary pollutant, 273
 sampling, 469, 480
- Direct photolysis, 237
- Disassociation, heat of, 322
- Dispersion
 atmospheric motion, 562–564, 565
 atmospheric tracers, 571–576
 Bulk Richardson number, 569
 calculation, 564–566
 instrumentation, 566–571
 above surface measurement, 569–571
 surface measurement, 566–569
 modeling, 590, 603–610
 wind fluctuations, 560–561
- Dissociation and precipitation reaction, 225–226
- Dissolution, 167
 co-solvation, 168–169
- Diurnal pollution cycle, 270
- Doldrums, 150
- Donora, Pennsylvania
 polluted fog, 43, 541
 pollution effect on animals, 408
- Doppler sodar, dispersion measurement, 570
- Dose–response curve, 366
- Dose–response relationship, 6
- Downslope wind, 143–145
- Drag, atmospheric, 139–141
- Dry adiabatic process
 atmospheric mixing, 132
 lapse rate, 132–135, 555, 556
 mixing height, 540
- Dry aerosols, *see* Particulate matter
- Dry deposition, *see* Acidic deposition
- Duet rule, 217

- Dust, *see also* Particulate matter
 fugitive model, 589
 indoor pollutant, 264
 mite control, 691
 sampling, 466
 sources
 logging, 333
 roads, 315
 steelmaking, 331
 stone manufacturing, 333
 storms, 314–315
 Dust-fall bucket, static sampling, 466
 Dust mites, control techniques, 691
 Dust storms, particulate matter, 314–315
 Dyes, fabric, pollution effect on, 417–419
 Dynamics, 94
 kinematics, 94
 kinetics, 95
- E**
- Earth Summit, 48, 1992
 Easterlies, global circulation, 149
 Economic costs, *see* Costs
 Ecosystems, *see* Environmental effects
 Eddy diffusion, 555
 Eddy reflection, 557–559
 Ekman spiral, 140
 Electrical mobility, particle size
 distribution, 204–205, 488–489
 Electric drive systems, 891–892
 Electric generating station, *see* Power
 generation
 Electromagnetic fields, 211
 Electromagnetic radiation, 210, 211–213
 Electromagnetic spectrum, 123–124
 Electron capture detector, hydrocarbon
 analysis, 480
 Electron density, 210, 214
 Electrostatic precipitator
 mist removal, 807–808
 particulate removal, 43, 795, 799–801,
 853–856
 Element, 200
 Emergency plans, episode control,
 301–306
 Emission allocation, 308
 Emission inventory, 343–346
 revision requirements, 705
 source regulation, 725–726
 urban-scale models, 591–592
 Emissions, *see* Pollution sources
 Emission spectroscopy, metal analysis,
 490
- Emission standards
 air quality, 672–677, 697–698
 biological, 671–672
 bubble concept, 716
 control strategy, 309
 effects, 659–669
 existing installations, 720
 fuel, 720–721
 hazardous pollutants, 699–701, 717
 implementation, 715–721
 industrialized countries, 720
 limits
 objective, 709–713
 subjective, 707–709
 new sources, 709–712
 particulate, 463, 698, 707–708
 physical, 669–671
 rollback, 717
 types, 713–715
 urban, 78–79
 variant forms, 713–715
 vehicle, 698–699, 718–719
- Empirical formula development, 207–208
 Employment
 transition assistance, 705
 ENAMAP, sulfate concentration model,
 592
 Energy, atmosphere, 123–130
 and motion relationship, 137–141
 Energy-producing industry, pollution
 control, 853–854
- Enforcement
 air pollution control agency, 730–733
 fines and fees, 736
 US Clean Air Act, 704–705
- Environmental assessment, 18
 Environmental chemistry200
 Environmental chemodynamics, 160–197
 Environmental effects, *see also*
 Agriculture; Global climate
 change
 acidic deposition, 359–360, 438–439
 animals, 408–411, 671–672
 aquatic systems, 407, 438–439
 carbon release, 359–360
 clean air research provisions, 705
 fluoride cycle, 365
 forests, 403–407
 pesticides, 408
 smelters, 406, 407, 439
 surface water contamination, 520,
 523–524
- Environmental Impact Statement, 17
 Environmental medium, 11

- Environmental Protection Agency
 - aircraft regulation, 726
 - establishment, 46
 - human health standards, 500
 - modeling to meet regulatory requirements, 632–633
 - PM_{2.5} sampling method, 463
- Environmental science, 7
- Environmental tobacco smoke, *see* Tobacco smoke
- Episode control, emergency plans, 301–306
- Equal pressure lines, atmospheric motion, 137–141
- Equipment efficiency, 779
- Ethylene
 - analysis and measurement, 475–476
 - plant source, 405
- Ethylsulfide, odor, 491–492
- Eugene, Oregon, visibility study, 434
- Eulerian view point, 99
- Eulerian Model Evaluation Field Study, 437
- EURMAP, sulfate concentration model, 592
- Evaporative emission, 887
- Exhaust emission, 887
- Exhaust gas recirculation system, 888
 - automobile emissions control, 888
- Exothermic reaction combustion, 322
- Exposure time, receptor, 267–268, 286–287, 680
- Extractive sampling, gaseous pollutants, 459–463
- Extremely low frequency, 212, 213
- F**
- Fabric, pollution effect on, 417–419
- Fall velocity, particulate sedimentation, 547–548
- Fan, motor-driven, 43
- Fate, 96
- Federal Clean Air Act, 530
- Federal New Source Performance Standard, 713–714, 716, 720
- Federal Register, control region
 - boundaries, 727–728
- Feed milling, pollution control, 875
- Ferroalloy production, pollution control, 871
- Fertilizer
 - manufacture, emissions and controls, 859–861
 - pollution source, 328
- Fibers, *see also* Asbestos
 - health effect, 67
- Fick's law, passive sampling, 466–468
- Filters
 - particulate removal, 794
 - efficiency, 795–799
- Filtration
 - baghouse, 41–42, 797–798, 853–856
 - dry particulate removal, 794–799
 - filter characteristics, 794–799
 - indoor air pollutants, 682
 - mist removal, 807
- Financial incentives
 - control strategy, 309
 - tax credits, 736
- Fireplace, pollution source, 37, 40, 45, 317
- Fish, *see* Aquatic systems
- Flame ionization detector, hydrocarbon analysis, 479
- Flame photometric detector
 - hydrocarbon, 480
 - metal ion, 497
 - peroxyacyl nitrate, 480
 - sulfur, 480
 - sulfur dioxide, 473, 478
- Flecking, plant injury, 400
- Flow meter, 458
- Flue gas desulfurization system, 855
- Fluidized-bed combustor, 858–859
- Fluids
 - absolute viscosity, 113–117
 - acceleration, 102–103
 - capillarity, 110–112
 - classification, 98–99
 - compressibility, 108–109
 - control volume, 97
 - definition, 97
 - density, 105
 - kinematic viscosity, 117–118
 - mechanics, 94
 - mole fraction, 107–108
 - movement, characterization, 99
 - pressure, 100–102
 - properties, 95
 - density field, 98
 - velocity field, 98
 - Reynolds number, 118
 - specific volume, 107
 - specific weight, 107
 - stress, 97
 - surface tension, 109
 - types, 97
 - velocity, 100
 - viscosity, 112–113

- Fluorescence spectroscopy
 sulfur dioxide analysis, 478
 X-ray, particulate analysis, 489
- Fluoride
 aluminum plant emission, 332
 cycle, 360–365
 phytotoxic pollutant, 400
 polluting fog, 541
 steelmaking pollutant, 331
- Fluorosis
 effect on animals, 287, 408–411
 remedy, 411
- Fly ash, *see also* Ash
 atmospheric haze, 430–431
 combustion byproduct, 319–322, 858
 control systems, 855–856
- Fog, *see also* Smog; Smoke
 polluted, 44, 540–544, 547
- Food Quality Protection Act, 35
- Forcing, 445
- Forecasts, *see also* Cycles
 air pollution potential, 306
- Forest products
 industry, 316, 333–335
 pollution control, 876–878
- Forests
 clean air research provisions, 705
 pollutant source, 314–315, 333, 403, 405
 pollution effects, 403–407
- Forests fires, 314–315
- Formaldehyde
 indoor air pollutant, 682–684
 pollution control, 821, 862
 sampling, 459–463, 469
- Fractional error, 627
- Free radicals
 combustion chain reaction, 322
 gas-phase reaction pathway, 257–259
 photodissociation, 249–250, 254–255
- Freundlich sorption isotherm, 166
- Friction
 atmospheric drag, 139–141
 definition, 95
- Frontal zones, 150–152
- Fuel
 conversion to new fuels, 777–778
 emission standards, 720–721
 thermal conversion factor, 345
- Fuel cells, 892–893
- Fuel NO_x, 361
- Fugacity, 161
- Fugitive emissions, 589, 716
- Fungicides, food chain contaminate, 408
- Furan, 218–222
 analysis and measurement, 480
 molecular structure of, 219
- Furnace
 boiler, 40
 conversions, kraft pulp mills, 776
 home, 319–325
- G**
- Gas chromatography, hydrocarbon analysis, 479
- Gaseous pollutants, *see also specific sources*
 analysis and measurement, 275, 472–487, 913–914
 differential absorption lidar, 505
 effect on animals, 409–411
 monitoring systems, 459–463, 901–905, 913–914
 removal systems
 absorption, 811
 adsorption, 811–812
 biological control systems, 817–820
 comparison, 820
 condensation, 812–814
 conversion, 814–817
 costs, 820
 gas-to-particle conversion, 250, 431–432
 oxidation, 72–73
- Gas flow measurement, source testing, 901–905
- Gasoline, *see also* Automobiles
 combustion process, 322–325
 emissions, 77–79, 336, 367
 fuel additives, 12
 pollution control, 886–888
 pollution standards, 699, 720–721
- Gasoline-powered vehicles, 886–889
- Gas-phase chemical pathways, 251–259
- Gas-to-particle conversion, 250, 431–432
- Gas turbines
 and jet engines, 889–890
 pollution control, 883, 889–890
- Gaussian equations, 557–559, 564–566
- Geostrophic wind, 138–139
- Glass, pollution effects on, 419–420
- Glass manufacturing plants, pollution control, 880–881
- Glazing, plant injury, 400
- Global climate change, *see also* Greenhouse gases; Ozone
 carbon release, 359–360

- emergence, 48
 - long-term effects, 442–451
 - Global scale of pollution, 85–86
 - Good tracer, 205
 - Gradient wind, 139
 - Grand Canyon National Park, visibility, 433
 - Grandfather clause, in control
 - regulations, 724
 - Gravity
 - horizontal atmospheric motion, 137
 - sedimentation of particulate matter, 547–548
 - Green engineering
 - goals, 750
 - motivations for practicing, 761–767
 - ethical considerations, 766–767
 - financial considerations, 763–766
 - legal considerations, 762–763
 - and sustainability, 744–750
 - Greenhouse gases, *see also* Global climate change
 - global carbon dioxide transport, 85–86
 - global increase, 47, 442, 444–445
 - Gulf stream, heat transfer, 152
 - Gustiness classes, Brookhaven, 561–562
 - Guy-Lussac's law, 131
 - Gypsum, sulfuric acid deterioration, 416–417
- H**
- Hadley cell, atmospheric motion, 150
 - Half-life
 - definition, 72
 - transformation reactions, 548–549
 - Halogens, 781; *see also specific halogens*
 - Hazard, 6
 - Hazardous waste, *see also* Solid waste
 - air pathways, 515–532
 - assessment of, 525
 - hazard index, 529
 - hazard quotient, 527–529
 - risk communication, 529–532
 - categories, 780
 - chemical spills, 503–504
 - contaminant fate
 - atmospheric, 516, 519, 522, 523
 - ground water, 365, 524
 - surface water, 520, 523, 524
 - disposal methods, 781–783
 - emission standards, 717
 - Hazardous waste sites
 - disposal, 781–783
 - emission models, 524–532
 - long-term impact, 524–525
 - multimedia transport, 516
 - remediation sites, 515, 525
 - Resource Conservation and Recovery Act, 780
 - short-term impact, 525
 - Hazard quotient, 29
 - Hazard Ranking System, remediation site cleanup, 515
 - Haze, *see* Atmospheric haze
 - Hazy blob, 432
 - Health, human
 - allergic reactions, 315, 381, 405, 691
 - carbon monoxide, 369–371, 393
 - determining cause-and-effect, 659–669, 687
 - hazardous air pollutant standards, 699–701
 - impact of odor, 394–395
 - lead, 367–369
 - Legionnaires' disease, 687, 691
 - methyl tertiary-butyl ether, 12
 - occupational disease, 263–267, 389, 680
 - ozone depletion, 48
 - particulate matter, 71
 - respiratory system, 71, 378, 540–545, 685–687
 - response to air quality levels, 287–288, 381–393
 - smog related, 540–544, 547
 - tobacco smoke, 369–371
 - ultraviolet radiation, 48
 - Heat balance, solar, 129–130
 - Heat capacity, water versus land, 129
 - Heat island, urban, 146
 - Heat of combustion, 322–323
 - Heat of disassociation, 322
 - Heavy metals, *see* Metals
 - Hedonic tone, odor characteristic, 490
 - Henry's law, 169–173
 - Herbicide, food chain contaminate, 408–409
 - Heterogeneous reactions, 259
 - History of air pollution
 - 1900–1925, 42–43
 - 1925–1950, 43–44
 - 1950–1980, 45–47, 680
 - 1980's, 47–48
 - future, 49, 680
 - industrial revolution, 40–42, 680
 - pre-industrial revolution, 37–40, 679
 - recent, 48–49
 - Hodograph, 139–141
 - Houston, Texas, chlorine spill, 544–546

Humidity, visibility reduction, 428

Hydrocarbons

- analysis and measurement, 478–480
- chemical groups, 591
- exhaust emission, 887–888
- gas-phase reaction pathway, 255–259
- ozone formation, 249
- plant pollutant, 315
- primary pollutant, 273–274
- rate of reaction, 249
- role of
 - aldehyde photolysis and reaction, 258
 - hydroxyl radical addition, to propene, 258
 - nitric oxide reaction, 259
 - nitrogen dioxide reaction, 259
 - ozone reaction, with propene, 257–258
 - sulfur dioxide, radical oxidation, 259
- smog pollutant, 697
- sources
 - combustion, 319–323
 - forest fires, 314
 - forests, 403–405
 - petroleum refining, 330
 - vehicle emissions, 77–78, 336

Hydrochloric acid

- pollution control, 860
- sampling, 459–463

Hydrofluoric acid, pollution control, 860

Hydrogen chloride

- absorption removal, 505, 811
- primary pollutant, 273–274, 858–859

Hydrogen cyanide, permeation sampling, 467–468

Hydrogen fluoride

- pollution control, 811, 863
- primary pollutant, 273–274
- smelter emission, 406–407

Hydrogen sulfide

- atmospheric oxidation, 72–73
- forest pollutant, 403–405
- primary pollutant, 273–274
- removal
 - absorption, 506, 811
 - conversion, 815
 - odor, 821–822
- sampling, 459–463, 467–468
- volcanic emission, 314

Hydrolysis, 235–237

Hydrophobic, 167

Hydroscopic particle growth, visibility reduction, 428

Hydrostatics, 94

I

Ideal fluid, 97

Illumination, *see* Light

Impactor, multistage, particulate analysis, 488

Incentives

- control strategy, 309
- tax credit, 736–737

Incineration, *see also* Combustion

- pollution control, 858–859
- pollution source, 367, 858–859

Indirect photolysis, 237

Indoor air quality

- air exchange rate, 680–682
- health effects, 263–267, 685–687
- influencing factors, 263–267, 680–682
- pollutants, 680–684
 - effects of, 685–687
- regulation, 687–692
- sterilization, 266–267
- trends, 679–680

Industrialized countries, emission standards, 720

Industrial pollution

- emissions, 315–316, 325–335
- operating permits, 702–703

Industrial revolution, 37–42

Industrial Source Complex models, pollution prediction, 586–587

Inertial collector

- mist removal, 808–809
- particulate removal, 802–803

Infrared photometry, nondispersive, carbon monoxide analysis, 474

Inorganic pollutants, 780–781

Integrating nephelometer, visibility analysis, 493

Intergovernmental Panel on Climate Change, 449–450

International Union of Air Pollution Prevention Associations, 47

Intertropical convergence zone, 150

Inversion

- annual frequencies, 647–650
- atmospheric mixing, 136
- nocturnal, 136
- radiation, 136, 539–540
- subsidence, 136, 539–540
- ventilation rate change, 539–540

Iodine-131, radioactive pollutant, 544–545

Ion chromatography, 490

Ion exchange, 164

Ionization, 222–223, 226–227

- Ionosphere, 52
- Ion pairs, 224
- Iron making, pollution control, 867–870
- Isobars, 137–141
- Isokinetic condition, in particulate
 - sampling, 464–465, 906–907
- Isomers, 247–248
- Isopleth concentration lines
 - air quality control regions, 727–728
 - air quality display, 511–512
- Isotopes, 201

- J**
- Jet engines, pollution control, 889–890
- Jet stream, 150–151

- K**
- Keeling curve, 443
- Kerosene space heaters, pollutant source, 680–681
- Ketones, combustion byproduct, 319–323
- Kiln driers, pollution control, 877
- Koschmieder visual range relationship, 426
- Kraft process, paper manufacturing
 - furnace conversions, 776
 - pollution control, 878
 - pollution source, 334–335

- L**
- Lagrangian view point, 99
- Laminar flow, 119
- Lapse rate
 - thermal stability, 132–135
 - vertical plume expansion, 555–556
- Laws of motion, *see* Motion, laws of
- Leachate collection systems, 848
- Lead
 - battery manufacturing, 865
 - cattle poisoning, 408–409
 - health effects, 367–369, 393, 661–662
 - metal manufacturing pollutant, 332–333
 - paint base, 419–420
 - pollution control, 865
 - pollution standards, 720
 - sampling, 459–463, 467–468
 - smelter emission, 38, 408
- Lead peroxide candle, sulfur dioxide
 - sampling, 466, 472, 542
- Leather, pollution effect on, 419–420
- Legionnaires' disease, 687, 691
- Lewis model, 227
- Lexington, Kentucky, visibility study, 434
- Lidar, *see* Light detection and ranging
- Life cycle analysis, 753–756, 832
 - morning container, 755
- Light
 - absorption by gases, 425
 - air light, 426
 - atmospheric haze, 426
 - extinction, 425–429
 - optical characteristics, 423–424
 - particle interaction, 429
 - scattering
 - Mie theory, 493
 - by particulate matter, 425, 489
 - satellite sensing, 505
 - threshold contrast, 423–424
- Light detection and ranging
 - differential absorption, 505–506
 - dispersion measurement, 569–571
- Limestone, sulfuric acid deterioration, 416
- Linear correlation coefficient, 628
- Liquefied petroleum gas, pollution
 - control, 887
- Liquid injection system, 840–842
- Local pollution, 77–78
- London, England
 - polluted fog, 542–543
 - pollution effects on animals, 408
 - pollution trends, 272
- Longwave solar radiation, outgoing, 128–129
- Los Angeles, California, smog, 43, 434
- Lowest achievable emission rate, 714, 720
- Lungs, *see* Respiratory system

- M**
- Macrophages, alveolar, 381
- Magnesium, pH base, 436
- Manganese
 - and human body, 371–374
- Manganism, 372
- Manifold air oxidation system, 888
- Marble, deterioration, 416
- Mass, pressure, volume, temperature
 - relationship, 131
- Mass distribution, particulate
 - measurement, 70
- Mass formula, particulate matter, 65
- Mass spectroscopy, hydrocarbon analysis, 479

- Mathematical "back trajectory" model, 204
- Maximum Achievable Control Technology, 714–715
- modeling to meet requirements, 28–29, 632–633
- pollutant source standards, 700
- Mean absolute error, 627
- Mean square error, 627
- Measurement, *see* Sampling
- Meat products industry, pollution control, 875
- Mechanics
- dynamics, 94
- statics, 94
- Median value, 283
- Memphis, Tennessee, visibility study, 434
- Mercury
- air pollution, 409
- aquatic systems, 408
- food chain contaminate, 409
- pollution control, 861, 865–866
- sampling, 459–463
- Meridional circulation, 148
- Metal ions, analysis, 497
- Metals
- analysis, 490, 497
- body burden, 371–378
- corrosion rate, 413–416
- effect on animals, 408–409
- industry
- pollution control, 862–871
- pollution source, 316, 330–333, 408
- oxides, 321, 331, 332, 858
- pollution effect on, 413–416
- Meteorology, *see* Climatology
- Methane
- analysis and measurement, 478–480
- differential absorption lidar, 506
- global increase, 72, 442, 445–447
- volcanic emission, 314
- Methyl isocyanate, Bhopal, India spill, 544–545
- Methyl parathion, 387–388
- Methyl tertiary-butyl ether, 11–14
- cross-media transfer, 13
- health effects, 12
- Meuse Valley, Belgium
- polluted fog, 43, 540–541
- pollution effect on animals, 408
- Mie theory of light scattering, 493
- Mist, removal
- electrostatic precipitators, 807–808
- filters, 807
- inertial collectors, 808–809
- scrubbers, 809–810
- Mixing height, air stagnation, 540
- Mobile, 891–893
- monitoring and surveillance, 503–504
- Modeling and prediction
- accuracy and performance, 627–633
- air quality models, 603
- air toxics, 621–626
- dispersion modeling, 603–610
- need for models, 593
- nonreactive pollutants, 587–590
- numerical simulation models, 595–603
- personal exposure models, 613–620
- photochemical models, 610–611
- physical models, 593–595
- plume rise, 582–585
- pollutant transformations, 590–593
- receptor models, 611–613
- techniques, 585–587
- Models, *see also specific models*
- Acidic Deposition and Oxidant, 437
- Climatological Dispersion, 640
- Complex Terrain Dispersion, 590
- Fugitive Dust, 589
- Gaussian plume, 557, 588
- Gifford–Hanna, 630
- gradient transport, 586–587
- Hybrid Plume Dispersion, 588
- Lagrangian Photochemical, 631
- long-term impact, hazardous waste emissions, 524–525
- numerical simulation, 595–603
- Offshore and Coastal Dispersion, 590
- personal exposure, 613–620
- photochemical models, 610–611
- physical models, 593–595
- plume rise, 582–585
- receptor, 611–613
- Regional Acid Deposition, 437–438
- regional-scale transformation, 592–593
- short-term impact
- hazardous waste site remediation, 525
- Point, Area, and Line, 589
- TUPOS, 588
- single-source, 628–629
- sulfate concentration
- ENAMAP, 592
- EURMAP, 592
- tilted plume model, 548
- Urban Airshed, 632
- Mold
- indoor air pollutant, 685–686

- Molybdenum
 cattle poisoning, 408
 smelter emission, 408
- Monitoring, *see* Sampling
- Monoprotic acids, 231
- Montreal Protocol, 49
- Motion, laws of
 atmospheric, 137–141
 Coriolis force, 137–138
 friction effect, 139–140
 geostrophic wind, 138
 gradient wind, 139
 Newton's second, 132–133, 137
 pressure gradient force, 137
 vertical motion, 141
- Multiple chamber incinerator, 843
- Multiple hearth incineration system, 840, 841
- N**
- Narrow plume hypothesis, pollution prediction, 585–586
- NASA Goddard Institute for Space Studies, global warming, 450
- National Air Pollution Symposium, 43
- National Air Toxics Assessment, 624
- National Ambient Air Quality Standards
 goal, 25
 human health standards, 500
 modeling to meet regulatory requirements, 632–633
 new source control standards, 713, 714, 720
 particulate matter, 463, 664–669
- National Atmospheric Deposition Program, 437, 497
- National Climate Center, meteorological data archive, 639
- National Emission Standards for Hazardous Air Pollutants, 714, 717
- National Environmental Policy Act, 17–19
- National Oceanographic and Atmospheric Administration, Geophysical Fluid Dynamics Laboratory, 450
- National parks, visibility, 433
- National Ski Areas Association, 765
- Natural gas
 home heating, 45
 pollutant source, 681
 pollution control, 887
- Nephelometer, integrating, visibility analysis, 492–493
- Nerve gas, 408–409
- Net radiometer, 569
- Neutron activation analysis, 489
- New Source Performance Standards, source categories, 709–712
- Newton's second law of motion
 atmospheric motion, 137
 atmospheric thermal stability, 132, 133
- Nickel carbonyl, sampling, 459–463
- Nitrates, wet deposition analysis, 497
- Nitric oxide, 255
 accumulation, 72
 atmospheric haze, 430–431
 atmospheric oxidation, 72–73
 differential absorption lidar, 505
 global warming, 451
 hydrocarbon, role of, 257–259
 indoor air pollutant, 682
 ozone reaction pathway, 255
 photochemical cycle of, 255
 primary pollutant, 273–275
 radical reaction with, 259
 regional transport, 79–80
 smog pollutant, 254, 697
 sources
 combustion, 321
 forest fires, 314
 forests, 405
 kerosene, 681
 natural gas, 681
 petroleum refining, 329–330
 vehicle emissions, 78–79, 718
- Nitrogen
 cycle, 360–364
 methemoglobinemia, 364
 sampling, 463
- Nitrogen dioxide
 air quality criteria, 277–278, 663
 analysis and measurement, 476–477
 atmospheric oxidation, 72–73
 control systems, 854–855
 health effects, 394–395
 heterogeneous reactions, 259
 hydrocarbon, role of, 257–259
 photoabsorption process, 254–255
 photochemical cycle of, 255
 radical reaction with, 259
 sampling, 459–463
 vehicle emissions, 78–79
- Nitrous oxide, 447–448
- Nocturnal inversion, 136
- Nonattainment areas, ozone, 698
- Nondispersive infrared photometry, carbon monoxide analysis, 474

- Nonmethane hydrocarbons, global warming, 451
- Nonmethane volatile organic compound, analysis and measurement, 478–480
- Nuclear accidents
Chernobyl, USSR, 85, 545
mobile monitoring, 503–504
Three Mile Island, Pennsylvania, 544
- Nuclear power, pollution offsets, 778
- Nuclear weapons, cessation of atmospheric testing, 723
- Nucleation, 431
- O**
- Ocean currents, global heat transfer, 152
- Odors
analysis and measurement, 490–492, 708–709
impact on humans, 351, 394–395
measurable characteristics, 490
olfactometry, 490–491
olfactory fatigue, 708–709
removal, 811–812, 821–822
response mechanism, 351–352
sources
hot springs, 315
livestock, 351
metal industry, 332
paper making, 334–335
petroleum refining, 329–330
- Ohio Environmental Protection Agency's Urban Air Toxic Monitoring Program, 529–530
- Oil
boiler furnace, 40
sulfur dioxide source, 79–80
- Olfactometry, 490–491
- Opacity reduction, particulate control, 854
- Open burning
pollution control, 318, 872–873, 876
pollution source, 317
- Open path systems, 276
- Operating permits, 702–703
- Orbitals, 210
- Orchard heating, pollution control, 873
- Organic chemistry, 238
- Organic compound, structure, 241–243
- Organic pollutants, 781
conversion, 814
- Organic structure, 244–247
- Oxidation, gas removal, 72–73
- Oxygen, sampling, 463
- Ozone
air quality level, 277–278
ambient air quality standards, 664, 665, 697, 703–704
depletion, 48–49, 451–452
differential absorption lidar, 505
effects on
fabric, 419
forests, 403–407
health, 30, 393
rubber, 420–421
formation, 126, 249
generator, 475
holes, 451–453
hydrocarbon, role of, 257–259
location, 30–33
nitric oxide reaction pathway, 255
nonattainment areas, 697–698
photochemical cycle of, 255
photostationary state expression, 256
propene reaction pathway, 257–258
sampling, 459–463, 475–476, 509
urban smog pollutant, 78–79, 253–254
- Ozone–propene reaction, 257
- P**
- Paint
lead based, 419–420
pollution effect on, 419–420
pollution source, 316, 326–327
- Paper, pollution effect on, 419–420
- Paper manufacturing
kraft process, 334, 776, 878
pollution control, 878
pollution source, 316, 334–335
sulfur dioxide emission, 419
- Partial pressure, gas, 59
- Particle, 14–16; *see also* Fibers
chemical composition, 60
photochemistry, 61
size, 60
source, 60–61
- Particulate matter *see also* Aerosol
agglomeration, 59
ambient air quality criteria, 666
analysis and measurement, 65, 275, 487–490
atmospheric composition, 59–71
diameters
optical, 64
stokes, 64

- effects
 - fabric soiling, 418
 - health, 64, 71, 393
 - on animals, 409–411
- fog pollutant, 540–541
- hydroscopic growth, 428
- indoor air pollutant, 682
- mass formula, 65
- PM_{2.5} concentration, 463–466, 487–488
- removal
 - electrostatic precipitators, 799–801, 853–854
 - filters, 794–799, 853
 - inertial collectors, 802–803, 853
 - scrubbers, 803–805, 853
 - vacuum cleaner, 788–794
- sources
 - dust storms, 314–315
 - hazardous waste, 516, 519, 522–523
 - incineration, 858–859
 - petroleum refining, 329–330
 - stone manufacturing, 333
 - volcanic, 314
 - transport and deposition, 64–65
- Pasquill-Gifford dispersion parameters, 564–566, 584–585
- Pasquill stability classes
 - climatology measurements, 640, 641–645
 - data collection, 640
 - dispersion measurements, 563–564
 - modeling impact, 524–525, 585
 - plume rise, 585
 - stability wind rose, 650–652
- Passive sampling systems, 189–191
- Perfluoride tracers, 572, 573
- Perihelion, radiant flux, 126
- Periodic table, 209–210
 - of elements, 200
- Periods, 209
- Permeation sampler, 466–468
- Permits, regulations, 702–703
- Peroxyacyl nitrate
 - analysis and measurement, 480
 - health effects, 393
 - pollution effect on forest, 400, 405
 - smog pollutant, 253
- Persistent and metallic compounds, 189–190
- Persistent and toxic organic compounds, 176–188
- Personal monitoring networks, air quality, 506–508
- Pesticides
 - food chain contaminate, 408
 - indoor air pollutant, 682, 684
- Petrochemical processes, emissions and controls, 862–863
- Petroleum gas, liquified, 887
- Petroleum refining
 - pollution control, 881–882
 - pollution source, 316, 329–330
- pH
 - acid deposition, 407
 - aquatic systems, 408, 438–439
 - precipitation analysis, 496, 497
 - scale, 436
- Phoenix, Arizona, visibility study, 434, 435
- Phosphates, wet deposition analysis, 497
- Phosphine, sampling, 459–463
- Photoabsorption, 254–255
- Photodissociation, free radical formation, 249, 254–255
- Photography, visibility analysis, 492–493, 495
- Photolysis, 237–238
- Photometry
 - infrared, 474
 - visibility analysis, 492, 494
- Photostationary state expression, 256
- Photosynthesis, 315, 398–399
- Phytotoxic pollutants, 400, 401–402
- Pitot tube, 903
- Planck's law
 - photoabsorption, 254
 - radiant flux, 125
- Plants
 - anatomy, 398
 - injury versus damage, 397–399
 - photosynthesis, 398–399
 - pollution effects on crops, 399–403, 671–672
- Plastic, pollution source, 326
- Plastic fluids, 115
- Plume mapping, 503–504, 590–591
- Plume model
 - dispersion, 590–591
 - pollution concentration, 557, 587–588
 - sedimentation, 547–548
- PM_{2.5} concentration
 - ambient air quality standards, 697
 - sampling method, 463–466, 487–490
- Polar front, 150–151
- Polarography, metal analysis, 490
- Poleward flux, global heat transfer, 129–130

- Pollen
 - allergies, 315, 405
 - control, 691
 - Pollutants, *see* Pollution sources
 - Pollutant Standards Index, air quality, 288
 - Pollution, definition, 3
 - Pollution control, *see* Control
 - Pollution control agency, *see* Air pollution control agency
 - Pollution control incentives
 - control strategy, 309
 - tax credits, 736–737
 - Pollution prevention, 756–761
 - waste audit, 757–759
 - Pollution rose, 650–654
 - Pollution scale, *see* Scale of pollution
 - Pollution sources, *see also specific sources*
 - anthropogenic, 315–318, 325–335
 - atmospheric effect, 546–547
 - combustion, 319–325, 858–859
 - definition, 71–72
 - emission inventory, 343–346
 - fugitive emissions, 716
 - gaseous emissions, 913–914
 - indirect, 717
 - indoor, 680–684
 - industrial, 315–316, 325–336
 - modeling and prediction, 581–633
 - natural, 314–315
 - operating permits, 702–703
 - particulate emissions, 911, 913
 - personal, 317–318
 - primary pollutants, 273–274, 296, 673–674
 - regulatory control, 724–727
 - sampling, 895–897
 - secondary pollutants, 274–275, 673–674, 787
 - stack height, 78
 - testing, 896–910
 - utilities, 316–317
 - vehicles, 336
 - Pollution trends, *see* Cycles
 - Polycyclic aromatic hydrocarbons, 469
 - Polyprotic acids, 231
 - Polyvinyl chloride, incineration, 858
 - Portland, Oregon, visibility study, 434
 - Positive crankcase ventilation, 886–887
 - Positive Matrix Factorization method, 611, 612
 - Potential temperature, atmospheric
 - mixing, 135
 - Power generation
 - acid deposition control standards, 701
 - coal powered, 42
 - combustion process, 319–325
 - control systems, 728
 - gas powered, 42
 - local pollution, 77–78
 - nuclear powered, 778
 - oil powered, 42
 - pollution control, 316, 854–858
 - pollution source, 315–317
 - wood powered, 876–877
 - Precipitation
 - and dissociation, 225–226
 - effect on visibility, 430
 - pollution effect, 546–547
 - reaction, 238
 - Prediction, *see* Modeling and prediction
 - Pre-industrial revolution, 37–40
 - Pressure, atmospheric
 - gradient force, atmospheric motion, 137
 - ventilation effects, 538–539
 - volume–mass–temperature relationship, 131
 - Presystemic elimination, 372
 - Prevention of Significant Deterioration, 75
 - concentration increments, 672–676
 - source categories, 709, 713
 - Primary pollutants, *see* Pollution sources
 - Propene
 - hydroxyl radical addition, 258
 - ozone reaction pathway, 257–258
 - Pseudoplastic fluids, 115
 - Public Health Act of 1848, 41
 - Public Health Service, 46
 - Puff, trajectory tracking, 592
 - Pyranometer, radiation measurement, 569
 - Pyrolysis, 319
- Q**
- Quality assurance program, for air quality monitoring, 508–510
- R**
- Radial plot, 140–141
 - Radiant flux, blackbody radiation, 125–126
 - Radiation, *see also* Solar radiation; Ultraviolet radiation
 - blackbody, 125–126
 - measurement, 569
 - pollution effect, 547
 - Radiation inversion
 - atmospheric mixing, 135–136
 - polluted fog, 540–544
 - stagnation, 539–540

- Radiative forcing, 445
 - Radioactive clock, 201–202
 - Radioactive pollution
 - Chernobyl, USSR, 85, 545
 - Three-Mile Island, 544
 - Radio-dating, 203
 - Radiogenic isotope, 201, 202
 - Radiosonde
 - atmospheric motion, 134–135
 - dispersion measurement, 569
 - mixing height measurement, 540
 - ventilation measurement, 647–650
 - weather data collection, 639
 - Radon
 - indoor air pollutant, 680–684, 691
 - pollution control, 691
 - Rainout, atmospheric pollution removal, 522
 - RAM model
 - area source pollution, 589
 - evaluation, 630
 - Rankine cycle steam engine, 891–892
 - Rate law, 196
 - Rayleigh scattering, 427
 - Reaction rate, 194
 - Real fluid
 - types, 97
 - Reasonably Available Control Technology,
 - particulate standards, 698
 - Receptor
 - definition, 73
 - exposure time, 267, 286–287, 680
 - model, 75, 203–207
 - Recovered value, 774–775, 811, 812
 - Reference doses, 384
 - Refrigerants, chlorofluorocarbon, 451–452
 - Regional Modeling System for Aerosols and Deposition, 611
 - Regional scale of pollution, 79
 - Regulatory control, 723–724
 - California auto emissions, 724
 - existing stationary sources, 725–726
 - grandfather clause, 724
 - intermittent systems, 728
 - mobile sources, 726–727
 - new stationary sources, 715, 716, 724, 725
 - stacks, 728
 - supplementary systems, 728
 - Relationships of indoor, outdoor, and personal air homes, 264
 - Relative risk, 759
 - Remediation site, clean up, 515, 529
 - Removal mechanisms, *see also* Control
 - atmospheric oxidation, 72–73
 - Representativeness, climatology
 - measurements, 641–645
 - Research, US Clean Air Act provisions, 705
 - Residual risk, 28, 297–302, 621–624, 633, 700, 714–715
 - Resins, pollution source, 326
 - Resource Conservation and Recovery Act,
 - hazardous waste, 33, 780–781
 - Respiratory system
 - allergies, 315
 - health, 71, 378–381, 685–687
 - pollutant behavior in lung, 380–381
 - pollution episode case studies, 540–543
 - Rheopectic fluid, 115
 - Rickets, 547
 - Right to know rule, 699
 - Ringelmann smoke chart, emission
 - standards, 707–708
 - Risk, definition of, 7, 366, 381, 759
 - Risk assessment, 92–93, 213, 288, 371, 387, 394, 530–532, 705
 - Road dust, 315
 - Rotameter, 458
 - Rotary kiln incinerator, 839–840
 - Rubber, pollution effect on, 420–421
- S**
- Sacramento, California, visibility study, 434
 - Saint Helens, Mount, 248, 314; *see also* Volcanic emissions
 - Salem, Oregon, visibility study, 434
 - Salt, ocean aerosol, 315
 - Sampling
 - acid deposition, 437
 - calculations and reporting, 910
 - concentration
 - dispersion instrumentation, 566–571
 - dispersion parameters, 560–566
 - estimates, 557–566
 - Gaussian equations, 557–559, 564–566
 - costs, 571
 - emission inventory, 343–346
 - equipment, 275–276, 458, 911
 - extractive, 459–463
 - gaseous pollutants, 459–463
 - mobile monitoring and surveillance, 503–504
 - monitor types, 910–911
 - particulate matter, 463–466
 - quality assurance, 571, 911, 913

- Sampling (*continued*)
- sample collection, 463, 905–909
 - site selection, 468, 572
 - size-selective, 275
 - source monitoring, 895–897, 910–914
 - source testing, 899–910
 - calculation and report, 910
 - gas flow measurement, 901–905
 - preliminaries, 899–901
 - sample collection, 905–909
 - static systems, 466–468
 - statistical analysis, 571, 897–899
 - system components, 457–459
 - testing
 - gas flow measurement, 901–905
 - preliminary tests, 899–901
 - toxic air, 469
 - West-Gaeke manual method, sulfur dioxide analysis, 477–478
- Satellites, air quality sensor, 505–506
- Scale of pollution
- continental, 80–85
 - global, 85–86
 - local, 77–78
 - regional, 79–80
 - urban, 78–79
- Scavenging mechanisms, 72
- Scrubbers
- dry particulate matter removal, 803–805, 858–859
 - mist removal, 809–810
 - nineteenth century technology, 41–42
- Sea-coal, 38–39
- Seasonal pollution cycle, 270
- Secondary pollutants, *see* Pollution sources
- Sedimentation
- atmospheric pollution removal, 522, 547–549
 - definition, 59
 - measurement, 275
- Selenium
- and human body, 374–375
- Semivolatile organic compounds, 484–487
- Seneca, 37
- Sequential sampler, gas measurement, 275
- Sewage treatment plants
- pollution control, 882
 - pollution source, 317
- Shear stress, 115
- Sick building syndrome, 687
- Silica gel, water vapor removal, 811
- Silver, corrosion rate, 416
- Silvering, plant injury, 399–400
- Silver iodide, cloud seeding, 430, 547
- Sinks, pollution, 71–72
- Sintering, pollution control, 869
- Slagging, incineration, 859
- Slash burning, 333, 876
- Sliding plate viscometer test, 113
- Smelters
- pollution control, 864–865
 - pollution effect on forest, 406–407
 - pollution source, 38–39, 41, 332, 406–408
- Smog, *see also* Fog; Smoke
- photochemical components, 24, 253–254
- Smoke, *see also* Tobacco smoke
- abatement laws, 41
 - combustion byproduct, 319–322, 858
 - fog pollutant, 542–543
 - glass manufacturing pollutant, 333
 - open fireplace, 37, 40, 45, 317–318
 - Ringelmann scale, 707–708
 - steelmaking pollutant, 331
- Soap making, pollution source, 315–316, 327–328
- Solar azimuth, 127–128
- Solar constant, radiant flux, 126
- Solar declination, 128
- Solar flux, 126, 255
- Solar radiation, *see also* Radiation
- atmospheric pollution effect, 547
 - distribution, 123–130
 - electromagnetic spectrum, 123–124
 - flux, 126, 255
 - global atmospheric motion, 148
 - heat balance, 129–130
 - incoming, 126
 - longwave, 128–129
 - photoabsorption, 254–255
 - photodissociation, 249–250
- Solid sorbents, gas sampling, 462
- Solid waste, *see also* Hazardous waste
- costs, 317
 - disposal, 781, 858–859, 882
 - legislation, 365
 - pollution standards, 717
 - Resource Conservation and Recovery Act, 780
 - toxic materials, 365
- Sonic agglomerator, mist removal, 810
- Sorption, 163
- effect on aquatic systems, 164
 - isotherms, 165
- Source apportionment, 75, 203–207
- Soxhlet extractor, 481
- Specific heat, 131–132

- Spectroscopy, *see specific types*
- Stability array
 modeling to meet requirements, 633
 pollution prediction model, 587–588
 weather data collection, 640–641
- Stacks
 control regulations, 728
 discharge rate, 323
 downwash, 582–584
 height, 77–78, 858
 Trail Smelter Arbitration, 723
- Stagnation
 fog pollution, 541
 frequency, 646–647
 pollution transport, 539–540
- STAR computer program, *see* Stability array
- State Implementation Plans, 675
- Static sampling systems *see* Passive sampling systems
- Stationary monitoring networks, air quality, 500–503
- Steam locomotives, 40, 42–45
- Steampower, 40, 42–45
 Rankine engine, 891–892
- Steelmaking, *see also* Metals
 pollution control, 869–871
- Stefan–Boltzmann law, blackbody radiation, 125
- Sterilization, indoor air quality, 267
- Stippling, plant injury, 400
- Stoker, coal, 41–42
- Stokes diameter, 789
- Stone
 pollution effect on, 416–417
 pollution source, 316, 333
- Stratified-charge engine, 891
- Stratosphere, 52–53
 pollution injection, 85
- Stress, 97
- Styrene, sampling, 459–463
- Subadiabatic process, atmospheric mixing, 134, 135–136
- Subsidence inversion
 atmospheric mixing, 136
 ventilation, 539–540
- Sulfates, wet deposition analysis, 497
- Sulfur
 cycle, 360
 emissions, 41, 713
 flue gas desulfurization system, 855
- Sulfur dioxide
 acid rain formation, 83–84, 436
 air quality, 277–278, 663
 analysis and measurement, 457–463, 477–478
 atmospheric oxidation, 72–73, 259
 concentration
 source apportionment, 205
 control systems, 820, 854–855
 corrosion rate of metals, 413–416
 differential absorption lidar, 505
 flame photometric analyzer, 473
 flue gas desulfurization system, 855
 forest growth inhibitor, 405–406, 407
 global warming, 451
 health effects, 393
 heterogeneous reactions, 259
 lead peroxide candle sampling, 466, 472, 542
 phytotoxic pollutant, 400
 polluted fog, 540–544
 pollution effect, 416–417
 pollution episode case studies, 540–544
 primary pollutant, 273–274
 radical oxidation, 259
 regional transport, 79
 removal, absorption, 811
 sampling, 463, 466–468
 smog pollutant, 253
 sources
 acid manufacturing, 327
 aluminum plant, 332
 coal, 79
 combustion, 319–323
 petroleum refining, 329–330
 smelters, 408, 865
 volcanic, 314
 sulfur cycle, 360
 visibility reduction, 360
- Sulfur hexafluoride, atmospheric tracer, 571–572
- Sulfuric acid
 manufacturing process, 327
 smog pollutant, 253
- Sulfur trioxide
 acid manufacturing pollutant, 327
 atmospheric oxidation, 72–73
 sulfuric acid precursor, 79
- Sun, *see* Solar radiation
- Sun photometer, Voltz, 546
- Superadiabatic process, atmospheric mixing, 133, 134
- Superfund Amendments and Reauthorization Act, remediation site cleanup, 34, 515
- Superfund Authorization and Recovery Act, right to know rule, 699

- Surfactant prototype structure, 246
 Surveillance, *see* Sampling
 Sustainability, 743–744
 Sustainable development, 744
- T**
- Tax credits, pollution control incentives, 736
 Technical Foundation for Air Pollution Meteorology, 46
 Telephotometer, visibility analysis, 492–495
 Temperature
 atmospheric measurement, 569
 pressure, volume, mass relationship, 131
 Terpene, forest emission, 403
 Tertiary compound, 217
 Tetraethyl lead
 combustion catalyst, 322
 pollution standards, 720
 Thermal conversion factor, fuel, 346
 Thermal destruction systems
 fluidized bed, 842–843
 liquid injection, 840–842
 multiple chamber, 843
 multiple hearth, 840
 rotary kiln, 839–840
 Thermal mixing, *see* Atmospheric mixing
 Thermal NO_x, 361
 Thermal reactions, 249–250
 Thermal rise, *see* Buoyancy force
 Thermal stability, atmospheric, 131–135
 Thermodynamics, first law of, 131–132
 The Trail, British Columbia, smelter arbitration, 43
 Thixotropic fluid, 115
 Three-Mile Island, Pennsylvania, 544
 Threshold contrast, 423–424
 Time-dependent fluid, 115
 Tobacco smoke, *see also* Smoke
 health effects, 369, 685
 indoor air pollutant, 264, 266, 682–687
 Toluene diisocyanate, sampling, 459–463
 Total body burden, 365–378
 dose, 366
 Toxic air
 pollutant standards, 699–701
 sampling, 469
 Toxicity characteristic leaching procedure, 838
 Toxicology, 6
 Toxic waste sites, *see* Hazardous waste
 Tracer, dispersion measurement, 571–576
 Tradeoff, risk, 13
 Trade winds, 149–150
 Trail Smelter Arbitration, stack emissions, 723
 Trajectory tracking
 pollution prediction, 587
 puff, 592
 Transformation
 atmospheric pollution removal, 548–549
 modeling, 590–593
 nonreactive pollutants, 630–631
 photodissociation, 249–250
 Transmissometer, visibility analysis, 493, 495
 Transport
 definition, 73–74, 96
 global, 85–86
 meteorological bases, 537–540
 models, concentration-based and fugacity-based, 192–193
 physical, 97
 stagnation, 539–540
 ventilation, 537–539
 wind turbulence, 554–556
 wind velocity, 552–554
 Trends, *see* Cycles
 Troposphere, 52–53
 Tropospheric ozone, 78
 Tucson, Arizona, visibility study, 434
 Turbidity
 atmospheric pollution effect, 546–547
 effect on visibility, 428, 430
 Turbulence
 gustiness classes, 561–562
 measurement, 554–556, 569
 pollution transport, 554–556
 Turbulent flow, 119
- U**
- US Clean Air Act
 1956, 47
 1970
 criteria air pollutants, 58–59
 1990 amendments
 acid deposition control, 29–30, 701
 air toxics, 621
 ambient air quality standards, 697–698
 emission inventory requirements, 343
 employment transition assistance, 705
 enforcement, 704
 hazardous air pollutants standards, 296–300, 699–700

- mobile source provisions, 28, 699–700
 - modeling to meet requirements, 632
 - original compared, 696
 - oxygenated gasoline, 12
 - ozone protection, 30–33, 703–704
 - permits, 702–703
 - power generation plant control, 728
 - research provisions, 705
 - stationary sources, 852–853
 - sweeping change, 48–49
 - toxic air pollutants, 28–29, 342
 - urban standards, 26, 78–79
 - visibility mandates, 433–434
 - 1998 revisions, 452
 - US Technical Conference on Air Pollution, 43–45
 - Ultraviolet photometry, ozone analysis, 475–476
 - Ultraviolet radiation, *see also* Radiation
 - atmospheric absorption, 53, 126
 - health effects, 48
 - ozone balance, 53, 451
 - Union Carbide, Bhopal, India, 544–545
 - United Kingdom
 - Clean Air Act, 1956, 47
 - UK Meteorological Office, global warming, 449
 - United Nations Conference on Environment and Development (UNCED), 744
 - United Nations Environment Program, global warming, 449
 - UNMIX model, 611, 612
 - Unpolluted air, 53–57
 - Upslope wind, 143–145
 - Urban Airshed Variable Grid (UAM-V) Photochemical Modeling System, 611
 - Urban heat island, 146–147
 - Urban plume, 146
 - Urban pollution, 26, 78–79
 - ambient air quality standards, 697
 - Urban-scale transformation
 - nonreactive pollutants model, 630–631
 - pollution model, 590–592
 - Utilities, pollution source, 315–317
- V**
- Vacuum cleaner
 - particulate removal, 788–794
 - Valence, 214, 223
 - Valley winds, 143–145
 - Vapor pressure
 - atmospheric concentration limit, 249
 - evaporation rate, 249
 - Vegetation, *see* Plants
 - Vehicles, *see* Automobiles
 - Ventilation
 - climatology, 647–650
 - indoor air rate of exchange, 263–267, 680–681
 - pollution transport, 537–539
 - Vinyl acetate, sampling, 459–463
 - Vinyl chloride, sampling, 467–468
 - Viscous forces, 112
 - Visibility
 - analysis and measurement, 492–495
 - case studies, 434–435
 - dust storms, 314
 - forest fires, 314
 - haze, 80, 430–434
 - humidity effect, 428
 - light extinction, 425–429
 - physics of, 423–430
 - sulfur dioxide effect, 360–364
 - turbidity effect, 429–430
 - Vitamin D, 547
 - Volatile organic compounds
 - control techniques, 691–692
 - indoor air pollutant, 682
 - Volatilization, 169–173
 - Volcanic emissions, 86, 314, 449
 - mobile monitoring, 503–504
 - Mt. St. Helens, 248
 - Voltz sun photometer, 546
 - Volume
 - conversion formula, 54
 - mass, pressure, temperature relationship, 131
- W**
- Wake effect, building, 147
 - Washout
 - acid rain, 80
 - rate, 549–550
 - Waste treatment, *see also* Hazardous waste; Solid waste
 - local pollution, 77
 - Water pollution
 - aquatic systems, 407–409, 438–439
 - ground water, 524
 - surface water, 523–524
 - Water vapor
 - atmospheric content, 53–54
 - removal, 505, 811

- Weather, *see* Climatology
- Weekend-weekday pollution cycle, 270
- West-Gaeke manual measurement, sulfur dioxide analysis, 477–478
- Wet collection bucket, 497
- Wet collector, *see* Scrubbers
- Wet deposition, *see also* Acidic deposition
 atmospheric pollution removal, 549–550
 pollutant removal, 259
- Wien's displacement law, blackbody radiation, 125
- Wind
 direction
 concentration variation, 576
 data measurement, 639–640
 directional frequency, 644–645
 receptor impact, 552–553
 trace pollution dispersion, 522, 561
 fluctuations, 522, 560–561
 rose, 522, 650–654
 shear, 552
 speed
 data measurement, 639–640
 dilution of pollutants, 553–554
 gustiness classes, 561–562
 measurement, 566–569
 systems
 downslope, 143–144
 geostrophic wind, 138–139
 global circulation, 148–152
 gradient wind, 139
 mid-latitude zonal flow, 150–151
 mountain and valley wind, 143–145
 sea and land breezes, 142
 trade winds, 150
 upslope, 143–145
 urban-rural circulation, 145–147
 vane, dispersion measurement, 566–569
 velocity
 modeling impact, 524–525
 pollution transport, 552–554
- Wood, combustion process, 323
- Wood-fired boilers, pollution control, 876–877
- World Commission on Environment and Development, 743
- World Meteorological Organization, global warming, 449–450
- World Summit on Sustainable Development, 744
- X**
- X-ray fluorescence spectroscopy, particulate analysis, 489
- X rays, atmospheric absorption, 126
- Y**
- Youngtown, Florida, chlorine spill, 544
- Z**
- Zenith angle, 127–128
- Zero emission, 5
- Zinc
 corrosion rate, 414
 pollution control, 866
- Zinc-cadmium sulfide, atmospheric tracer, 571
- Zonal index, 150