

Index

- acceptable daily intake (TDI) 617, 766–767
(*see also* daily intake)
- aerosol 176, 179, 239, 240, 242, 255, 684
- Agency for Toxic Substances and Disease Registry (ATSDR) 351, 548
- agriculture 11, 18, 24, 45, 52–53, 167, 174, 268, 563, 603, 756
- Ah-receptor 261, 408, 409
- air pollution (*see* atmospheric pollution)
- aldrin 174–175, 390–391
 - degradation 390
 - discharge 182
 - emission 191
 - in air 12–13
 - in aquatic biota 337
 - in human 761
 - in sediment 15
 - in soil 14
 - in water 13–14, 181
 - in wildlife 5
 - sources 318
- alkylphenol 32, 54, 73
 - degradation 73
 - in air 73
 - in human 649
 - in sediment 120–121, 122
 - in soil 119
 - in water 118, 122
 - sources, emission, and discharge 67
- animal 15, 91, 441–442, 459–463, 775
- aquatic biota 337
 - amphibians 54, 83
 - benthic organisms 139, 347, 349–350
 - bivalves 83, 125, 530–537
 - fish 336, 339
 - mussels 229
 - shellfish 336, 338, 340–341
 - zooplankton 452
- atmospheric deposition 254, 258–259, 266, 304–305, 658, 674, 677, 684
- dry deposition 114, 132, 136, 138, 246, 247–248, 254, 276, 676
- wet deposition 89, 114, 132, 136, 138, 180, 186, 246, 254, 256, 276, 671, 676
- atmospheric pollution 176–178, 245
- ATSDR *see* Agency for Toxic Substances and Disease Registry
- automobile 250, 636
- BAF (*see* bioaccumulation)
- BFRs (*see* brominated flame retardants; PBDEs)
- bioaccumulation 199, 237, 305, 375, 378, 420, 454, 560, 588, 609, 692, 723
- biological effect 412, 415, 793
- biomagnification 657, 658, 699, 709, 710, 712
- BMF (*see* biomagnification)
- brominated flame retardants (BFRs) 74–75, 560, 562, 587, 598, 607(*see also* PBDEs)
- carcinogenicity 75, 383, 735, 793 (*see also* diseases, cancer)
- CB (*see* chlorinated benzenes)
- CDC (*see* Center for Disease Control)
- Center for Disease Control and Prevention (CDC) 169, 224
- children 464, 475, 516, 541, 549–551, 578, 732, 764, 807 (*see also* infant)
- chlordane 7, 17–18, 47, 167, 172–173, 383–387
 - degradation 383
 - emission 52, 166
 - in air 4, 12, 295
 - in aquatic biota 297, 337
 - in human 648
 - in sediment 4, 13, 14, 15, 642–643, 689

- in soil 297, 642–643
 - in water 4, 13, 14, 19
 - in wildlife 5, 15
 - sources 318, 756
- chlorinated benzenes (CBs) 216, 226
 - emission 62–64
 - in air 4, 12, 13
 - in aquatic biota 103
 - in human 359
 - in sediment 102–103
 - in soil 4
 - in water 4, 13, 14
 - in wildlife 5, 15
 - sources 102, 318
- chlorodecone 18, 32
- chlorpyrifos 634
 - in human 466, 649
 - sources 634
- climate 18, 44, 438, 442, 448, 488, 540, 546, 632, 785
- combustion 62, 64, 73, 82, 111, 137, 139, 249, 252–253, 261, 266–267, 273, 274, 275, 279–280, 293, 319, 564, 683
- coplanar PCBs 8, 83, 408
 - degradation 572, 671, 733
 - discharge 326
 - emission 59, 60–62
 - in air 21–22
 - in aquatic biota 96
 - in human 91, 781
 - in sediment 21–22
 - in soil 21–22, 568
 - in water 21–22
 - in wildlife 15
 - sources 55
- daily intake (DI) 91, 94–96, 515, 548–549, 550, 576, 741, 742, 744, 782, 804, 805, 806
- dairy product 93, 94–95, 96, 343, 345, 471, 804
- DDT, DDE, DDD 17, 167–170, 400–407
 - degradation 192
 - discharge 72, 292
 - emission 166
 - in air 12
 - in aquatic biota 299
 - in human 305–306
 - in sediment 15, 189–192, 297
 - in soil 186–188, 297, 298
 - in water 13, 14, 183
 - in wildlife 15
 - sources 292
- degradation 73, 75, 136, 192, 240, 254–255, 264, 267, 499, 561, 658, 671–672, 682, 757
- dicofol 17, 166, 169, 400, 766
 - in air 292
 - in water 495
 - sources 72, 177
- dieldrin 174–175, 390–391
 - in air 4, 13
 - in aquatic biota 639
 - in human 760
 - in sediment 5, 13, 15
 - in soil 4
 - in water 4, 13–14
 - in wildlife 5, 15
 - sources, emission, and discharge 633
- dietary intake 343–344, 346, 360, 455, 549, 616, 618–619, 736, 762–764
- dioxins and related compounds (DRCs) 1, 444, 446, 469–470, 519, 576, 774, 775, 780, 781–782, 783, 785, 793, 794, 802–804, 807
- dirty dozen 32, 35, 561, 732 (*see also* priority pollutant)
- discharge 46, 49, 51, 73, 80, 81, 180, 226, 231, 266, 268, 440, 602, 649, 658, 664, 778
- diseases
 - cancer 33, 46, 129, 356, 400, 560, 712, 733, 735, 742, 767–768, 807
 - Itai-itai disease 3
 - malaria 169, 170, 400, 490, 491, 509, 518, 519, 564, 567, 590, 598, 602, 608, 634, 635, 638, 775
 - Minamata disease 3
 - respiratory diseases 733
 - vector-born diseases 400, 434, 544, 567
 - “Yucheng” disease 45, 733
- DRCs (*see* dioxins and related compounds)
- ecology 162, 633, 785
- economic growth and development 44, 45, 161, 227, 237, 588, 614
- electronic waste 220, 230, 289, 294
- emissions 31, 60, 62, 66, 248–250
- endocrine disrupter (EDCs) 7, 15, 31, 463, 475, 610, 648, 723, 733–735, 765, 775
- endosulfan 46–47, 70–71
 - emission 70–71
 - in air 70–71, 108
 - in aquatic biota 635, 645, 702

- in human 635
- in sediment 193, 642, 643
- in soil 109, 642
- in water 495, 641
- sources 108
- endrin 391, 394–396
 - discharge
 - degradation 395
 - emission 182
 - in air 4
 - in aquatic biota 337
 - in sediment 5, 642
 - in soil 4, 334, 642
 - in water 4
 - in wildlife 5
 - sources
- energy 161, 219, 242, 255, 280
- Environmental Protection Agency (EPA)
 - 238, 349, 382, 388, 727, 741
- EPA *see* Environmental Protection Agency
- evaporation 75, 134, 186, 268, 290, 448, 569, 599
- e-waste (*see* electronic waste)
- exposure 31, 77
 - contact 195, 349, 765
 - diet 343–344, 345, 351, 357, 762–764,
 - see also* dietary intake
 - fish consumption 46, 355
 - inhalation 91, 195, 353, 356, 357, 658, 735
- fate and transport 128–141
- FDA (*see* Food and Drug Administration)
- Food and Drug Administration (FDA) 301, 506
- food chain 227, 268, 344, 376, 469, 537, 546, 560, 574, 699, 702, 721, 722, 723, 724
 - (*see also* food web)
- foodstuff 54, 174, 195–204, 471, 472, 474, 548, 551, 607–608, 758
- food web 204, 375, 376, 420, 658, 699, 709, 711, 712 (*see also* food chain)
- forest 168, 174, 214, 217, 325, 631, 632, 637, 638
- fossil fuel 64, 252–253, 261
 - coal 237, 241, 242, 243, 247, 249, 264, 266, 273, 274, 275, 279–280
 - diesel 241, 242, 250, 636
 - gasoline 76, 242, 250, 727
 - petroleum 116, 137, 251, 253, 260, 261, 266, 630, 632, 633, 636, 664
- fruit 93–95, 196, 198–199, 217, 343, 345
- fugacity 132–134, 250, 274
- fungicide 378, 499, 567, 570, 726, 797
 - (*see also* pesticide)
 - discharge
 - emission 62–64
 - in air 4, 12, 13
 - in aquatic biota 499
 - in human 537
 - in sediment 5, 13, 14, 15
 - in soil 4
 - in water 4, 13, 14
 - in wildlife 5, 15
 - sources 64, 318
- gas-particle 100, 106, 112, 244, 246, 256
- global distribution 76, 176, 390, 434, 446
- government 24, 25, 27–28, 31–33, 34, 41, 44, 47, 48, 52–53, 55, 58, 59, 61, 67, 85, 159–160, 165–166, 168, 230, 453, 473, 491–492, 548, 578, 591, 637
- groundwater 64, 180, 186, 268, 270
- HBCDs (*see* hexabromocyclododecane)
- HCB (*see* hexachlorobenzene)
- HCHs (*see* hexachlorocyclohexanes)
- Henry's law 134
- heptachlor 17–18, 174–175, 382–383
 - degradation 689
 - emission 182
 - in air 4, 12–13
 - in aquatic biota 336, 337
 - in human 739, 762
 - in sediment 5, 13, 14, 15, 193
 - in soil 4
 - in water 4, 13, 14, 184, 185
 - in wildlife 5, 15
 - sources 166, 318
- herbicide 519, 634, 638, 755 (*see also* pesticide)
- hexabromocyclododecane (HBCDs) 559, 561
 - in aquatic biota 571, 620
 - in human 559
 - in sediment 605
 - in water 570
 - sources, emission, and discharge 560

- hexachlorobenzene (HCB) 16, 72–73, 170–171, 378–382
 discharge
 emission 62–64
 in air 4, 12, 13
 in aquatic biota 499
 in human 537
 in sediment 5, 13, 14, 15
 in soil 4
 in water 4, 13, 14
 in wildlife 5, 15
 sources 64, 318
- hexachlorocyclohexanes (HCHs) 171, 217–218
 degradation 726
 discharge 14
 emission 14, 166
 in air 12, 295
 in aquatic biota 299, 305, 703
 in human 760, 794, 797, 807
 in sediment 106–107, 193–194, 297, 642
 in soil 106, 297, 642
 in water 14, 180, 295
 sources 108, 290
- human exposure 91–99, 305–306, 537–540, 575–578, 608–611, 793–808
 adipose tissue 92
 blood serum 92, 463–464
 breast milk 92
 tissue 92
 urine 464
- human health 353–361, 547–550, 616–620, 765–768 (*see also* public health)
- implementation 363–364
- incinerator 7, 33, 46, 48–50, 58–59, 61, 83–84, 129–130, 131, 215–216, 294, 650
- indoor 76, 169, 245
- industrialization 45, 227, 264, 280, 420, 458, 588
- industrial waste 21, 45, 57–58, 130, 215–217, 237, 294, 649
- industries 563
 chloralkali 216–217
 dye 218
 iron and steel 64, 219
 power generation 294
 pulp and paper 218–219
- infant 471, 541, 761, 766, 767, 804–808 (*see also* children)
- insecticide 441, 508, 518, 528 (*see also* pesticide)
 degradation 689
 discharge 14
 emission 182
 in air 593–596
 in aquatic biota 299, 305, 336, 337, 703
 in human 537, 761, 795
 in sediment 446, 448
 in soil 565–567
 in water 494
 in wildlife 5, 15
 sources 166, 318, 756
- inventory 22, 51, 54, 55–61, 65–67, 313, 314, 316–326, 637
- Kow (*see* octanol-water partition coefficient)
- landfill 48, 69, 80, 81, 85, 637
- latitude 44, 289–290, 692, 722, 784
- laws 160, 162, 163–166, 506–508
- legislation 230, 496, 542, 649–650
- lindane 167, 171, 217, 669, 756
 in air 179
 in aquatic biota 461, 600
 in human 760
 in sediment 72, 642
 in soil 72, 642
 in water 494, 639
- livestock 265, 325, 755, 804
- long range transport 16, 32, 140–141, 669
- management 6, 163, 230–231, 363–364, 472–474, 506–508, 578–580, 589–592, 649–650
- metabolism 75, 724
- mirex 173, 175, 387–390
 degradation 388
 discharge 389
 emission 166
 in air 4, 12
 in aquatic biota 337, 388
 in human 358
 in sediment 4–5
 in soil 4
 in water 4
 in wildlife 5
 sources 318

- monitoring 3–28, 51–55, 793–799
- municipal waste 45, 58, 80, 458, 515, 542, 543–544, 774, 799, 802 (*see also* solid waste)
- natural resources 238, 630
- occupational 91, 465, 732
- OCP (*see* organochlorine pesticides)
- octanol-water partition coefficient (Kow) 669, 709, 723, 757
- open dumping 437, 446, 515–516, 526, 541, 542, 543–544, 637, 799–804
- organochlorine pesticides (OCPs) 36, 42, 46, 47, 70–73, 104, 290, 664–669
- degradation 192, 726
- discharge 108
- emission 108
- in air 106, 223, 295
- in aquatic biota 299
- in human 761
- in sediment 105, 106–107, 290, 297
- in soil 106, 290, 297–299
- in water 108, 295, 297
- in wildlife 70
- sources 108–111
- organotin 487, 492–493, 611–615
- in aquatic biota 501
- in sediment 614
- in water 612, 614
- sources, emission, and discharge 618, 619
- PAH (*see* polycyclic aromatic hydrocarbons)
- PBB (*see* polybromobiphenyls)
- PBDE (*see* polybrominated diphenyl ethers)
- PBT (*see* persistent, bioaccumulative and toxic chemicals)
- PCB (*see* polychlorinated biphenyls)
- PCDD (*see* polychlorinated dibenzo-p-dioxins)
- PCDF (*see* Polychlorinated dibenzofurans)
- PCP (*see* Pentachlorophenol)
- pentachlorophenol (PCP) 21–22, 170, 217, 218, 228
- degradation 22
- in air 22
- in aquatic biota 22
- in human 22
- in sediment 22
- in soil 187, 305
- in water 22
- sources, emission, and discharge 21–22
- perfluoroalkyl acids (PFAs) 32, 36, 42, 75–77, 125
- degradation 76
- discharge 76
- emission 76
- in air 76
- in human 128
- in water 126–127
- sources 75–77
- perfluorochemicals (PFCs) 21
- degradation
- in air 21
- in aquatic biota, 21, 126
- in human 28, 128
- in sediment 21
- in soil 21
- in water 21, 126, 127
- in wildlife
- sources, emission, and discharge, 126
- persistence 32, 123, 176, 217, 588, 724, 726
- persistent, bioaccumulative and toxic (PBT) chemicals 24–27, 31–55, 32, 132–140, 163–166, 174–175, 306
- degradation 186, 588
- discharge 313, 314, 319–326
- emission 55–67
- in air 4, 12–13, 295, 328–329
- in aquatic biota 299, 336–343
- in human 305–306
- in sediment 5, 13, 14, 15, 189–195, 297, 329, 332–334
- in soil 4, 183–189, 297–299, 334–335
- in water 4, 13, 14, 180–183, 295–297, 329
- in wildlife 5
- sources 289–295, 316
- persistent toxic substances (PTS) 433–440, 448–463, 471–474, 487–489, 493–496
- degradation 444, 499
- discharge 439, 604
- emission 515, 542, 599
- in air 439
- in aquatic biota 449, 458
- in human 463–471, 505–506
- in sediment 446–448
- in soil 439, 444–446
- in water 440–444

- in wildlife 493–505
 - sources 489–493
- pesticide 8–11, 159–179, 195–205, 317, 361–364, 412, 490, 506, 508–509, 518–519, 563–565, 592
 - degradation 186, 192, 658
 - discharge 441
 - emission 55–67
 - in air 106, 519
 - in aquatic biota 336–343
 - in human 505–506
 - in sediment 106, 189–195, 521–525, 565–569
 - in soil 108, 183–189, 521–525, 565–569
 - in water 180–183, 440–444, 520
 - in wildlife 453, 496–505
 - sources 108–111, 290–295
- PFA (*see* perfluoroalkyl acids)
- PFC (*see* perfluorochemicals)
- physicochemical properties 42, 672, 756–758
- plants (*see* vegetation)
- policy 159–163, 473, 578–579, 723
- polybrominated diphenyl ethers (PBDEs)
 - 35, 36, 42, 74–75, 124, 214–215, 230–231, 292–295, 688, 696–698, 730–731
 - degradation 561
 - discharge 220–221
 - emission 67
 - in air 125, 223, 302
 - in aquatic biota 224, 225, 303–304
 - in human 226, 575–576
 - in sediment 125, 221–223, 302–303
 - in soil 223
 - in water 221–223
 - in wildlife 20, 608, 730
 - sources 220–221
- polybromobiphenyls (PBBs) 35, 36, 42, 74–75, 124, 214–215, 230–231, 292–295, 688, 696–698, 730–731
 - degradation 561
 - discharge 220–221
 - emission 67
 - in air 125, 223, 302
 - in aquatic biota 224, 225, 303–304
 - in human 226, 575–576
 - in sediment 125, 221–223, 302–303
 - in soil 223
 - in water 221–223
 - in wildlife 20, 608, 730
 - sources 220–221
- polychlorinated biphenyls (PCBs) 24–25, 132–140, 214, 230–231, 292–295, 306–307, 317, 319, 343–344, 407–408, 571, 637, 669–670, 693–696
 - degradation 572, 671, 733
 - discharge 326
 - emission 55, 61–62, 63, 67–70
 - in air 4, 99, 100, 223, 299–300, 328–329, 332
 - in aquatic biota 224, 225, 301–302, 336–343
 - in human 91, 226, 344, 347, 537–538, 575–576
 - in sediment 5, 13, 14, 100–101, 103–104, 221–223, 300–301, 329, 332–334
 - in soil 100, 223, 334–335
 - in water 4, 13, 14, 221–223, 300
 - in wildlife 5, 15
 - sources 218, 219–220, 318
- polychlorinated dibenzofurans (PCDFs) 8, 21–23, 213–215, 230–231, 304–305, 408–409, 412–415
 - degradation 136
 - discharge 51, 80
 - emission 47, 51, 55–61, 136, 321
 - in air 78, 223
 - in aquatic biota 224, 225
 - in human 91–92
 - in sediment 78–79, 81, 128–129, 221–223
 - in soil 78, 80, 128–129, 223
 - in water, 82–83 78, 221–223
 - in wildlife 82
 - sources 87–88, 215–219, 293–294
- polychlorinated dibenzo-p-dioxins (PCDDs) 8, 21–23, 213–215, 230–231, 304–305, 408–409, 412–415
 - degradation 136
 - discharge 51
 - emission 47, 51, 55–61, 136, 321
 - in air 78, 223
 - in aquatic biota 224, 225
 - in human 91–92
 - in sediment 78–79, 81, 128–129, 221–223
 - in soil 78, 80, 128–129, 223
 - in water 82–83, 78, 221–223
 - in wildlife 82
 - sources 87–88, 215–219, 293–294
- polycyclic aromatic hydrocarbons (PAHs)
 - 132–140, 240–248, 253–256, 257–267, 275–277, 659–664
 - degradation 239, 254–255, 264

- discharge 266, 267
- emission 63, 65, 66, 248–250, 278–280
 - in air 112
 - in aquatic biota 276
 - in human 266, 268
 - in sediment 113, 256–257, 259
 - in soil 112–113, 114, 267–275, 277–278
 - in water 112, 256–257
 - in wildlife 238
 - sources 64–65, 111, 114, 116, 250–253
- population 44–45, 550, 762–764, 766
- prevention 159–160
- priority pollutants 33, 141, 238 (*see also* “dirty dozen”)
- PTS (*see* persistent toxic substances)
- public health 245, 500, 726 (*see also* human health)
- pyrethroid 435, 518
 - in air 133
 - in water 133, 495
- recycle 220, 229–230, 294–295
- regulations 47, 49, 163–166, 472, 473, 506–508, 649–650
- remediation 65, 195, 307
- remote area 36, 130, 268, 602
- residual levels 593–596
 - BFRs 598
 - PCBs 93, 462, 528, 609
 - pesticides 494, 528
 - TCDD/Fs 93
- risk assessment 347–361, 741, 804–808
- seasonal variation 136, 243–244
- sediment 105, 106, 189–195, 300–301, 329–334, 446–448, 519, 527, 529, 545
- sewage 73, 223–224, 270–271
 - treatment 464, 669, 734
- sludge 56, 217, 223–224
- soil contamination (*see* soil pollution)
- soil pollution 186–188
- solid waste 129, 215–216, 436, 568 (*see also* industrial waste; municipal waste)
- solubility 132, 180, 237–238, 396, 677
- sorption 76, 89, 138–139
- spatial distribution 122–123, 241–243, 273–275, 606
- Stockholm Convention 32, 47, 67, 140, 213, 314, 363–364, 490–491
- surface water 329, 529, 545
- sustainable development 160–161
- temporal trend 49, 88–91, 544–547, 614–616, 773, 789–793
- TEQ (*see* toxic equivalence quantity)
- thyroid 75, 729, 730
- time trend *see* temporal trend
- tolerable daily intake (TDI) 8, 226, 506, 782 (*see also* daily intake)
- toxaphene 16–17, 174, 377, 396, 398–399
 - in air 4, 12–13
 - in aquatic biota 337
 - in sediment 5, 329
 - in water 4, 14
 - in wildlife 5, 15
 - sources 318, 489
- toxic equivalence quantity (TEQ) 262, 409, 645, 646
- toxicity 174, 271, 395, 409, 635, 729
 - acute 258, 265, 588
 - chronic 349, 350, 351, 352, 588, 619
 - neuro 765, 793
- UNEP (*see* United Nations Environment Program)
- United Nations Environment Program (UNEP) 32, 314, 375, 376, 518, 724
- vapor pressure 72, 130, 244, 275–276
- vegetation 267, 275, 335–336
- water pollution 180–181, 519
 - coastal water 16, 181–183
 - estuary 181, 258, 260–261, 264–265, 267, 519, 545
 - lake 180, 226–227
 - ocean 442–444
 - reservoir 180
 - river 257–267, 264
 - sea 442–444
- WHO (*see* World Health Organization)
- wildlife 496–505
 - bird 15, 378–379, 389, 395, 415, 455, 457–458
 - marine mammals 15, 341–343, 460, 574, 699
 - waterbirds 375–421
- World Health Organization (WHO) 195, 347, 727, 734, 782