
BIBLIOGRAPHY

- Aber, J. D. (1992). Nitrogen cycling and nitrogen saturation in temperate forest ecosystems. *Trends in Ecology and Evolution* **7**, 220–223.
- Aber, J. D., and Federer, A. (1992). A generalized, lumped-parameter model of photosynthesis, evapotranspiration and net primary production in temperate and boreal forest ecosystems. *Oecologia* **92**, 463–474.
- Aber, J. D., and Melillo, J. M. (1991). “Terrestrial Ecosystems.” Saunders College Publishing of Holt, Rinehart and Winston, Orlando, Florida.
- Aber, J. D., Driscoll, C., Federer, C. A., Lathrop, R., Lovett, G., Melillo, J. M., Steudler, P., and Vogelmann, J. (1993). A strategy for the regional analysis of the effects of physical and chemical climate change on biogeochemical cycles in northeastern (U.S.) forests. *Ecological Modelling* **67**, 37–47.
- Aber, J. D., Melillo, J. M., Nadelhoffer, K. J., Pastor, J., and Boone, R. D. (1991). Factors controlling nitrogen cycling and nitrogen saturation in northern temperate forest ecosystems. *Ecological Applications* **1**, 303–315.
- Aber, J. D., Nadelhoffer, K. J., Steudler, P., and Melillo, J. (1989). Nitrogen saturation in northern forest ecosystems. *BioScience* **39**, 378–386.
- Aber, J. D., Ollinger, S. V., Federer, C. A., Reich, P. B., Goulden, M. L., Kicklighter, D. W., Melillo, J. M., and Lathrop, R. G., Jr. (1995). Predicting the effects of climate change on water yield and forest production in the northeastern United States. *Climate Research* **5**, 207–222.
- Abrams, M. D., Orwig, D. A., and Demeo, T. E. (1995). Dendroecological analysis of successional analysis of successional dynamics for a presettlement-origin white-pine–mixed-oak forest in the southern Appalachians, USA. *Journal of Ecology* **83**, 123–133.
- Adams, J. M., and Woodward, F. I. (1989). Patterns in tree species richness as a test of the glacial extinction hypothesis. *Nature* **339**, 699–701.
- Ae, N., Arihar, J., Okada, K., Yoshihara, T., and Johanssen, C. (1990). Phosphorus uptake by pigeon pea and its role in cropping systems of the Indian subcontinent. *Science* **248**, 477–480.
- Aerts, R., Bakker, C., and DeCaluwe, H. (1992). Root turnover as determinant of the cycling of C, N, and P in dry heathland ecosystem. *Biogeochemistry* **15**, 175–190.
- Agee, J. K., and Huff, M. H. (1987). Fuel succession in a western hemlock/Douglas-fir forest. *Canadian Journal of Forest Research* **17**, 697–704.
- Ågren, G. I., and Ingestad, T. (1987). Root:shoot ratio as a balance between nitrogen productivity and photosynthesis. *Plant, Cell and Environment* **10**, 579–586.
- Ågren, G. I., McMurtrie, R. E., Parton, W. J., Pastor, J., and Shugart, H. H. (1991). State-of-the-art of models of production-decomposition linkages in conifer and grassland ecosystems. *Ecological Applications* **1**, 118–138.
- Alexander, I. J., and Fairly, R. I. (1983). Effects on N-fertilization on populations of fine roots and mycorrhizas in spruce humus. *Plant and Soil* **71**, 49–53.
- Allen, R. B., Clinton, P. W., and Davis, M. R. (1997). Cation storage and availability along a *Nothofagus* forest development sequence in New Zealand. *Canadian Journal of Forest Research* **27**, 323–330.
- Ambrose, S. H., and DeNiro, M. J. (1986). The isotopic ecology of East African mammals. *Oecologia* **69**, 395–406.

- Amthor, J. S. (1984). The role of maintenance respiration in plant growth. *Plant, Cell and Environment* **7**, 561–569.
- Anderson, E. A. (1968). Development and testing of snowpack energy balance equations. *Water Resources Research* **4**, 19–37.
- Angerbjörn, A., Hersteinsson, P., Liden, K., and Nelson, E. (1994). Dietary variation in arctic foxes (*Alopex lagopus*)—An analysis of stable carbon isotopes. *Oecologia* **99**, 226–232.
- Angert, A., Biraud, S., Bonfils, C., Henning, C. C., Buermann, W., Pinzon, J., Tucker, C. J., and Fung, I. (2005). Drier summers cancel out the CO₂ uptake enhancement induced by warmer springs. *PNAS* **102**, 10823–10827.
- April, K., and Newton, K. (1992). Mineralogy and mineral weathering. In “Atmospheric Deposition and Forest Nutrient Cycling” (D. W. Johnson and S. E. Lindberg, eds.), pp. 378–425. Springer-Verlag, New York.
- Arain, M. A., Black, T. A., Barr, A. G., Jarvis, P. G., Massheder, J. M., Verseghy, D. L., and Nestic, Z. (2002). *Canadian Journal Forest Research* **32**, 878–891.
- Arthur, M. A., and Fahey, I. J. (1993). Controls on soil solution chemistry in a subalpine forest in north-central Colorado. *Soil Science Society of America Journal* **57**, 1122–1130.
- Ascaso, C., Galvan, J., and Rodrequez-Oascual, C. (1982). The weathering of calcareous rocks by lichens. *Pedobiologia* **24**, 219–229.
- Asner, G. P., and Vitousek, P. M. (2005). Remote analysis of biological invasion and biogeochemical change. *PNAS* **102**, 4383–4386.
- Asrar, G., ed. (1989). “Theory and Applications of Optical Remote Sensing.” Wiley, New York.
- Aston, A. R. (1979). Rainfall interception by eight small trees. *Journal of Hydrology* **42**, 383–396.
- Attiwill, P. M. (1994). The disturbance of forest ecosystems: The ecological basis for conservative management. *Forest Ecology and Management* **63**, 247–300.
- Attiwill, P. M., and Adams, M. A. (1993). Tansley review No. 50: Nutrient cycling in forests. *New Phytologist* **124**, 561–582.
- Axelsson, E., and Axelsson, B. (1986). Changes in carbon allocation patterns in spruce and pine trees following irrigation and fertilization. *Tree Physiology* **2**, 189–204.
- Badeau, V., Becker, M., Bert, D., Dupouey, J.-L., Lebourgeois, F., and Picard, J.-F. (1996). Long-term growth trends of trees: Ten years of dendrochronological studies in France. In “Growth Trends in European Forests” (H. Spiecker, K. Mielikäinen, K. Köhl, and J. P. Skovsgaard, eds.), pp. 167–181. Springer, Berlin.
- Bailey, S. W., Hornbeck, J. W., Driscoll, C. T., and Gaudette, H. E. (1996). Calcium inputs and transport in a base-poor forest ecosystem as interpreted by Sr isotopes. *Water Resources Research* **32**, 707–719.
- Baker, F. S. (1944). Mountain climates of the western United States. *Ecological Monographs* **14**, 225–254.
- Baker, T. G., and Attiwill, P. M. (1985). Above-ground nutrient distribution and cycling in *Pinus radiata* D. Don and *Eucalyptus obliqua* L’Herit. forests in southeastern Australia. *Forest Ecology and Management* **13**, 41–52.
- Baker, W. L. (1989). A review of models of landscape change. *Landscape Ecology* **2**, 111–133.
- Baldocchi, D. D. (1988). A multi-layer model for estimating sulfur dioxide deposition to a deciduous oak forest canopy. *Atmospheric Environment* **22**, 869–884.
- Baldocchi, D. D., and Harley, P. C. (1995). Scaling carbon dioxide and water vapour exchange from leaf to canopy in a deciduous forest. II. Model testing and application. *Plant, Cell and Environment* **18**, 1157–1173.
- Baldocchi, D. D., Hicks, B. B., and Meyers, T. P. (1988). Measuring biosphere–atmosphere exchanges of biologically related gases with micrometeorological methods. *Ecology* **69**, 1331–1340.

- Baldocchi, D., Valentini, R., Running, S., Oechel, W., and Dahlman, R. (1996). Strategies for measuring and modelling carbon dioxide and water vapor fluxes over terrestrial ecosystems. *Global Change Biology* **2**, 159–168.
- Ball, J. T., Woodrow, I. E., and Berry, J. A. (1987). A model predicting stomatal conductance and its contribution to the control of photosynthesis under different environmental conditions. In “Progress in Photosynthetic Research” (J. Biggins, ed.), Vol. 4, pp. 221–224. Nijhoff, Dordrecht, The Netherlands.
- Band, L. E. (1989a). A terrain based watershed information system. *Hydrological Processes* **3**, 151–163.
- Band, L. E. (1989b). Spatial aggregation of complex terrain. *Geographical Analysis* **21**, 279–293.
- Band, L. E. (1993). Effect of land surface representation on forest water and carbon budgets. *Journal of Hydrology* **150**, 749–772.
- Band, L. E., and Moore, I. D. (1995). Scale: Landscape attributes and geographical information systems. *Hydrological Processes* **9**, 401–422.
- Band, L. E., Patterson, P., Nemani, R. R., and Running, S. W. (1993). Forest ecosystem processes at the watershed scale: Incorporating hillslope hydrology. *Agricultural and Forest Meteorology* **63**, 93–126.
- Band, L. E., Peterson, D. L., Running, S. W., Coughlan, J., Lammers, R., Dungan, J., and Nemani, R. (1991). Forest ecosystem processes at the watershed scale: Basis for distributed simulation. *Ecological Modelling* **56**, 171–196.
- Barber, V. A., Juday, G. P., and Finney, B. P. (2000). Reduced growth of Alaskan white spruce in the twentieth century from temperature-induced drought stress. *Nature* **405**, 668–673.
- Barry, R. G. (1992). “Mountain Weather and Climate,” 2nd Ed. Routledge, London.
- Bartell, S. M., Cale, W. G., O’Neill, R. V., and Gardner, R. H. (1988). Aggregation error: Research objectives and relevant model structure. *Ecological Modelling* **41**, 157–168.
- Bascietto, M., Cherubini, P., and Scarascia-Mugnozza, G. (2004). Tree rings from a European beech forest chronosequence are useful for detecting growth trends and carbon sequestration. *Canadian Journal of Forest Research* **34**, 481–492.
- Bassoz, S. L., McConnaughay, K. D. M., and Bazazz, F. A. (1994). The response of temperate tree seedlings grown in elevated CO₂ to extreme temperature events. *Ecological Applications* **4**, 593–603.
- Bazazz, F. A. (1990). The response of natural ecosystems to the rising of global CO₂ levels. *Annual Review of Ecology and Systematics* **21**, 167–196.
- Beaubien, E. G., and Freeland, H. J. (2000). Spring phenology trends in Alberta, Canada: Links to ocean temperature. *International Journal of Biometeorology* **44**, 53–59.
- Beaufils, E. R. (1973). Diagnosis and Recommendation Integrated System (DRIS). Department of Soil Science and Agro-Meteorology, University of Natal, Pietermaritzburg, South Africa.
- Beckwith, R. C., and Burnell, D. G. (1982). Spring larval dispersal of the western spruce budworm (Lepidoptera: Tortriciole) in north central Washington. *Environmental Entomology* **11**, 828–832.
- Berling, D. J., and Chaloner, W. G. (1993). Evolutionary responses of stomatal density to global CO₂ change. *Biological Journal Linnaean Society* **48**, 343–353.
- Beets, P. N., and Madgwick, H. A. I. (1988). Above-ground dry matter and nutrient content of *Pinus radiata* as affected by lupins, fertiliser, thinning and stand age. *New Zealand Journal of Forestry* **18**, 43–64.
- Beets, P. N., and Whitehead, D. (1996). Carbon partitioning in *Pinus radiata* in relation to foliage nitrogen status. *Tree Physiology* **16**, 131–138.
- Benecke, U., and Evans, G. (1987). Growth and water use in *Nothofagus truncata* (hard beech) in temperate hill country, Nelson, New Zealand. In “The Temperate Forest Ecosystem” (Y. Hanzi,

- W. Zhan, J. N. R. Jeffers, and P. A. Ward, eds.), pp. 131–140. Institute of Terrestrial Ecology Symposium No. 20. Lavenham Press, Lavenham, Suffolk, U.K.
- Benecke, U., and Nordmeyer, A. H. (1982). Carbon uptake and allocation by *Nothofagus solandri* var. *cliffortioides* (Hook. f.) Poole and *Pinus contorta* Douglas ex Loudon ssp. *contorta* at montane and sub-alpine altitudes. In “Carbon Uptake and Allocation in Subalpine Ecosystems as a Key to Management” (R. H. Waring, ed.), pp. 9–21. Oregon State University, Forest Research Laboratory, Corvallis, Oregon.
- Benner, R., Fogel, M. L., Sprague, E. K., and Hodson, R. E. (1987). Depletion of ^{13}C in lignin and its implications for stable isotope studies. *Nature* **329**, 708–710.
- Benson, M. L., Landsberg, J. J., and Borough, C. J. (1992). The biology of forest growth experiment: An introduction. *Forest Ecology and Management* **52**, 1–16.
- Berg, B., and Staaf, H. (1981). Leaching, accumulation and release of nitrogen in decomposing forest litter. In “Terrestrial Nitrogen Cycles” (F. E. Clark and T. Rosswall, eds.), pp. 163–178. Swedish National Science Research Council, Stockholm.
- Berg, B., Berg, M. P., Bottner, P., Box, E., Breymeyer, A., Calvo de Anta, R., Couteaux, M., Escudero, A., Gallardo, A., Kratz, W., Madeira, M., Mälkönen, E., McClaugherty, C., Meentemeyer, V., Muñoz, F., Piussi, P., Remacle, J., and Virzo de Santo, A. (1993). Litter mass loss rates in pine forests of Europe and eastern United States: Some relationships with climate and litter quality. *Biogeochemistry* **20**, 127–159.
- Bernays, E. A., and Woodhead, S. (1982). Plant phenols utilized by a phytophagous insect. *Science* **216**, 201–203.
- Berry, J. A., and Downton, W. J. S. (1982). Environmental regulation of photosynthesis. In “Photosynthesis, Development, Carbon Metabolism, and Plant Productivity” (R. Govindjee, ed.), pp. 263–343. Academic Press, New York.
- Beven, K. J. (1989). Changing ideas in hydrology: The case of physically based models. *Journal of Hydrology* **105**, 157–172.
- Beven, K. J., and Kirkby, M. J. (1979). A physically based, variable contributing model of basin hydrology. *Hydrology Science Bulletin* **24**, 43–69.
- Bhupinderpal-Singh, Nordgren, A., Ottosson Lövvenius, M., Hogberg, M. N., Mellander, P.-E., and Höglberg, P. (2003). Tree root and soil heterotrophic respiration as revealed by girdling of boreal Scots pine forest: Extending observations beyond the first year. *Plant, Cell, and Environment* **26**, 1287–1296.
- Biederbeck, V. O., and Campbell, C. A. (1973). Soil microbial activity as influenced by temperature trends and fluctuations. *Canadian Journal of Forest Research* **53**, 363–376.
- Billings, W. D. (1978). “Plants and the Ecosystem,” 3rd Ed. Wadsworth, Belmont, California.
- Binkley, D. (1986). “Forest Nutrition Management.” Wiley, New York.
- Binkley, D., and Brown, T. C. (1993). “Management Impacts on Water Quality of Forests and Rangelands.” *USDA Forest Service, General Technical Report RM-239*. Fort Collins, Colorado.
- Binkley, D., and Valentine, D. (1991). Fifty-year biogeochemical effects of green ash, white pine, and Norway spruce in a replicated experiment. *Forest Ecology and Management* **40**, 13–25.
- Binkley, D., Cromack, K., Jr., and Baker, D. D. (1994). Nitrogen fixation by red alder: Biology and rates of control. In “The Biology and Management of Red Alder” (D. Hibbs, D. DeBell, and R. Tarrant, eds.), pp. 57–72. Oregon State Univ. Press, Corvallis, Oregon.
- Blaise, T., and Garbaye, J. (1983). Effects de la fertilisation minerale sur les ectomycorhizes d’une hêtre. *Acta Oecologia Plantarum* **4**, 165–169.
- Bockheim, J. G. (1980). Solution and use of chronofunctions in studying soil development. *Geoderma* **24**, 71–85.
- Boisvenue, C., and Running, S. W. (2006). Impacts of climate change on natural forest productivity—Evidence since the middle of the 20th century. *Global Change Biology* **12**, 862–882.

- Bolan, N. S., Robson, A. D., and Barrow, N. J. (1987). Effects of vesicular–arbuscular mycorrhizae on the availability of iron phosphates in plants. *Plants and Soil* **99**, 401–410.
- Bonan, G. B. (1989). Environmental factors and ecological processes controlling vegetation patterns in boreal forests. *Landscape Ecology* **3**, 111–130.
- Bonan, G. B. (1993). Importance of leaf area index and forest type when estimating photosynthesis in boreal forests. *Remote Sensing of the Environment* **43**, 303–314.
- Bonan, G. B. (1995). Land atmosphere CO₂ exchange simulated by a land-surface process model coupled to an atmospheric general circulation model. *Journal of Geophysical Review* **100**, 2817–2831.
- Bonan, G. B., Chapin III, F. S., and Thompson, S. L. (1995). Boreal forest and tundra ecosystems as components of the climate system. *Climatic Change* **29**, 147–167.
- Bonan, G. B., Pollard, D., and Thompson, S. L. (1992). Effects of boreal forest vegetation on global climate. *Nature* **359**, 716–718.
- Bond, W. J., Woodward, F. I., and Midgley, G. F. (2005). The global distribution of ecosystems in a world without fire. *New Phytologist* **165**, 525–538.
- Bond-Lamberty, B., Wang, C., and Gower, S. T. (2004). A global relationship between heterotrophic and autotrophic components of soil respiration? *Global Change Biology* **10**, 1756–1766.
- Bonsal, B. R., Zhang, X., Vincent, L. A., and Hood, W. D. (2001). Characteristics of daily and extreme temperatures over Canada. *Journal of Climate* **14**, 1959–1976.
- Borchert, R. (1973). Simulation of rhythmic tree growth under constant conditions. *Physiologia Plantarum* **29**, 173–180.
- Boring, L. R., Swank, W. T., Waide, J. B., and Henderson, G. S. (1988). Sources, fates, and impacts of nitrogen inputs to terrestrial ecosystems: Review and synthesis. *Biogeochemistry* **6**, 119–159.
- Bormann, B. T., Bormann, F. H., Bowden, W. B., Pierce, R. S., Wang, D., Snyder, M. C., Li, C. Y., and Ingersoll, R. C. (1993). Rapid N₂ fixation in pines, alder, and locust: Evidence from the sandbox ecosystem study. *Ecology* **74**, 583–598.
- Bormann, B. T., Spaltenstein, H., McClellan, M. H., Ugolini, F. C., Cromack, K., Jr., and Nay, S. M. (1995). Rapid soil development after windthrow disturbance in pristine forests. *Journal of Ecology* **83**, 1–20.
- Bormann, F. H. (1985). Air pollution and forests: An ecosystem perspective. *BioScience* **35**, 434–441.
- Bormann, F. H., and Likens, G. E. (1979). “Pattern and Process in a Forested Ecosystem.” Springer-Verlag, New York.
- Bosch, J. M., and Hewlett, J. D. (1982). A review of catchment experiments to determine the effect of vegetation changes on water yield and evapotranspiration. *Journal of Hydrology* **55**, 3–23.
- Bossel, H. (1991). Modelling forest dynamics: Moving from description to explanation. *Forest Ecology and Management* **42**, 129–142.
- Bossel, H. (1996). TREEDYN3 forest simulation model. *Ecological Modeling* **90**, 187–227.
- Botkin, D. B., and Simpson, L. G. (1990). Biomass of the North American boreal forest: A step toward accurate global measures. *Biogeochemistry* **9**, 161–174.
- Botkin, D. B., Janak, J. F., and Wallis, J. R. (1972). Some ecological consequences of a computer model of forest growth. *Journal of Ecology* **60**, 849–872.
- Boucher, J. F., Munson, A. D., and Bernier, P. Y. (1995). Foliar absorption of dew influences shoot water potential and root growth in *Pinus strobus* seedlings. *Tree Physiology* **15**, 819–824.
- Bouten, W., and Jansson, P.-E. (1995). Evaluation of model behaviour with respect to the hydrology at the Solling spruce site. *Ecological Modelling* **83**, 245–253.
- Boutton, T. W. (1991). Stable carbon isotope ratios of natural materials: II. Atmospheric, terrestrial, marine, and freshwater environments. In “Carbon Isotope Techniques” (D. C. Coleman and B. Fry, eds.), pp. 173–185. Academic Press, San Diego.

- Bradshaw, R. H. W., and Zackrisson, O. (1990). A two thousand year history of a northern Swedish boreal forest stand. *Journal of Ecology* **83**, 123–133.
- Bräker, O. U. (1996). Growth Trends of Swiss Forests: Tree-Ring Data. Case Study Toppwald. In “Growth trends in European Forests” (H. Spiecker, K. Mielikäinen, K. Köhl, and J. P. Skovsgaard, eds.), pp. 199–217. Springer, Berlin.
- Braun, E. L. (1950). “Deciduous Forests of Eastern North America.” Blakiston, Philadelphia, Pennsylvania.
- Bridgham, S. D., Pastor, J., McClaugherty, C. A., and Richardson, C. J. (1995). Nutrient-use efficiency: A litterfall index, a model, and a test along a nutrient-availability gradient in North Carolina peatlands. *American Naturalist* **145**, 1–21.
- Briggs, G. E., Kidd, F., and West, C. (1920). A quantitative analysis of plant growth. *Annals of Applied Biology* **7**, 202–223.
- Bristow, K. L., and Campbell, G. S. (1984). On the relationship between incoming solar radiation and daily maximum and minimum temperature. *Agricultural and Forest Meteorology* **31**, 159–166.
- Brown, S., Gillespie, A. J. R., and Lugo, A. E. (1991). Biomass of tropical forests of south and southeast Asia. *Canadian Journal of Forest Research* **21**, 111–117.
- Bryant, J. P., Chapin III, F. S., Reichardt, P., and Clausen, T. (1986). Chemical mediated interactions between plants and other organisms. *Recent Advances in Phytochemistry* **19**, 219–237.
- Bryant, J. P., Provenza, F. D., Pastor, J., Reichardt, P. B., Clausen, T. P., and du Toit, J. T. (1991). Interactions between woody plants and browsing mammals mediated by secondary metabolites. *Annual Review of Ecology and Systematics* **22**, 431–446.
- Buchmann, N., Gebauer, G., and Schulze, E.-D. (1996). Partitioning of ¹⁵N-labeled ammonium and nitrate among soil, litter, below- and above-ground biomass of trees and understory in a 15-year-old *Picea abies* plantation. *Biogeochemistry* **33**, 1–23.
- Buchmann, N., Guehl, J.-M., Barigah, T. S., and Ehleringer, J. R. (1997). Interseasonal comparison of CO₂ concentrations, isotopic composition and carbon dynamics in an Amazonian rainforest (French Guiana). *Oecologia* **110**, 120–131.
- Burgan, R. E. (1988). 1988 revisions to the 1978 National Fire-Danger Rating System. *USDA Forest Service Research Paper SE-273*. Asheville, North Carolina.
- Burger, H. (1929). Holz, Blattmenge und Zuwachs. *Mitteilungen Schweizerische Zentralanstalt für das Forstliche Versuchswesen* **15**, 243–292.
- Burgman, M. A. (1996). Characterisation and delineation of the eucalypt old-growth forest estate in Australia: A review. *Forest Ecology and Management* **83**, 149–161.
- Burke, I. C., and Lauenroth, W. K. (1993). What do LTER results mean? Extrapolating from site to region and decade to century. *Ecological Modelling* **67**, 19–35.
- Burke, I. C., Kittel, T. G. F., Lauenroth, W. K., Snook, P., Yonker, C. M., and Parton, W. J. (1991). Regional analysis of the central great plains. *BioScience* **41**, 685–692.
- Burns, R. G. (1982). Enzyme activity in soil: Location and a possible role in microbial ecology. *Soil Biology and Biochemistry* **14**, 423–427.
- Burns, R. M., and Honkala, B. H. (1990). “Silvics of North America.” Agriculture Handbook 654, United States Dept. of Agriculture, Forest Service, Washington, D.C.
- Burton, A. J., Pregitzer, K. S., and Reed, D. D. (1991). Leaf area and foliar biomass relationships in northern hardwood forest located along an 800km acid deposition gradient. *Forest Science* **37**, 1041–1052.
- Burton, A. J., Zogg, G. P., Pregitzer, K. S., and Zak, D. R. (1997). Effect of measurement CO₂ concentration on sugar maple root respiration. *Tree Physiology* **17**, 421–427.
- Cadogan, B. L., Nealis, V. G., and van Frankenhuyzen, K. (1995). Control of spruce budworm (Lepidoptera: Tortricidae) with *Bacillus thuringiensis* applications timed to conserve a larval parasitoid. *Crop Protection* **14**, 31–36.

- Canadell, J., Jackson, R. B., Ehleringer, J. R., Mooney, H. A., Sala, O. E., and Schulze, E.-D. (1996). Maximum rooting depth of vegetation types at the global scale. *Oecologia* **108**, 583–595.
- Candau, J.-N., and Fleming, R. A. (2005). Landscape-scale spatial distribution of spruce budworm defoliation in relation to bioclimatic conditions. *Canadian Journal of Forest Research* **35**, 2218–2232.
- Cannell, M. G. R. (1989). Physiological basis of wood production: A review. *Scandinavian Journal of Forest Research* **4**, 459–490.
- Cannell, M. G. R., and Dewar, R. C. (1994). Carbon allocation in trees: A review of concepts for modelling. *Advances in Ecological Research* **25**, 60–140.
- Cannell, M. G. R., and Thornley, J. H. M. (2000). Modeling the components of plant respiration: Some guiding principles. *Annals of Botany* **85**, 45–54.
- Cannell, M. G. R., Grace, J., and Booth, A. (1989). Possible impacts of climatic warming on trees and forests in the United Kingdom: A review. *Forestry* **62**, 337–364.
- Cao, M., Prince, S. D., and Shugart, H. H. (2002). Increasing terrestrial carbon uptake from the 1980s to the 1990s with changes in climate and atmospheric CO₂. *Global Biogeochemical Cycles* **16**, 1069–1079.
- Carlyle, J. C., and Malcolm, D. C. (1986). Nitrogen availability beneath pure spruce and mixed larch + spruce stands growing on a deep peat. II. A comparison of N availability as measured by plant uptake and long-term laboratory incubations. *Plant and Soil* **93**, 115–122.
- Carroll, A. L., Taylor, S. W., Régnière, J., and Safranyik, L. (2003). Effects of climate change on range expansion by the mountain pine beetle in British Columbia. In “Information Report BC-X-399 Mountain Pine Beetle Symposium: Challenges and Solutions” (T. L. Shore, J. E. Brookes, and J. E. Stone, eds.), pp. 223–232. Natural Resources Canada, Victoria, British Columbia.
- Carter, G. A. (1994). Ratios of leaf reflectances in narrow wavebands as indicators of plant stress. *International Journal of Remote Sensing* **15**, 697–703.
- Caspersen, J., Pacala, S., Jenkins, J., Hurtt, G., Moorcroft, P., and Birdsey, R. (2000). Contributions of land-use history to carbon accumulation in U.S. forests. *Science* **290**, 1148–1151.
- Cattellino, P. J., Noble, I. R., Slatyer, R. O., and Kessell, S. R. (1979). Predicting the multiple pathways of plant succession. *Environmental Management* **3**, 41–50.
- Cayan, D. R., Kammerdiener, S. A., Dettinger, M. D., Caprio, J. M., and Peterson, D. H. (2001). Changes in the onset of spring in the western United States. *Bulletin of the American Meteorological Society* **82**, 399–425.
- Ceulemans, R., and Mousseau, M. (1994). Effects of elevated atmospheric CO₂ on woody plants. *New Phytologist* **127**, 425–446.
- Ceulemans, R. J., and Saugier, B. (1991). Photosynthesis. In “Physiology of Trees” (A. S. Raghavendra, ed.), pp. 21–50. Wiley, New York.
- Chapin, F. S. (1980). The mineral nutrition of wild plants. *Annual Review of Ecology and Systematics* **11**, 233–260.
- Chapin, F. S., and Kedrowski, R. A. (1983). Seasonal changes in nitrogen and phosphorus fractions and autumn retranslocation in evergreen and deciduous taiga trees. *Ecology* **64**, 376–391.
- Chapin III, F. S., Vitousek, P. M., and Van Cleve, K. (1986). The nature of nutrient limitations in plant communities. *American Naturalist* **127**, 48–58.
- Chapman, W. L., and Walsh, J. E. (1993). Recent variations of sea ice and air temperature in high latitudes. *Bulletin of the American Meteorological Society* **74**, 33–47.
- Chase, T. N., Pielke, R. A., Kittel, T. G. F., Nemani, R., and Running, S. W. (1996). Sensitivity of a general circulation model to global changes in leaf area index. *Journal of Geophysical Research* **101**(D3), 7393–7408.

- Chen, J. M., and Cihlar, J. (1996). Retrieving leaf area index of boreal conifer forests using Landsat TM images. *Remote Sensing of the Environment* **55**, 153–162.
- Chen, J., and Franklin, J. F. (1992). Vegetation responses to edge environments in old-growth Douglas-fir environments. *Ecological Applications* **2**, 387–396.
- Christensen, N. K., Agee, J. K., Brussard, P. F., Hughes, J., Knight, D. H., Minshall, G. W., Peek, J. M., Pyne, S. J., Swanson, F. J., Thomas, J. W., Wells, S., Williams, S. E., and Wright, H. A. (1989). Interpreting the Yellowstone fires of 1988. *BioScience* **39**, 678–685.
- Christensen, N. L., and Peet, R. K. (1981). Secondary forest succession on the North Carolina Piedmont. In "Forest Succession: Concepts and Applications" (D. C. West, H. H. Shugart, and D. B. Botkin, eds.), pp. 230–245. Springer-Verlag, New York.
- Christensen, N. L., Bartuska, A. M., Brown, J. H., Carpenter, S., DeAntonio, C., Francis, R., Franklin, J. F., MacMahon, J. A., Noss, R. F., Parsons, D. J., Peterson, C. H., Turner, M. G., and Woodmansee, R. G. (1996). The report of the Ecological Society of America committee on the scientific basis for ecosystem management. *Ecological Applications* **6**, 665–691.
- Christiansen, E., and Ericsson, A. (1986). Starch reserves in *Picea abies* in relation to defense reaction against a bark beetle transmitted blue-stain fungus, *Ceratocystis polonica*. *Canadian Journal of Forest Research* **16**, 78–83.
- Christiansen, E., Waring, R. H., and Berryman, A. A. (1987). Resistance of conifers to bark beetle attack: Searching for general relationships. *Forest Ecology and Management* **22**, 89–106.
- Chung, H. H., and Barnes, R. L. (1977). Photosynthate allocation in *Pinus taeda*. I. Substrate requirements for synthesis of shoot biomass. *Canadian Journal of Forest Research* **7**, 106–111.
- Chuvieco, E., and Martin, M. P. (1994). A simple method for fire growth mapping using AVHRR channel 3 data. *International Journal of Remote Sensing* **15**, 3141–3146.
- Ciais, P., Tans, P. P., Trolier, M., White, J. W. C., and Francey, R. J. (1995). A large northern hemisphere terrestrial CO₂ sink indicated by the ¹³C/¹²C ratio of atmospheric CO₂. *Science* **269**, 1098–1102.
- Cienciala, E., Running, S. W., Lindroth, A., Grelle, A., and Ryan, M. G. (1998). Analysis of carbon and water fluxes from the NOPEX boreal forest: Comparison of measurements with FOREST-BGC simulations. *Journal of Hydrology* **212–213**, 62–78.
- Clapp, R. B., and Hornberger, G. M. (1978). Empirical equations for some soil hydraulic properties. *Water Resources Research* **14**, 601–604.
- Clark, J. S. (1988). Effect of climate change on fire regimes in northwestern Minnesota. *Nature* **334**, 233–235.
- Clark, K. L., Gholz, H. L., and Castro, M. S. (2004). Carbon dynamics along a chronosequence of slash pine plantations in north Florida. *Ecological Applications* **14**, 1154–1171.
- Cleary, B. D., and Waring, R. H. (1969). Temperature collection of data and its analysis for the interpretation of plant growth and distribution. *Canadian Journal of Botany* **47**, 167–173.
- Clements, F. E. (1936). Nature and structure of the climax. *Journal of Ecology* **24**, 252–284.
- Cleugh, H. A., Leuning, R., Mu, Q., and Running, S. W. (2007). Regional evaporation estimates from flux tower and MODIS satellite data. *Remote Sensing of Environment*. **106**, 285–304.
- Clinton, P. W., Allen, R. B., and Davis, M. R. (2002). Nitrogen storage and availability during stand development in a New Zealand *Nothofagus* forest. *Canadian Journal of Forest Research* **32**, 344–352.
- Cohen, W. B., and Spies, T. A. (1992). Estimating structural attributes of Douglas-fir/western hemlock forest stands from Landsat and SPOT imagery. *Remote Sensing of the Environment* **41**, 1–17.
- Cohen, W. B., Harmon, M. E., Wallin, D. O., and Fiorella, M. (1996). Two decades of carbon flux from forests of the Pacific Northwest. *BioScience* **46**, 836–844.
- Cohen, W. B., Maiersperger, T. K., Yang, Z., Gower, S. T., Turner, D. P., Ritts, W. D., Berterretche, M., and Running, S. W. (2003). Comparisons of land cover and LAI estimates derived from

- ETM+ and MODIS for four sites in North America: A quality assessment of 2000/2001 provisional MODIS products. *Remote Sensing of Environment* **88**, 233–255.
- Cohen, W. B., Spies, T. A., Alig, R. J., Oetter, D. R., Maiersperger, T. K., and Fiorella, M. (2002). Characterizing 23 years (1972–95) of stand replacement disturbance in western Oregon forests with Landsat imagery. *Ecosystems* **5**, 122–137.
- Cohen, W. B., Spies, T. A., and Fiorella, M. (1995). Estimating the age and structure of forests in a multiownership landscape of western Oregon, U.S.A. *International Journal of Remote Sensing* **16**, 721–746.
- Cole, D. W., and Rapp, M. (1981). Elemental cycling in forest ecosystems. In “Dynamic Properties of Forest Ecosystems” (D. E. Reichle, ed.), pp. 341–409. International Biological Program 23. Cambridge Univ. Press, Cambridge.
- Coleman, J. D., Gillman, A., and Green, W. Q. (1980). Forest patterns and possum densities within podocarp/mixed hardwood forests on Mt. Bryan O’Lynn, Westland, New Zealand. *New Zealand Journal of Ecology* **3**, 69–84.
- Coley, P. D. (1988). Effects of plant growth rate and leaf lifetime on the amount and type of anti-herbivore defense. *Oecologia* **74**, 531–536.
- Comerford, N. B., and Skinner, M. F. (1989). Residual phosphorus solubility for an acid, clayey, forested soil in the presence of oxalate and citrate. *Canadian Journal of Soil Science* **69**, 111–117.
- Comins, H. N., and McMurtrie, R. E. (1993). Long-term response of nutrient-limited forests to CO₂ enrichment: Equilibrium behaviour of plant–soil models. *Ecological Applications* **3**, 666–681.
- Comstock, G. L. (1965). Longitudinal permeability of green eastern hemlock. *Forest Products Journal* **15**, 441–449.
- Connell, J. H., and Slatyer, R. O. (1977). Mechanisms of succession in natural communities and their role in community stability and organization. *American Naturalist* **111**, 1119–1144.
- Cook, B. D., Davis, K. J., Wang, W., Desai, A., Berger, B. W., Teclaw, R. M., Martin, J. G., Bolstad, P. V., Bakwin, P. S., Yi, C., and Heilman, W. (2004). Carbon exchange and venting anomalies in an upland deciduous forest in northern Wisconsin. *Agricultural and Forest Meteorology* **126**, 271–295.
- Cook, E., Bird, T., Peterson, M., Barbetti, M., Buckley, B., D’Arrigo, R., Francey, R., and Tans, P. (1991). Climatic change in Tasmania inferred from a 1089–year tree-ring chronology of Huon pine. *Science* **253**, 1266–1268.
- Cook, J. E. (1996). Implications of modern successional theory for habitat typing: A review. *Forest Science* **42**, 67–75.
- Coops, N. C., Waring, R. H., and Landsberg, J. J. (1998). Assessing forest productivity in Australia and New Zealand using a physiologically-based model driven with averaged monthly weather data and satellite derived estimates of canopy photosynthetic capacity. *Forest Ecology and Management* **104**, 113–127.
- Coops, N. C., Waring, R. H., and Moncreiff, J. B. (2000). Estimating mean monthly incident solar radiation on horizontal and inclined slopes from mean monthly temperature extremes. *International Journal of Biometeorology* **44**, 204–211.
- Coops, N. C., Waring, R. H., Brown, S. R., and Running, S. W. (2001). Comparison of predictions of net primary production and seasonal patterns in water use derived with two forest growth models in southwestern Oregon. *Ecological Modeling* **142**, 61–81.
- Cosby, B. J., Hornberger, G. M., Galloway, J. N., and Wright, R. F. (1985). Modeling the effects of acid deposition: Assessment of a lumped parameter model of soil water and streamwater chemistry. *Water Resources Research* **21**, 51–63.
- Cote, B., and Camire, C. (1995). Application of leaf, soil, and tree ring chemistry to determine the nutritional status of sugar maple on sites of different levels of decline. *Water, Air and Soil Pollution* **83**, 363–373.

- Coughlan, J. C., and Running, S. W. (1997a). Regional ecosystem simulation: A general model for simulating snow accumulation and melt in mountainous terrain. *Landscape Ecology* **12**, 119–136.
- Coughlan, J. C., and Running, S. W. (1997b). Biophysical aggregations of forested landscape using an ecological diagnostic system. *Transactions in GIS* **1**, 25–39.
- Covington, W. W., and Moore, M. M. (1994). Southwestern ponderosa pine forest structure and resource conditions: Changes since Euro-American settlement. *Journal of Forestry* **92**, 39–47.
- Cowles, H. C. (1899). The ecological relations of the vegetation of the sand dunes of Lake Michigan. *Botanical Gazette* **27**, 95–117, 167–202, 281–308, and 361–391.
- Coyea, M. R., and Margolis, H. A. (1992). Factors affecting the relationship between sapwood and leaf area of balsam fir. *Canadian Journal of Forest Research* **22**, 1684–1693.
- Coyea, M. R., and Margolis, H. A. (1994). The historical reconstruction of growth efficiency and its relationship to tree mortality in balsam fir ecosystems affected by spruce budworm. *Canadian Journal of Forest Research* **24**, 2208–2221.
- Coyea, M. R., Margolis, H. A., and Gagnon, R. R. (1990). A method for reconstructing the development of the sapwood area of balsam fir. *Tree Physiology* **6**, 283–291.
- Crane, W. J. B., and Banks, J. C. G. (1992). Accumulation and retranslocation of foliar nitrogen in fertilised and irrigated *Pinus radiata*. *Forest Ecology and Management* **52**, 201–223.
- Crawley, M. J. (1983). "Herbivory: The Dynamics of Animal-Plant Interactions." Univ. of California Press, Berkeley.
- Creed, I. F., Band, L. E., Foster, N. W., Morrison, I. K., Nicolson, J. A., Semkin, R. S., and Jeffries, D. S. (1996). Regulation of nitrate-N release from temperate forests: A test of the N flushing hypothesis. *Water Resources Research* **23**, 3337–3354.
- Crill, P. M. (1991). Seasonal patterns of methane uptake and carbon dioxide release by a temperate woodland soil. *Global Biogeochemical Cycles* **5**, 319–334.
- Cromer, R. N., Cameron, D. M., Rance, S. J., Ryan, P. A., and Brown, M. (1993a). Response to nutrients in *Eucalyptus grandis*. 2. Nitrogen accumulation. *Forest Ecology and Management* **62**, 231–243.
- Cromer, R. N., Cameron, D. M., Rance, S. J., Ryan, P. A., and Brown, M. (1993b). Response to nutrients in *Eucalyptus grandis*. 1. Biomass accumulation. *Forest Ecology and Management* **62**, 211–230.
- Cropper, W. P., Jr., and Gholz, H. L. (1993). Simulation of the carbon dynamics of Florida slash pine plantation. *Ecological Modelling* **66**, 231–249.
- Cropper, W., Jr., and Gholz, H. L. (1994). Evaluating potential response mechanisms of a forest stand to fertilization and night temperature: A case study using *Pinus elliottii*. *Ecological Bulletins* **43**, 154–160.
- Cui, J., Li, C., and Trettin, C. (2005). Analyzing the ecosystem carbon and hydrologic characteristics of forested wetland using a biogeochemical process model. *Global Change Biology* **11**, 278–289.
- Curran, P. J. (1994). Imaging spectrometry. *Progress in Physical Geography* **18**, 247–266.
- Currie, W. S., Aber, J. A., McDowell, W. H., Boone, R. D., and Magill, A. H. (1996). Vertical transport of dissolved organic C and N under long-term N amendments in pine and hardwood forests. *Biogeochemistry* **35**, 471–505.
- Dahlgren, R. A. (1994). Soil acidification and nitrogen saturation from weathering of ammonium-bearing rock. *Nature* **368**, 838–841.
- Dale, V. H., and Rauscher, H. M. (1994). Assessing impacts of climate change on forests: The state of biological modeling. *Climatic Change* **28**, 65–90.
- Dale, V. H., Doyle, T. W., and Shugart, H. H. (1985). A comparison of tree growth models. *Ecological Modelling* **29**, 145–169.

- Dale, V. H., ed. (1994). "Effects of Land-Use Change on Atmospheric CO₂ Concentrations: South and Southeast Asia as a Case Study." Springer-Verlag, New York.
- Dale, V. H., Gardner, R. H., DeAngelis, D. L., Eagar, C., and Webb, J. W. (1991). Elevation-mediated effects of balsam woolly adelgid on southern Appalachian spruce–fir forests. *Canadian Journal of Forest Research* **21**, 1639–1648.
- Dale, V. H., Joyce, L. A., McNulty, S., Neilson, R. P., Ayres, M. P., Flannigan, M. D., Hanson, P. J., Irland, L. C., Lugo, A. E., Peterson, C. J., Simberloff, D., Swanson, F. J., Stocks, B. J., Wotton, M. (2001). Climate change and forest disturbances. *BioScience* **51**, 723–734.
- Daly, C., Neilson, R. P., and Phillips, D. L. (1994). A statistical-topographic model for mapping climatological precipitation over mountainous terrain. *Journal of Applied Meteorology* **33**, 140–158.
- Dang, Q.-L., Margolis, H. A., Sy, M., Coyea, M. R., Collartz, G. J., and Wathall, C. L. (1997). Profiles of photosynthetically active radiation, nitrogen, and photosynthetic capacity in the boreal forest: Implications for scaling from leaf to canopy. *Journal of Geophysical Research* **102(D24)**, 28,845–28,860.
- Darley-Hill, S., and Johnson, W. C. (1981). Acorn dispersal by the blue jay (*Cyanocitta cristata*). *Oecologia* **50**, 231–232.
- Davidson, E. A., Hart, S. C., and Firestone, M. K. (1992). Internal cycling of nitrate in soils of a mature coniferous forest. *Ecology* **73**, 1148–1156.
- Davidson, R. L. (1969). Effect of root–leaf temperature differentials on root–shoot ratios in some pasture grasses and clover. *Annals of Botany* **33**, 561–569.
- Dawson, T. E. (1993). Water sources of plants as determined from xylem-water isotopic composition: Perspectives on plant competition, distribution, and water relations. In "Stable Isotopes and Plant Carbon–Water Relations" (J. R. Ehleringer, A. E. Hall, and G. D. Farquhar, eds.), pp. 465–496. Academic Press, San Diego.
- De Vries, W., Reinds, G. J., Gundersen, P., and Sterba, H. (2006). The impact of nitrogen deposition on carbon sequestration in European forests and forest soils. *Global Change Biology* **12**, 1151–1173.
- Deans, J. D. (1981). Dynamics of coarse root production in a young plantation of *Picea sitchensis*. *Forestry* **54**, 139–155.
- DeBano, L. F., and Rice, R. M. (1973). Water repellent soils: Their implications in forestry. *Journal of Forestry* **71**, 220–223.
- Delbart, N., Kergoat, L., Toan, T. L., Lhermitte, J., and Picard, G. (2005). Determination of phenological dates in boreal regions using normalized difference water index. *Remote Sensing of Environment* **97**, 26–38.
- Delcourt, H. R., and Delcourt, P. A. (1985). Comparison of taxon calibrations, modern analogue techniques, and forest-stand simulation models for the quantitative reconstruction of past vegetation. *Earth Surface Processes and Landforms* **10**, 293–304.
- Delwiche, C. C. (1970). The nitrogen cycle. *Scientific American* **223**, 136–146.
- Dement, W. A., and Mooney, H. A. (1974). Seasonal variation in the production of tannins and cyanogenic glucosides in the chaparral shrub, *Heteromeles arbutifolia*. *Oecologia* **15**, 65–76.
- Desjardins, R. L., Hart, R. L., MacPherson, J. I., Schuepp, P. H., and Verma, S. B. (1992a). Aircraft- and tower-based fluxes of carbon dioxide, latent, and sensible heat. *Journal of Geophysical Research* **97**, 18477–18485.
- Desjardins, R. L., Schuepp, P. H., MacPherson, J. I., and Buckley, D. J. (1992b). Spatial and temporal variations of the fluxes of carbon dioxide and sensible and latent heat over the FIFE site. *Journal of Geophysical Research* **97**, 18467–18475.
- DeSteven, D., Kline, J., and Matthiae, P. E. (1991). Long-term changes in a Wisconsin *Fagus–Acer* forest in relation to glaze storm distribution. *Journal of Vegetation Science* **2**, 201–208.

- Dewar, R. C. (1993). A root–shoot partitioning model based on carbon–nitrogen–water interactions and Munch phloem flow. *Functional Ecology* **7**, 356–368.
- Dewar, R. C. (1995). Interpretation of an empirical model for stomatal conductance in terms of guard cell function: Theoretical paper. *Plant, Cell and Environment* **18**, 365–372.
- Dewar, R. C., Ludlow, A. R., and Dougherty, P. M. (1994). Environmental influences on carbon allocation in pines. *Ecological Bulletins* **43**, 92–101.
- Diaz-Ravina, M., Acea, M. J., and Carballas, T. (1995). Seasonal changes in microbial biomass and nutrient flush in forest soils. *Biology and Fertility of Soils* **19**, 220–226.
- Dickinson, R. E., and Henderson-Sellers, A. (1988). Modelling tropical deforestation: A study of GCM land-surface parameterizations. *Quarterly Journal of the Royal Meteorology Society* **114**, 439–462.
- Dickson, B. A., and Crocker, R. L. (1953). A chronosequence of soils and vegetation near Mt. Shasta, California. II. The development of the forest floors and the carbon and nitrogen profiles of the soils. *Journal of Soil Science* **4**, 142–154.
- Dickson, R. E., and Broyer, T. C. (1972). Effects of aeration, water supply, and nitrogen source on growth and development of tupelo gum and bald cypress. *Ecology* **53**, 626–634.
- Dise, N. B., and Wright, R. F. (1995). Nitrogen leaching from European forests in relation to nitrogen deposition. *Forest Ecology and Management* **71**, 153–161.
- Dixon, R. K., Brown, S., Houghton, R. A., Solomon, A. M., Trexler, M. C., and Wisniewski, J. (1994). Carbon pools and flux of global forest ecosystems. *Science* **263**, 185–190.
- Doane, C. C., and McManus, M. L., eds. (1981). The gypsy moth: Research toward integrated pest management. *United States Department of Agriculture, Technical Bulletin* **1584**, 65–86.
- Dobson, M. C., Ulaby, F. T., and Pierce, L. E. (1995). Land-cover classification and estimation of terrain attributes using synthetic aperture radar. *Remote Sensing of the Environment* **51**, 199–214.
- Doley, D. (1981). Tropical and subtropical forests and woodlands. In “Water Deficits and Plant Growth” (T. T. Kozlowski, ed.), pp. 209–223. Academic Press, New York.
- Dougherty, P. M., Whitehead, D., and Vose, J. M. (1994). Environmental influences on the phenology of pine. *Ecological Bulletins* **43**, 64–75.
- Drew, T. J., and Flewelling, J. W. (1977). Some recent Japanese theories of yield–density relationships and their application to Monterey pine plantations. *Forest Science* **23**, 517–534.
- Driscoll, C. T., Likens, G. E., Hedin, L. O., Eaton, J. S., and Bormann, F. H. (1989). Changes in the chemistry of surface water. *Environmental Science and Technology* **23**, 137–143.
- Duncan, R. P., and Stewart, G. H. (1991). The temporal and spatial analysis of tree age distributions. *Canadian Journal of Forest Research* **21**, 1703–1710.
- Dunin, F. X., McIlroy, I. C., and O’Loughlin, E. M. (1985). A lysimeter characterization of evaporation by eucalypt forest and its representatitiveness for the local environment. In “The Forest–Atmosphere Interaction” (B. A. Hutchison and B. B. Hicks, eds.), pp. 271–291. Reidel, Dordrecht, The Netherlands.
- Dunning, J. B., Stewart, D. J., Danielson, B. J., Noon, B. R., Root, T. L., Lamberson, R. H., and Stevens, E. E. (1995). Spatially explicit population models: Current forms and future uses. *Ecological Applications* **5**, 3–11.
- Durka, W., Schulze, E.-D., Gebauer, G., and Voerkelius, S. (1994). Effects of forest decline on uptake and leaching of deposited nitrate determined from ¹⁵N and ¹⁸O measurements. *Nature* **372**, 765–767.
- Dye, D. G., and Shibasaki, R. (1995). Intercomparison of global PAR data sets. *Geophysical Research Letters* **38**, 2013–2016.
- Easterling, D. R., Horton, B., Jones, P. D., Peterson, T. C., Karl, T. R., Parker, D. E., Salinger, M. J., Razuvayev, V., Plummer, N., Jamason, P., and Folland, C. K. (1997). Maximum and minimum temperature trends for the globe. *Science* **277**, 364–367.

- Eaton, J. S., Likens, G. E., and Bormann, F. H. (1978). The input of gaseous and particulate sulfur to a forest ecosystem. *Tellus* **30**, 546–551.
- Edmonds, R. L., ed. (1982). “Analysis of Coniferous Forest Ecosystems in the Western United States.” Hutchinson and Ross, Stroudsburg, Pennsylvania.
- Edwards, D. R., and Dixon, M. A. (1995). Mechanisms of drought response in *Thuja occidentalis* L. I. Water stress conditioning and osmotic adjustment. *Tree Physiology* **15**, 121–127.
- Edwards, N. T., and Hanson, P. J. (1996). Stem respiration in a closed-canopy upland oak forest. *Tree Physiology* **16**, 433–439.
- Edwards, N. T., and Harris, W. F. (1977). Carbon cycling in a mixed deciduous forest floor. *Ecology* **58**, 430–437.
- Edwards, T. W. D., and Fritz, P. (1986). Assessing meteoric water composition and relative humidity from $\delta^{18}\text{O}$ and $\delta^2\text{H}$ in wood cellulose: Paleoclimatic implications for southern Ontario, Canada. *Applied Geochemistry* **1**, 715–723.
- Edwards, W. R. N., Jarvis, P. G., Grace, J., and Moncrieff, J. B. (1994). Reversing cavitation in tracheids of *Pinus sylvestris* L. under negative water potentials. *Plant, Cell and Environment* **17**, 389–397.
- Ehleringer, J. R., and Dawson, T. E. (1992). Water uptake by plants: Perspectives from stable isotope composition. *Plant, Cell and Environment* **15**, 1073–1082.
- Eidenshink, J. C., and Foundeen, J. L. (1994). The 1 km AVHRR global land data set: First stages in implementation. *International Journal of Remote Sensing* **15**, 3443–3462.
- Eis, S., Garman, H., and Ebell, L. F. (1965). Relation between cone production and diameter increment of Douglas-fir [*Pseudotsuga menziesii* (Mirb.) Franco], grand fir [*Abies grandis* (Dougl.) Lindl.], and western white pine (*Pinus moniticola* Dougl.). *Canadian Journal of Botany* **43**, 1553–1559.
- Eissenstat, D. M., and Van Rees, K. C. J. (1994). The growth and function of pine roots. *Ecological Bulletins* **43**, 76–91.
- Ekblak, A., Lindquist, P.-O., Sjöström, M., and Huss-Danell, K. (1994). Day-to-day variation in nitrogenase activity of *Alnus incana* explained by weather variables: A multivariate time series analysis. *Plant, Cell and Environment* **17**, 319–325.
- Eklund, M. (1995). Cadmium and lead deposition around a Swedish battery plant as recorded in oak tree rings. *Journal of Environmental Quality* **24**, 126–131.
- Elfving, B., Tegnhammar, L., and Tveite, B. (1996). Studies on growth trends of forests in Sweden and Norway. In “Growth Trends in European Forests” (H. Spiecker, K. Mielikäinen, K. Köhl, and J. P. Skovsgaard, eds.), pp. 61–70. Springer, Berlin.
- Elliott, G. P., and Baker, W. L. (2004). Quaking aspen (*Populus tremuloides* Michx.) at treeline: A century of change in the San Juan Mountains, Colorado, USA. *Journal of Biogeography* **31**, 733–745.
- Ellsworth, D., and Reich, P. B. (1993). Canopy structure and vertical patterns of photosynthesis and related leaf traits in a deciduous forest. *Oecologia* **96**, 169–178.
- Emmanuel, K. A. (2005). Increasing destructiveness of tropical cyclones over the past 30 years. *Nature* **436**, 686–688.
- Emmingham, W. H. (1977). Comparison of selected Douglas-fir seed sources for cambial and leader growth patterns in four western environments. *Canadian Journal of Forest Research* **7**, 154–164.
- Engman, E. T., and Chauhan, N. (1995). Status of microwave soil moisture measurements with remote sensing. *Remote Sensing of the Environment* **51**, 189–198.
- Entry, J. A., Cromack, K., Jr., Hansen, E., and Waring, R. (1991a). Response of western coniferous seedlings to infection by *Armillaria ostoyae* under limited light and nitrogen. *Physiology and Biochemistry* **81**, 89–94.

- Entry, J. A., Cromack, K., Jr., Kelsey, R. G., and Martin, N. E. (1991b). Response of Douglas-fir to infection by *Armillaria ostoyae* after thinning or thinning plus fertilization. *Phytopathology* **81**, 682–689.
- Entry, J. A., Martin, N. E., Cromack, K., Jr., and Stafford, S. (1986). Light and nutrient limitations in *Pinus moniticola*: Seedling susceptibility to *Armillaria mellea* infection. *Forest Ecology and Management* **17**, 189–198.
- Ericksson, H., and Karlsson, K. (1996). Long-term changes in site index in growth and yield experiments with Norway spruce (*Picea abies*, [L.] Karst) and Scots pine (*Pinus sylvestris*, L.). In “Growth trends in European Forests” (H. Spiecker, K. Mielikäinen, K. Köhl, and J. P. Skovsgaard, eds.), pp. 80–88. Springer, Berlin.
- Ericsson, A., Nordén, L.-G., Näsholm, T., and Walheim, M. (1993). Mineral nutrient imbalances and arginine concentrations in needles of *Picea abies* (L.) Karst. from two areas with different levels of airborne deposition. *Trees* **8**, 67–74.
- Ericsson, T. (1994). Nutrient dynamics and requirements of forest crops. *New Zealand Journal of Forestry Science* **24**, 133–168.
- Escarre, A., Gracia, C., and Terradas, J. (1984). Nutrient cycling and vertical structure in evergreen-oak forest. In “State and Change of Forest Ecosystems—indicators in Current Research” (G. I. Ågren, ed.), pp. 181–191. Department of Ecology and Environmental Research, Report No. 13, Swedish Univ. of Agric. Sciences, Uppsala, Sweden.
- Evans, F. C. (1956). Ecosystem as the basic unit in ecology. *Science* **123**, 1127–1128.
- Evans, R. D., and Ehleringer, J. R. (1993). A break in the nitrogen cycle in arid lands? Evidence from $d^{15}N$ of soils. *Oecologia* **94**, 314–317.
- Everett, R. L., Java-Sharpe, B. J., Scherer, G. R., Wilt, F. M., and Ottmar, R. D. (1995). Co-occurrence of hydrophobicity and allelopathy in sand pits under burned slash. *Soil Science Society of America Journal* **59**, 1176–1183.
- Evison, H. C. (1993). “Te Wai Pounamu: The Greenstone Island: A History of the Southern Maori during the European Colonization of New Zealand.” Aoraki Press, Wellington, New Zealand.
- Ewel, J., Berish, C., Brown, B., Price, N., and Raich, J. (1981). Slash and burn impacts on a Costa Rican wet forest site. *Ecology* **62**, 816–829.
- Ewel, J. J., Mazzarino, M. J., and Berish, C. W. (1991). Tropical soil fertility changes under monocultures and successional communities of different structure. *Ecological Applications* **1**, 289–302.
- Ewel, K. C., and Gholz, H. L. (1991). A simulation model of the role of below-ground dynamics in a slash pine plantation. *Forest Science* **37**, 397–438.
- Fahey, T. J., and Young, D. B. (1984). Soil and xylem water potential and soil water content in contrasting *Pinus contorta* ecosystems, southeastern Wyoming, U.S.A. *Oecologia* **61**, 346–351.
- Fain, J. J., Volk, T. A., and Fahey, T. J. (1994). Fifty years of change in an upland forest in south-central New York: General patterns. *Bulletin of the Torrey Botanical Club* **12**, 130–139.
- Fairfield, J., and Leymarie, P. (1991). Drainage networks from grid digital elevation models. *Water Resources Research* **27**, 709–717.
- Falge, E., Baldocchi, D., Tenhunen, J., Aubinet, M., Bakwin, P., Berbigier, P., Bernhofer, C., Burba, G., Clement, R., Davis, K. J., Elbers, J. A., Goldstein, A. H., Grelle, A., Granier, A., Gudmundsson, J., Hollinger, D., Kowalski, A. S., Katul, G., Law, B. E., Malhi, Y., Meyers, T., Monson, R. K., Munger, J. W., Oechel, W., Paw U., K. T., Pilegaard, K., Rannik, Ü., Rebmann, C., Suyker, A., Valentini, R., Wilson, K., and Wofsy, S. (2002). Seasonality of ecosystem respiration and gross primary production as derived from FLUXNET measurements. *Agricultural and Forest Meteorology* **113**, 53–74.
- Farquhar, G. D., and Sharkey, T. D. (1982). Stomatal conductance and photosynthesis. *Annual Review of Plant Physiology* **33**, 317–345.

- Farquhar, G. D., Caemmerer, S. von, and Berry, J. A. (1980). A biochemical model of photosynthetic CO₂ assimilation in leaves of C₃ species. *Planta* **149**, 78–90.
- Farquhar, G. D., O’Leary, M. H., and Berry, J. A. (1982). On the relationship between carbon isotope discrimination and the intercellular carbon dioxide concentration in leaves. *Australian Journal of Plant Physiology* **9**, 121–137.
- Fassnacht, K. S., Gower, S. T., Norman, J. M., and McMurtrie, R. E. (1994). A comparison of optical and direct methods for estimating foliage surface area index in forests. *Agricultural and Forest Meteorology* **71**, 183–207.
- Fellin, D. G. (1980). A review of some interactions between insects and disease. *USDA Forest Service, General Technical Report INT-90*, 335–414. Ogden, Utah.
- Fenn, M. (1991). Increased site fertility and litter decomposition rate in high-pollution sites in the San Bernardino Mountains. *Forest Science* **37**, 1163–1181.
- Field, C., and Mooney, H. A. (1986). The photosynthesis–nitrogen relationship in wild plants. In “On the Economy of Plant Form and Function” (T. J. Givnish, ed.), pp. 25–55. Cambridge Univ. Press, Cambridge.
- Field, C. B., Chapin III, F. S., Matson, P. A., and Mooney, H. A. (1992). Responses of terrestrial ecosystems to the changing atmosphere: A resource-based approach. *Annual Review of Ecology and Systematics* **23**, 201–235.
- Field, C. B., Gamon, J. A., and Penuelas, J. (1994). Remote sensing of terrestrial photosynthesis. In “Ecophysiology of Photosynthesis” (E.-D. Schulze and M. M. Caldwell, eds.), pp. 511–527. Springer-Verlag, Berlin.
- Field, C. B., Randerson, J. T., and Malmstrom, C. M. (1995). Global net primary production: Combining ecology and remote sensing. *Remote Sensing of the Environment* **51**, 74–88.
- Finzi, A. C., DeLucia, E. H., Hamilton, J. G., Richter, D. D., and Schlesinger, W. H. (2002). The nitrogen budget of a pine forest under free air CO₂ enrichment. *Oecologia* **132**, 567–578.
- Fisher, J. I., Mustard, J. F., and Vadeboncoeur, M. A. (2006). Green leaf phenology at Landsat resolution: Scaling from the field to the satellite. *Remote Sensing of Environment* **100**, 265–279.
- Flanagan, L. B., Brooks, J. R., Varney, G. T., and Ehleringer, J. R. (1997). Discrimination against C¹⁸O¹⁶O during photosynthesis and the oxygen isotope ratio of respired CO₂ in boreal ecosystems. *Global Biogeochemical Cycles* **11**, 83–98.
- Flanagan, L. B., Brooks, J. R., Varney, G. T., Berry, S. C., and Ehleringer, J. R. (1996). Carbon isotope discrimination during photosynthesis and the isotope ratio of respired CO₂ in boreal forest ecosystems. *Global Biogeochemical Cycles* **10**, 629–640.
- Flannigan, M. D., and Van Wagner, C. E. (1991). Climate change and wildfire in Canada. *Canadian Journal of Forest Research* **21**, 61–72.
- Foley, J. A. (1994). The sensitivity of the terrestrial biosphere to climatic change: A simulation of the middle Holocene. *Global Biogeochemical Cycles* **8**, 505–525.
- Foley, J. A., DeFries, R., Asner, G. P., Barford, C., Bonan, G., Carpenter, S. R., Chapin, F. S., Coe, M. T., Daily, G. C., Gibbs, H. K., Helkowski, J. H., Holloway, T., Howard, E. A., Kucharik, C. J., Monfreda, C., Patz, J. A., Prentice, I. C., Ramankutty, N., Snyder, P. K. (2005). Global consequences of land use. *Science* **309**, 570–574.
- Ford, E. D., and Kiester, R. (1990). Modeling the effects of pollutants on the process of tree growth. In “Process Modeling of Forest Growth Responses to Environmental Stress” (R. K. Dixon, R. S. Meldahl, G. A. Ruark, and W. G. Warren, eds.), pp. 324–337. Timber Press, Portland, Oregon.
- Forman, R. T. T. (1995). “Land Mosaics: The Ecology of Landscapes and Regions.” Cambridge Univ. Press, Cambridge.
- Foster, D. R., and Zebryk, T. M. (1993). Long-term vegetation dynamics and disturbance history of a *Tsuga*-dominated forest in New England. *Ecology* **74**, 982–998.

- Fowells, H. A. (1965). "Silvics of Forest Trees of the United States." Agriculture Handbook No. 271. U.S. Dept. of Agriculture, Forest Service, Washington, D.C.
- Franchini, M., Wendling, J., Obled, C., and Todini, E. (1996). Physical interpretation and sensitivity analysis of the TOPMODEL. *Journal of Hydrology* **175**, 293–338.
- Francy, R. J. (1981). Tasmanian tree rings belie suggested anthropogenic $^{13}\text{C}/^{12}\text{C}$ trends. *Nature* **290**, 232–235.
- Franklin, J. F., and Forman, R. T. T. (1987). Creating landscape patterns by forest cutting: Ecological consequences and principles. *Landscape Ecology* **1**, 5–18.
- Franklin, J. F., MacMahon, J. A., Swanson, F. J., and Sedell, J. R. (1985). Ecosystem responses to the eruption of Mount St. Helens. *National Geographic Research* **Spring**, 197–216.
- Frellich, L. E., and Reich, P. B. (1995). Spatial patterns and succession in a Minnesota southern-boreal forest. *Ecological Monographs* **65**, 325–346.
- Freyer, H. D., and Belacy, N. (1983). $^{13}\text{C}/^{12}\text{C}$ records in northern hemispheric trees during the last 150 years. *Tellus* **31**, 124–137.
- Friend, A. D. (1995). PGEN: An integrated model of leaf photosynthesis, transpiration, and conductance. *Ecological Modelling* **77**, 233–255.
- Friend, A. D., and Woodward, F. I. (1990). Evolutionary and ecophysiological responses of mountain plants to the growing season environment. *Advances in Ecological Research* **20**, 59–124.
- Friend, A. D., Shugart, H. H., and Running, S. W. (1993). A physiology-based gap model of forest dynamics. *Ecology* **74**, 792–797.
- Fritts, H. C., and Swetnam, T. W. (1989). Dendrochronology: A tool for evaluating variations in past and present forest environments. *Advances in Ecological Research* **19**, 111–188.
- Frouin, R., and Pinker, R. T. (1995). Estimating photosynthetically active radiation (PAR) at the earth's surface from satellite observations. *Remote Sensing of the Environment* **51**, 98–107.
- Fung, I., John, J., Lerner, J., Matthews, E., Prather, M., Steele, L. P., and Fraser, P. J. (1991). Three-dimensional model synthesis of the global methane cycle. *Journal of Geophysical Research* **96**, 13033–13065.
- Gamache, I., and Payette, S. (2004). Height growth response of tree line black spruce to recent climate warming across the forest-tundra of eastern Canada. *Journal of Ecology* **92**, 835–845.
- Gamache, I., and Payette, S. (2005). Latitudinal response of subarctic tree lines to recent climate change in eastern Canada. *Journal of Biogeography* **32**, 849–862.
- Gamon, J. A., Penuelas, J., and Field, C. B. (1992). A narrow-waveband spectral index that tracks diurnal changes in photosynthetic efficiency. *Remote Sensing of the Environment* **41**, 35–44.
- Gan, J. (2004). Risk and damage of southern pine beetle outbreaks under global climate change. *Forest Ecology and Management* **191**, 61–71.
- Garnier, B. J., and Ohmura, A. (1968). A method of calculating the direct shortwave radiation income of slopes. *Journal of Applied Meteorology* **7**, 796–800.
- Garten, C. T., Jr., and Van Miegroet, H. (1994). Relationships between soil nitrogen dynamics and natural ^{15}N abundance in plant foliage from Great Smoky Mountains National Park. *Canadian Journal of Forest Research* **24**, 1636–1645.
- Gartlan, J. S., McKey, D. B., Waterman, P. G., Mbi, C. N., and Stuhsaker, T. T. (1980). A comparative study of the phytochemistry of two African rain forests. *Biol. Chem. Syst. Ecol.* **8**, 401–422.
- Gash, J. H. C. (1979). An analytical model of rainfall interception by forests. *Quarterly Journal of the Royal Meteorology Society* **105**, 43–55.
- Gates, D. M. (1980). "Biophysical Ecology." Springer-Verlag, Berlin and New York.
- Gear, A. J., and Huntley, B. (1991). Rapid changes in the range limits of Scots pine 4000 years ago. *Science* **251**, 544–547.

- Gemmell, F. M. (1995). Effects of forest cover, terrain, and scale on timber volume estimation with thematic mapper data in a rocky mountain site. *Remote Sensing of the Environment* **51**, 291–305.
- Gersper, P. L., and Holowaychuk, N. (1971). Some effects of stem flow from forest canopy trees on chemical properties of soils. *Ecology* **52**, 691–702.
- Gherini, S. A., Mok, L., Hudson, R. J. M., Davis, G. F., Chen, C. W., and Goldstein, R. A. (1985). The ILWAS model: Formulation and application. *Water Resources Research* **26**, 425–459.
- Gholz, H. L. (1982). Environmental limits on aboveground net primary production, leaf area, and biomass in vegetation zones of the Pacific Northwest. *Ecology* **63**, 469–481.
- Gholz, H. L., Grier, C. C., Campbell, A. G., and Brown, A. T. (1979). “Equations and Their Use for Estimating Biomass and Leaf Area of Pacific Northwest Plants,” Research Paper No. 41. Forest Research Laboratory, Oregon State University, Corvallis.
- Giblin, A. E., Laundre, J. A., Nadelhoffer, K. J., and Shaver, G. R. (1994). Measuring nutrient availability in arctic soils using ion exchange resins: A field test. *Soil Science Society of America Journal* **58**, 1154–1162.
- Gifford, R. M. (1994). The global carbon cycle: A viewpoint on the missing sink. *Australian Journal of Plant Physiology* **21**, 1–15.
- Gifford, R. M. (2003). Plant respiration in productivity models: Conceptualisation, representation and issues for global terrestrial carbon-cycle research. *Functional Plant Biology* **30**, 171–186.
- Gilbert, G. S., Hubbell, S. P., and Foster, R. B. (1994). Density and distance-to-adult effects of a canker disease of trees in a moist tropical forest. *Oecologia* **98**, 100–108.
- Gillett, N. P., Weaver, A. J., Zwiers, F. W., and Flannigan, M. D. (2004). Detecting the effect of climate change on Canadian forest fires. *Geophysical Research Letters* **31**, L18211–L18214.
- Gilmour, D. A., Bonell, M., and Cassells, D. S. (1987). The effects of forestation on soil hydraulic properties in the Middle Hills of Nepal: A preliminary assessment. *Mountain Research and Development* **7**, 239–249.
- Glassy, J., and Running, S. W. (1994). Validating diurnal climatology logic of the MT-CLIM logic across a climatic gradient of Oregon. *Ecological Applications* **4**, 248–257.
- Glatzel, G. (1991). The impact of historic land use and modern forestry on nutrient relations of central European forest ecosystems. *Fertilizer Research* **27**, 1–8.
- Gleason, H. A. (1926). The individualistic concept of the plant association. *Bulletin of the Torrey Botanical Club* **53**, 7–26.
- Goldammer, J. G. (1983). “Sicherung des sudbrasilianischen Kiefernanaubaus durch Kontrolliertes Brennen,” Forstwirtschaft. Vol. 4. Hochschul-Verlag, Freiburg, Germany.
- Golden, J. M. (1980). Percolation theory and model of unsaturated porous media. *Water Resources Research* **16**, 201–209.
- Goodale, C. L., Apps, M. J., Birdsey, R. A., Field, C. B., Heath, L. S., Houghton, R. A., Jenkins, J. C., Kohlmaier, G. H., Kurz, W., Liu, S., Nabuurs, G.-J., Nilsson, S., and Shvidenko, A. Z. (2002). Forest carbon sinks in the northern hemisphere. *Ecological Applications* **12**, 891–899.
- Gosz, J. R., Likens, G. E., and Bormann, F. H. (1972). Nutrient content of litterfall on the Hubbard Brook Experimental Forest, New Hampshire. *Ecology* **53**, 769–784.
- Goulden, M. L., Munger, J. W., Fan, S.-M., Daube, B. C., and Wofsy, S. C. (1996). Exchange of carbon dioxide by a deciduous forest: Response to interannual climate variability. *Science* **271**, 1576–1578.
- Goward, S. N., Markham, B., Dye, D. G., Dulaney, W., and Yang, J. (1991). Normalized difference vegetation index measurements from the advanced very high resolution radiometer. *Remote Sensing of the Environment* **35**, 257–277.
- Goward, S. N., Waring, R. H., Dye, D. G., and Yang, J. (1994). Ecological remote sensing at Otter: Satellite macroscale observations. *Ecological Applications* **4**, 322–343.

- Gower, S. T. (2003). Patterns and mechanisms of the forest carbon cycle. *Annual Review of Environmental Resources* **28**, 169–204.
- Gower, S. T., and Norman, J. M. (1991). Rapid estimation of leaf area index in conifer and broad-leaf plantations using the LI-COH LAI-2000. *Ecology* **72**, 1896–1900.
- Gower, S. T., and Son, Y. (1992). Differences in soil and leaf litterfall nitrogen dynamics for five forest plantations. *Soil Science Society of America Journal* **55**, 1959–1966.
- Gower, S. T., Haynes, B. E., Fassnacht, K. S., Running, S. W., Hunt, E. R., Jr. (1993). Influence of fertilization on the allometric relations for two pines in contrasting environments. *Canadian Journal of Forest Research* **23**, 1104–1111.
- Gower, S. T., McMurtrie, R. E., and Murty, D. (1996). Aboveground net primary productivity decline with stand age: Potential causes. *Trees* **11**, 378–382.
- Grace, J. (1981). Some effects of wind on plants. In “Plants and their Atmospheric Environment” (J. Grace, E. D. Ford, and P. G. Jarvis, eds.), pp. 31–56. Blackwell, Oxford.
- Grace, J. C. (1987). Theoretical ratio between “one-sided” and total surface area for pine needles. *New Zealand Journal of Forest Research* **17**, 292–296.
- Grace, J., Lloyd, J., McIntyre, J., Miranda, A. C., Meir, P., Miranda, H. S., Nobre, C., Moncrieff, J., Massheder, J., and Malhi, Y. (1995). Carbon dioxide uptake by an undisturbed tropical rain forest in southwest Amazonia, 1992 to 1993. *Science* **270**, 778–780.
- Graham, R. L., Wright, L. L., and Turhollow, A. F. (1992). The potential for short-rotation woody crops to reduce U.S. CO₂ emissions. *Climatic Change* **22**, 223–238.
- Granhall, U. (1981). Biological nitrogen fixation in relation to environmental factors and functioning of natural ecosystems. *Ecological Bulletins (Stockholm)* **33**, 131–144.
- Granier, A., Biron, P., Bréda, N., Pontaillet, J.-Y., and Saugier, B. (1996). Transpiration of trees and forest stands: Short- and long-term monitoring using sapflow methods. *Global Change Biology* **2**, 265–274.
- Granier, A., Ceschia, E., Dames, C., Dufrenet, E., Epront, D., Gross, P., Lebaube, S., Le Dantec, V., Le Goff, N., Lucott, E., Ottorin, J. M., Pontaillet, J. Y., and Saugier, B. (2000). The carbon balance of a young beech forest. *Functional Ecology* **14**, 312–325.
- Graumlich, L. J. and Brubaker, L. B. (1995). Long-term records of growth and distribution of conifers: Integration of paleoecology and physiological ecology. In “Ecophysiology of Coniferous Forest” (W. K. Smith and T. M. Hinckley, eds.), pp. 37–62. Academic Press, San Diego.
- Graumlich, L. J., Brubaker, L. B., and Grier, C. C. (1989). Long-term trends in forest net primary productivity: Cascade Mountains, Washington. *Ecology* **70**, 405–410.
- Graustein, W. C., Cromack, K., and Sollins, P. (1977). Calcium oxalate: Occurrence in soils and effect on nutrient and geochemical cycles. *Science* **198**, 1252–1254.
- Green, D. S., Erickson, J. E., and Kruger, E. L. (2003). Foliar morphology and canopy nitrogen as predictors of light-use efficiency in terrestrial vegetation. *Agric. and Forest Meteorology* **115**, 163–171.
- Gregory, R. A. (1971). Cambial activity in Alaskan white spruce. *American Journal of Botany* **58**, 160–171.
- Grier, C. C., and Running, S. W. (1977). Leaf area of mature northwestern coniferous forests: Relation to site water balance. *Ecology* **58**, 893–899.
- Grier, C. C., and Waring, R. H. (1974). Conifer foliage mass related to sapwood area. *Forest Science* **20**, 205–206.
- Griffin, K. L. (1994). Calorimetric estimates of construction cost and their use in ecological studies. *Functional Ecology* **8**, 551–562.
- Grime, J. P. (1977). Evidence for the existence of three primary strategies in plants and its relevance to ecological and evolutionary theory. *American Naturalist* **111**, 1169–1194.

- Groisman, P. Y., Karl, T. R., Knight, R. W., and Stenchikov, G. L. (1994). Changes of snow cover, temperature and radiative heat balance over the Northern Hemisphere. *Journal of Climate* **7**, 1633–1656.
- Groisman, P. Y., Knight, R. W., Kari, T. R., Easterling, D. R., Sun, B., and Lawrimore, J. H. (2004). Contemporary changes of the hydrological cycle of the contiguous United States: Trends derived from in situ observations. *Journal of Hydrometeorology* **5**, 64–85.
- Gruell, G. E. (1983). Fire and vegetative trends in the Rockies: Interpretations from 1871–1982 photographs. *USDA General Technical Report INT-158*.
- Grupe, G., and Krueger, H. H. (1990). Feeding habitats of free ranging martens (*Martes martes* and *Martes foina*) evaluated by means of trace element and stable carbon isotopes of their skeletons. *Science Total Environment* **90**, 227–240.
- Guenther, A., Hewitt, C. N., Erickson, D., Fall, R., Geron, C., Graedel, T., Harley, P., Klinger, L., Lerdau, M. (1995). A global model of natural volatile organic compound emissions. *Journal of Geophysical Research* **100**(D5), 8873–8892.
- Gullion, G. W. (1990). Ruffed grouse use of conifer plantations. *Wildlife Society Bulletin* **18**, 183–187.
- Gustafson, E. J., and Crow, T. R. (1994). Modeling the effects of forest harvesting on landscape structure and the spatial distribution of cowbird brood parasitism. *Landscape Ecology* **9**, 237–248.
- Hagihara, A., and Hozumi, K. (1991). Respiration. In “Physiology of Trees” (A. S. Raghavendra, ed.), pp. 87–110. Wiley, New York.
- Hall, F. G., Botkin, D. B., Strelbel, D. E., Woods, K. D., and Goetz, S. J. (1991). Large-scale patterns of forest succession as determined by remote sensing. *Ecology* **72**, 628–640.
- Hall, F. G., Shimabukuro, Y. E., and Huemmrich, K. F. (1995). Remote sensing of forest biophysical structure using mixture decomposition and geometric reflectance models. *Ecological Applications* **5**, 993–1013.
- Hällgren, J.-D., Strand, M., and Lundmark, T. (1991). Temperature stress. In “Physiology of Trees” (A. S. Raghavendra, ed.), pp. 301–355. Wiley, New York.
- Handley, L. L., and Raven, J. A. (1992). The use of natural abundance of nitrogen isotopes in plant physiology and ecology. *Plant, Cell and Environment* **15**, 965–985.
- Handley, L. L., Odee, D., and Scrimgeour, C. M. (1994). $\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ patterns in savanna vegetation: Dependence on water availability and disturbance. *Functional Ecology* **8**, 306–314.
- Hanley, T. A. (1993). Balancing economic development, biological conservation, and human cultures: The Sitka black-tailed deer *Odocoileus hemionus sitkensis* as an ecological indicator. *Biological Conservation* **66**, 61–67.
- Hanley, T. A., and McKendrick, J. D. (1985). Potential nutritional limitations for black-tailed deer in a spruce–hemlock forest, southeastern Alaska. *Journal of Wildlife Management* **49**, 103–114.
- Hanley, T. A., Robbins, C. T., Hagerman, A. E., and McArthur, C. (1992). Predicting digestible protein and digestible dry matter in tannin-containing forages consumed by ruminants. *Ecology* **73**, 537–541.
- Hansen, A. J., Garman, S. L., Marks, B., and Urban, D. L. (1993). An approach for managing vertebrate diversity across multiple-use landscapes. *Ecological Applications* **3**, 481–496.
- Hansen, A. J., Rasker, R., Maxwell, B., Rotella, J. J., Johnson, J. D., Parmenter, A. W., Langner, U., Cohen, W. B., Lawrence, R. L., and Kraska, M. P. V. (2002). Ecological causes and consequences of demographic change in the New West. *BioScience* **52**, 151–162.
- Hansen, H. L., Krefting, L. W., and Kurmis, V. (1973). The forest of Isle Royale in relation to fire history and wildlife. *Technical Bulletin, Agricultural Experimental Station, University of Minnesota, St. Paul*, **294**.

- Hanson, A. D., and Hitz, W. D. (1982). Metabolic responses of mesophytes to plant water deficits. *Annual Review of Plant Physiology* **33**, 163–203.
- Hanson, P. J., Wullschlegel, S. D., Bohlman, S. A., and Todd, D. E. (1993). Seasonal and topographic patterns of forest floor CO₂ efflux from an upland oak forest. *Tree Physiology* **13**, 1–15.
- Harborne, J. B. (1982). “Introduction to Ecological Biochemistry.” Academic Press, New York.
- Harcombe, P. A., Harmon, M. E., and Greene, S. E. (1990). Changes in biomass and production over 53 years in a coastal *Picea sitchensis*–*Tsuga heterophylla* forest approaching maturity. *Canadian Journal of Forest Research* **20**, 1602–1610.
- Hari, P., and Hakkinen, R. (1991). The utilization of old phenological time series of budburst to compare models describing annual cycles of plants. *Tree Physiology* **8**, 281–287.
- Harley, P. C., Thomas, R. B., Reynolds, J. F., and Strain, B. R. (1992). Modelling photosynthesis of cotton grown in elevated CO₂. *Plant, Cell and Environment* **15**, 271–282.
- Harmon, M. E., Ferrell, W. K., and Franklin, J. F. (1990). Effects on carbon storage of conversion of old-growth forests to young forests. *Science* **247**, 699–702.
- Harmon, M. E., Franklin, J. F., Swanson, F. J., Sollins, P., Gregory, S. V., Lattin, J. D., Anderson, N. H., Cline, S. P., Aumen, N. G., Sedell, J. R., Lienkaemper, G. W., Cromack, K., Jr., and Cummins, K. W. (1986). Ecology of coarse woody debris in temperate ecosystems. *Advances in Ecological Research* **15**, 133–302.
- Harr, R. D., Fredrickson, R. L., and Rothacher, J. (1979). Changes in streamflow following timber harvest in southwestern Oregon. *Pacific Northwest Forest and Range Experiment Station, USDA, Forest Service, Research Paper PNW-249*. Portland, Oregon.
- Harris, W. F., Sollins, P., Edwards, N. T., Dinger, B. E., and Shugart, H. H. (1975). Analysis of carbon flow and productivity in a temperate deciduous forest ecosystem. In “Productivity of World Ecosystems” (D. E. Reichle, J. F. Franklin, and D. W. Goodall, eds.), pp. 116–122. Special Committee for Int. Biol. Prog., Natl. Acad. Sci., Washington, D.C.
- Hartshorn, G. S. (1978). Treefalls and tropical forest dynamics. In “Tropical Trees as Living Systems” (P. B. Tomlinson and M. H. Zimmerman, eds.), pp. 617–638. Cambridge Univ. Press, London and New York.
- Harvey, P. J., Schoemaker, H. E., and Palmer, J. M. (1987). Lignin degradation by white rot fungi. *Plant, Cell and Environment* **10**, 709–714.
- Hasenauer, H., Nemani, R. R., Schadauer, K., and Running, S. W. (1999). Forest growth response to changing climate between 1961 and 1990 in Austria. *Forest Ecology and Management* **122**, 209–219.
- Haukioja, E., and Niemelä, P. (1979). Birch leaves as a resource for herbivores: Seasonal occurrence of increased resistance in foliage after mechanical damage of adjacent leaves. *Oecologia* **39**, 151–159.
- Havranek, W. M., and Tranquillini, W. (1995). Physiological processes during winter dormancy and their ecological significance. In “Ecophysiology of Coniferous Forests” (W. K. Smith and T. M. Hinckley, eds.), pp. 95–124. Academic Press, San Diego.
- Hawkins, B. J., and Sweet, G. B. (1989). Photosynthesis and growth of present New Zealand forest trees relate to ancient climates. *Annales des Sciences Forestières* **46**, 512–514.
- Haxeltine, A., and Prentice, I. C. (1996). BIOME 3: An equilibrium terrestrial biosphere model based on ecophysiological constraints, resource availability, and competition among plant functional types. *Global Biogeochemical Cycles* **10**, 693–709.
- Hedin, L. O., and Likens, G. E. (1996). Atmospheric dust and acid rain. *Scientific American* **248**, 87–92.

- Hedin, L. O., Armesto, J. J., and Johnson, A. H. (1995). Patterns of nutrient loss from unpolluted old-growth temperate forests: Evaluation of biogeochemical theory. *Ecology* **76**, 493–509.
- Heilman, P. (1981). Root penetration of Douglas-fir seedlings into compacted soil. *Forest Science* **27**, 660–666.
- Heinsch, F. A., Zhao, M., Running, S. W., Kimball, J. S., Nemani, R. R., Davis, K. J., Bolstad, P. V., Cook, B. D., Desai, A. R., Ricciuto, D. M., Law, B. E., Oechel, W. C., Kwon, H., Luo, H., Wofsy, S. C., Dunn, A. L., Munger, J. W., Baldocchi, D. D., Xu, L., Hollinger, D. Y., Richardson, A. D., Stoy, P. C., Siqueira, M. B. S., Monson, R. K., Burns, S., and Flanagan, L. B. (2006). Evaluation of remote sensing based terrestrial productivity from MODIS using AmeriFlux tower eddy flux network observations. *IEEE Transactions on Geoscience and Remote Sensing* **44**, 1908–1925.
- Heinselman, M. L. (1973). Fire in the virgin forests of the Boundary Waters Canoe Area. *Minnesota Quaternary Review* **3**, 329–382.
- Helvey, J. D. (1971). A summary of rainfall interception by certain conifers of North America. In “Proceedings of the Third International Symposium for Hydrology Professors. Biological Effects in the Hydrological Cycle” (E. J. Monke, ed.), pp. 103–113. Purdue University, West Lafayette, Indiana.
- Helvey, J. D., and Patric, J. H. (1965). Canopy and litter interception by hardwoods of eastern United States. *Water Resources Research* **1**, 193–206.
- Henderson-Sellers, A., and McGuffie, K. (1995). Global climate models and “dynamic” vegetation changes. *Global Change Biology* **1**, 63–75.
- Hendrick, R. L., and Pregitzer, K. S. (1993). Patterns of fine root mortality in two sugar maple forests. *Nature* **361**, 59–61.
- Henry, J. D., and Swan, J. M. A. (1974). Reconstructing forest history from live and dead plant material—An approach to the study of forest succession in southwest New Hampshire. *Ecology* **55**, 772–783.
- Hinckley, T. M., Duhme, F., Hinckley, A. R., and Richter, H. (1983). Drought relations of shrub species: Assessment of the mechanisms of drought resistance. *Oecologia* **59**, 344–350.
- Hinckley, T. M., Teskey, R. O., Duhme, F., and Richter, H. (1981). Temperate hardwood forests. In “Water Deficits and Plant Growth” (T. T. Kozlowski, ed.). Vol. 6, pp. 153–208. Academic Press, New York.
- Hobbie, E. A. (2006). Carbon allocation to ectomycorrhizal fungi correlates with belowground allocation in culture studies. *Ecology* **87**, 563–569.
- Hobbie, E. A., and Colpaert, J. V. (2003). Nitrogen availability and colonization by mycorrhizal fungi correlate with nitrogen isotope patterns in plants. *New Phytologist* **157**, 115–126.
- Högberg, P., Nordgren, A., Buchmann, N., Taylor, A. F. S., Ekblad, A., Högberg, M. N., Nyberg, G., Ottosson-Löfvenius, M., and Read, D. J. (2001). Large-scale forest girdling shows that current photosynthesis drives soil respiration. *Nature* **411**, 789–792.
- Hogg, E. H., Brandt, J. P., and Kochtubajda, B. (2002). Growth and dieback of aspen forests in northwestern Alberta, Canada, in relation to climate and insects. *Canadian Journal of Forest Research* **32**, 823–832.
- Hole, F. D. (1981). Effects of animals on soil. *Geoderma* **25**, 75–112.
- Hollinger, D. Y. (1989). Canopy organization and foliage photosynthetic capacity in a broad-leaved evergreen montane forest. *Functional Ecology* **3**, 53–62.
- Hollinger, D. Y., Aber, J., Dail, B., Davidson, E. A., Goltz, S. M., Hughes, H., Leclerc, M. Y., Lee, J. T., Richardson, A. D., Rodrigues, C., Scott, N. A., Achuatavarier, D., and Walsh, J. (2004). Spatial and temporal variability in forest-atmosphere CO₂ exchange. *Global Change Biology* **10**, 1689–1706.

- Holmes, R. T., Schultz, J. C., and Nothnagel, P. (1979). Bird predation on forest insects: An enclosure experiment. *Science* **206**, 462–463.
- Hook, D. D., Langdon, O. G., Stubbs, J., and Brown, C. L. (1970). Effect of water regimes on the survival, growth, and morphology of tupelo seedlings. *Forest Science* **16**, 304–311.
- Hornbeck, J. W., and Kropelin, W. (1982). Nutrient removal and leaching from a whole-tree harvest of northern hardwoods. *Journal of Environmental Quality* **11**, 309–316.
- Houghton, R. A. (1994). The worldwide extent of land-use change. *BioScience* **44**, 305–313.
- House, J. I., Prentice, I. C., Ramankutty, N., Houghton, R. A., and Heimann, M. (2003). Reconciling apparent inconsistencies in estimates of terrestrial CO₂ sources and sinks. *Tellus* **55B**, 345–363.
- Howard, W. E. (1964). Introduced browsing mammals and habitat stability in New Zealand. *Journal of Wildlife Management* **28**, 421–429.
- Huete, A., Didan, K., Miura, T., Rodriguez, E. P., Gao, X., and Ferreira, L. G. (2002). Overview of the radiometric and biophysical performance of the MODIS vegetation indices. *Remote Sensing of Environment* **83**, 195–213.
- Hungerford, R. D., Nemani, R. R., Running, S. W., Coughlan, J. C. (1989). MT-CLIM: A mountain microclimate simulation model. *USDA Forest Service Research Paper INT-414*. Ogden, Utah.
- Hunsaker, C. T., and Levine, D. A. (1995). Hierarchical approaches to the study of water quality in rivers. *BioScience* **45**, 193–203.
- Hunt, E. R., Jr., Martin, F. C., and Running, S. W. (1991). Simulating the effect of climatic variation on stem carbon accumulation of a ponderosa pine stand: Comparison with annual growth increment data. *Tree Physiology* **9**, 161–172.
- Hunt, E. R., Jr., Piper, S. C., Nemani, R., Keeling, C. D., Otto, R. D., and Running, S. W. (1996). Global net carbon exchange and intra-annual atmospheric CO₂ concentrations predicted by an ecosystem process model and three-dimensional atmospheric transport model. *Global Biogeochemical Cycles* **10**, 431–456.
- Hunter, I. R., Nicholson, G., and Thorn, A. J. (1985). Chemical analysis of pine litter: An alternative to foliage analysis? *New Zealand Journal of Forestry Science* **15**, 101–110.
- Huston, M. A. (1991). Use of individual-based forest succession models to link physiological whole-tree models to landscape-scale ecosystem models. *Tree Physiology* **9**, 293–306.
- Huston, M., and Smith, T. (1987). Plant succession: Life history and competition. *American Naturalist* **130**, 168–198.
- Ingestad, T. (1979). Nitrogen stress in birch seedlings. II. N, K, P, Ca and Mg nutrition. *Physiologia Plantarum* **45**, 149–157.
- Ingestad, T. (1982). Relative addition rate and external concentration; driving variables used in plant nutrition research. *Plant, Cell and Environment* **5**, 443–453.
- IPCC. (1996). “Climate Change 1995, The Science of Climate Change” (J. T. Houghton, L. G. Meira Filho, B. A. Callender, N. Harris, A. Kattenberg, and K. Maskell, eds.). Cambridge Univ. Press, Cambridge.
- Irons, J. R., Hanson, K. J., Williams, D. L., Irish, R. R., and Huegel, F. G. (1991). An off-nadir-pointing imaging spectroradiometer for terrestrial ecosystem studies. *IEEE Transactions on Geoscience and Remote Sensing* **29**, 66–74.
- Irvine, J., Law, B. E., and Kurpius, M. R. (2005). Coupling of canopy gas exchange with root and rhizosphere respiration in a semi-arid forest. *Biogeochemistry* **73**, 271–282.
- Iverson, L. R., Cook, E. A., and Graham, R. L. (1994). Regional forest cover estimation via remote sensing: The calibration center concept. *Landscape Ecology* **4**, 5–19.
- Jackson, G. E., Irvine, J., and Grace, J. (1995). Xylem cavitation in Scots pine and Sitka spruce saplings during water stress. *Tree Physiology* **15**, 783–790.

- Jackson, M. B. (1994). Root-to-shoot communication in flooded plants: Involvement of abscisic acid, ethylene, and 1-aminocyclopropane-1-carboxylic acid. *Agronomy Journal* **86**, 775–782.
- Jacoby, G. C., and D'Arrigo, R. D. (1995). Tree ring width and density evidence of climatic and potential forest change in Alaska. *Global Biogeochemical Cycles* **9**, 227–234.
- Jacoby, G. C., D'Arrigo, R. D., and Davaajants, T. (1996). Mongolian tree rings and 20th-century warming. *Science* **273**, 771–773.
- Jakubas, W. J., Gullion, G. W., and Clausen, T. P. (1989). Ruffed grouse feeding behavior and its relationship to secondary metabolites of quaking aspen flower buds. *Journal of Chemical Ecology* **15**, 1899–1917.
- Janssens, I. A., Freibauer, A., Ciais, P., Smith, P., Nabuurs, G.-J., Folberth, G., Schlamadinger, B., Hutjes, R. W. A., Ceulemans, R., Schulze, E.-D., Valentini, R., and Dolman, A. J. (2003). Europe's Terrestrial Biosphere absorbs 7 to 12% of European anthropogenic CO₂ emissions. *Science* **300**, 1538–1542.
- Janssens, I. A., Freibauer, A., Schlamadinger, B., Ceulemans, R., Ciais, P., Dolman, A. J., Helmann, M., Nabuurs, G.-J., Smith, P., Valentini, R., and Schulze, E.-D. (2004). The carbon budget of terrestrial ecosystems at country-scale—A European case study. *Biogeosciences Discussions* **1**, 167–193.
- Janssens, I. A., Landkreijer, H., Matteucci, G., Kowalski, A. S., Buchmann, N., Epron, D., Pilegaard, K., Kutsch, W., Longdoz, B., Grünwald, T., Montagnani, L., Dore, S., Rebmann, C., Moors, E. J., Grelle, A., Rannik, Ü., Morgenstern, K., Oltchev, S., Clement, R., Gudmundsson, J., Minerbi, S., Berbigier, P., Ibrom, A., Moncrieff, J., Aubinet, M., Bernhofer, C., Jensen, N. O., Vesala, T., Granier, A., Schultze, E.-D., Lindroth, A., Dolman, A. J., Jarvis, P. G., Ceulemans, R., and Valentini, R. (2001). Productivity overshadows temperature in determining soil and ecosystem respiration across European forests. *Global Change Biology* **7**, 269–278.
- Jansson, P. E., and Berg, B. (1985). Temporal variation of litter decomposition in relation to simulated soil climate. Long-term decomposition in a Scots pine forest. V. *Canadian Journal of Forest Research* **63**, 1008–1016.
- Janzen, D. H. (1979). New horizons in the biology of plant defenses. In “Herbivores: Their Interactions with Secondary Plant Metabolites” (G. A. Rosenthal and D. H. Janzen, eds.), pp. 331–348. Academic Press, New York.
- Janzen, D. H., and Martin, P. S. (1982). Neotropical anachronisms: The fruits the Gomphotheres ate. *Science* **215**, 19–27.
- Janzen, R. A., Cook, F. D., and McGill, W. B. (1995). Compost extract added to microcosms may simulate community-level control on soil microorganisms involved in element cycling. *Soil Biology and Biochemistry* **27**, 181–188.
- Jarvis, P. G. (1976). The interpretation of the variations in leaf water potential and stomatal conductance found in canopies in the field. *Philosophical Transactions of the Royal Society of London, Series B* **273**, 593–610.
- Jarvis, P. G., and Leverenz, J. W. (1983). Productivity of temperate, deciduous, and evergreen forests. In “Encyclopedia of Plant Physiology” (O. L. Lange, P. S. Nobel, C. B. Osmond, and H. Ziegler, eds.), pp. 233–280. Springer-Verlag, New York.
- Jayachandran, K., Schwab, A. P., and Hetrick, B. A. D. (1992). Mineralization of organic phosphorus by vesicular-arbuscular mycorrhizal fungi. *Soil Biology and Biochemistry* **24**, 897–903.
- Jenny, H. (1980). “The Soil Resource.” Springer-Verlag, Berlin and New York.
- Jensen, J. R. (1996). “Introductory Digital Image Processing: A Remote Sensing Perspective.” Prentice-Hall, Upper Saddle River, New Jersey.
- Johnsen, K., Maier, C., Butnor, J., Anderson, P., Waring, R. H., and Linder, S. (2007). Physiological girdling of pine trees via phloem chilling: Proof of concept. *Plant, Cell and Environment* **30**, 128–134.

- Johnson, A. H., Friedland, A. J., Miller, E. K., and Siccama, T. G. (1994). Acid rain and soils of the Adirondacks. III. Rates of soil acidification in a montane spruce–fir forest at Whiteface Mountain, New York. *Canadian Journal of Forest Research* **24**, 663–669.
- Johnson, D. W. (1992). Nitrogen retention in forest soils. *Journal of Environmental Quality* **21**, 1–12.
- Johnson, D. W., and Cole, D. W. (1980). Anion mobility in soils: Relevance to nutrient transport from forest ecosystems. *Environment International* **3**, 79–90.
- Johnson, D. W., and Lindberg, S. E., eds. (1992). “Atmospheric Deposition and Forest Nutrient Cycling: A Synthesis of the Integrated Forest Study.” Springer-Verlag, New York.
- Johnson, D. W., Cole, D. W., and Gessel, S. P. (1979). Acid precipitation and soil sulfate adsorption properties in a tropical and in a temperate forest soil. *Biotropica* **11**, 38–42.
- Johnson, D. W., Cole, D. W., Van Miegroet, H., and Horng, F. W. (1986). Factors affecting anion movement and retention in four forest soils. *Soil Science Society of America Journal* **50**, 776–783.
- Johnson, D. W., Cresser, M. S., Nilsson, S. I., Turner, J., Ulrich, B., Binkley, D., and Cole, D. W. (1991). Soil changes in forest ecosystems: Evidence for and probable causes. *Proceedings of the Royal Society of Edinburgh* **97B**, 81–116.
- Johnson, D. W., West, D. C., Todd, D. E., and Mann, L. K. (1982). Effects of sawlog vs. whole-tree harvesting on the nitrogen, phosphorus, potassium and calcium budgets of an upland mixed oak forest. *Soil Science Society of America Journal* **46**, 1353–1363.
- Johnson, I. R., and Thornley, J. H. M. (1987). A model of shoot:root partitioning with optimal growth. *Annals of Botany* **60**, 133–142.
- Johnson, K. H., Vogt, K. A., Clark, H. J., Schmitz, O. J., and Vogt, D. J. (1996). Biodiversity and the productivity and stability of ecosystems. *Tree* **11**, 372–377.
- Johnson, P. C., and Denton, R. E. (1975). Outbreaks of western spruce budworm in the American Northern Rocky Mountain area from 1922 through 1971. *USDA Forest Service, General Technical Report INT-20*, 1–144.
- Johnston, C. A., and Naiman, R. J. (1990). The use of a geographic information system to analyze long-term landscape alteration by beaver. *Landscape Ecology* **4**, 5–19.
- Johnstone, J. F., and Chapin, F. S. (2003). Non-equilibrium succession dynamics indicate continued northern migration of lodgepole pine. *Global Change Biology* **9**, 1401–1409.
- Jolly, W. M., Nemani, R., and Running, S. W. (2005). A generalized, bioclimatic index to predict foliar phenology in response to climate. *Global Change Biology* **11**, 619–632.
- Jones, H. G. (1992). “Plants and Microclimate.” Cambridge Univ. Press, Cambridge.
- Jones, J. A., and Grant, G. E. (1996). Peak flow responses to clearcutting and roads in small and large basins, western Cascades, Oregon. *Water Resources Research* **32**, 959–974.
- Joos, F., Prentice, I. C., and House, J. I. (2002). Growth enhancement due to global atmospheric change as predicted by terrestrial ecosystem models: Consistent with US forest inventory data. *Global Change Biology* **8**, 299–303.
- Jordan, D. N., Wright, L. M., and Lockaby, B. G. (1990). Relationship between xylem trace metals and radial growth of loblolly pine in rural Alabama. *Journal of Environmental Quality* **19**, 504–508.
- Jusoff, K., and Majid, N. M. (1987). Effect of crawler tractor logging on soil compaction in central Pahang Malaysia. *Malaysian Forester* **50**, 274–280.
- Kafkafi, U., Bar-Yosef, B., Rosenberg, R., and Sposito, G. (1988). Phosphorus adsorption by kaolinite and montmorillonite. II. Organic anion competition. *Soil Science Society of America Journal* **52**, 1585–1589.
- Karban, R., and Myers, J. H. (1989). Induced plant responses to herbivory. *Annual Review of Ecology and Systematics* **20**, 331–348.

- Karieiva, P. M., and Andersen, M. (1988). Spatial aspects of species interactions: The wedding of models and experiments. In "Lecture Notes in Biomathematics" (A. Hastings, ed.), Vol. 77, pp. 35–50. Springer-Verlag, Berlin.
- Karl, T. R., Derr, V. E., Fastening, D. R., Folland, C. K., Hofmann, D. J., Levitus, S., Nicholls, N., Parker, D. E., and Withee, G. W. (1995). Critical issues for long-term climate monitoring. *Climatic Change* **31**, 185–221.
- Karl, T. R., Jones, P. D., Knight, R. W., Kukla, G., Plummer, N., Razuvaev, V., Gallo, K. P., Lindsey, J., Charlson, R. J., and Peterson, T. C. (1993). Asymmetric trends of daily maximum and minimum temperature. *Bulletin of the American Meteorological Society* **74**, 1007–1023.
- Kasischke, E. S., and French, N. H. F. (1995). Locating and estimating the areal extent of wildfires in Alaskan boreal forests using multiple-season AVHRR NDVI composite data. *Remote Sensing of the Environment* **51**, 263–275.
- Kaufmann, J. B., Cummings, D. L., and Ward, D. E. (1994). Relationships of fire, biomass and nutrient dynamics along a vegetation gradient in the Brazilian cerrado. *Journal of Ecology* **82**, 519–531.
- Kaufmann, J. B., Sanford, R. L., Jr., Cummings, D. L., Salcedo, I. H., and Sampaio, E. V. S. B. (1993). Biomass and nutrient dynamics associated with slash fires in neotropical dry forests. *Ecology* **74**, 140–151.
- Kaufmann, M. R. (1977). Soil temperature and drying cycle effects on water relations of *Pinus radiata*. *Canadian Journal of Botany* **55**, 2413–2418.
- Kaufmann, M. R. (1996). To live fast or not: Growth, vigor and longevity of old-growth ponderosa pine and lodgepole pine trees. *Tree Physiology* **16**, 139–144.
- Kaufmann, M. R., and Troendle, C. A. (1981). The relationship of leaf area and foliage biomass to sapwood conducting area in four subalpine forest tree species. *Forest Science* **27**, 477–482.
- Keane, R. E., Hardy, C., Ryan, K., and Finney, M. (1997). Simulating effects of fire management on gaseous emissions from future landscape of Glacier National Park, Montana, USA. *World Resource Review* **9**, 177–205.
- Keane, R. E., Morgan, P., and Running, S. W. (1996a). FIRE-BGC—A mechanistic ecological process model for simulating fire succession on coniferous forest landscapes of the northern Rocky Mountains. *USDA Research Paper INT-RP-484*. Ogden, Utah.
- Keane, R. E., Ryan, K. C., and Running, S. W. (1996b). Simulating effects of fire on northern Rocky Mountain landscapes with the ecological process model FIRE-BGC. *Tree Physiology* **16**, 319–331.
- Keeley, J. E. (1979). Population differentiation along a flood frequency gradient: Physiological adaptations to flooding in *Nyssa sylvatica*. *Ecological Monographs* **49**, 89–108.
- Keeling, C. D., Chin, J. F. S., and Whorf, T. P. (1996). Increased activity of northern vegetation inferred from atmospheric CO₂ measurements. *Nature* **382**, 146–149.
- Keeling, C. D. (1958). The concentration and isotopic abundances of atmospheric carbon dioxide in rural areas. *Geochimica et Cosmochimica Acta* **13**, 322–334.
- Keeling, C. D., Whorf, T. P., Wahlen, M., and Van der Plicht, J. (1995). Interannual extremes in the rate of rise of atmospheric carbon dioxide since 1980. *Nature* **375**, 666–670.
- Keller, M., and Reiners, W. A. (1994). Soil-atmosphere exchange of nitrous oxide, nitric oxide, and methane under secondary succession of pasture to forest in the Atlantic lowlands of Costa Rica. *Global Biogeochemical Cycles* **8**, 399–409.
- Kelliher, F. M., and Scotter, D. R. (1992). Evaporation, soil, and water. In "Waters of New Zealand," pp. 136–146. New Zealand Hydrological Society, Wellington, New Zealand.
- Kelliher, F. M., Leuning, R., and Schulze, E.-D. (1993). Evaporation and canopy characteristics of coniferous forests and grasslands. *Oecologia* **95**, 153–163.

- Kelliher, F. M., Leuning, R., Raupach, M. R., and Schulze, E. D. (1995). Maximum conductances for evaporation from global vegetation types. *Agricultural and Forest Meteorology* **73**, 1–16.
- Kercher, J. R., and Axelrod, M. C. (1984). Analysis of SILVA: A model for forecasting the effects of SO₂ [sulfur dioxide] pollution and fire on western coniferous forest [*Pinus ponderosa*, *Pinus lambertiana*, *Abies concolor*, forest succession simulation, Sierra Nevada, California]. *Ecological Modelling* **23**, 165–184.
- Kern, J. S. (1995a). Evaluation of soil water retention models based on basic soil physical properties. *Soil Science Society of America Journal* **59**, 1134–1141.
- Kern, J. S. (1995b). Geographic patterns of soil water-holding capacity in the contiguous United States. *Soil Science Society of America Journal* **59**, 1126–1133.
- Kicklighter, D. W., Melillo, J. M., Peterjohn, W. T., Rastetter, E. B., McGuire, A. D., and Steudler, P. A. (1994). Aspects of spatial and temporal aggregation in estimating regional carbon dioxide fluxes from temperate forest soils. *Journal of Geophysical Research* **99**, 1303–1315.
- Kilgore, B. M., and Taylor, D. (1979). Fire history of a sequoia–mixed conifer forest. *Ecology* **60**, 129–142.
- Kimball, J. S., McDonald, K. C., Running, S. W., and Frohling, S. E. (2004). Satellite radar remote sensing of seasonal growing seasons for boreal and subalpine evergreen forests. *Remote Sensing of Environment* **90**, 243–258.
- Kimball, J. S., White, M. A., and Running, S. W. (1997a). Biome-BGC simulations of stand hydrologic processes for BOREAS. *Journal of Geophysical Research* **102(D24)**, 29,043–29,051.
- Kimball, J. S., Running, S. W., and Nemani, R. (1997b). An improved method for estimating surface humidity from daily minimum temperature. *Agricultural and Forest Meteorology* **85**, 87–98.
- Kira, T., and Ogawa, H. (1971). Assessment of primary production in tropical and equatorial forests. *Ecology and Conservation* **4**, 309–321.
- Kitzberger, T., Veblen, T. T., and Villalba, R. (1995). Tectonic influences on tree growth in northern Patagonia, Argentina: The roles of substrate stability and climatic variation. *Canadian Journal of Forest Research* **25**, 1684–1696.
- Kloft, W. (1957). Further investigations concerning the inter-relationship between bark conditions of *Abies alba* and infestation by *Adelges piceae typica* and *A. nusslini schneideri*. *Zeitschrift für angewandte Entomologie* **41**, 438–442.
- Knight, D. H., Fahey, T. J., and Running, S. W. (1985). Factors affecting water and nutrient outflow from lodgepole pine forests in Wyoming. *Ecological Monographs* **55**, 29–78.
- Knowles, N., Dettinger, M. D., and Cayan, D. R. (2006). Trends in snowfall versus rainfall for the western United States, 1949–2004. *Journal of Climate* **19**, 4545–4559.
- Kohyama, T. (1980). Growth pattern of *Abies mariessi* saplings under conditions of open-growth and suppression. *Botanical Magazine (Tokyo)* **93**, 13–24.
- Körner, C. (1985). Humidity responses in forest trees: Precautions in thermal scanning surveys. *Archives for Meteorology, Geophysics, and Bioclimatology, Series B* **36**, 83–98.
- Körner, C. (1994). Leaf diffusive conductances in the major vegetation types of the globe. In “Eco-physiology of Photosynthesis” (E.-D. Schulze and M. M. Caldwell, eds.), pp. 463–490. Springer-Verlag, Heidelberg, Germany.
- Korol, R. L., Milner, K. S., and Running, S. W. (1996). Testing a mechanistic model for predicting stand and tree growth. *Forest Science* **42**, 139–153.
- Korol, R. L., Running, S. W., and Milner, K. S. (1995). Incorporating intertree competition into an ecosystem model. *Canadian Journal of Forest Research* **25**, 413–424.
- Korol, R. L., Running, S. W., Milner, K. S., and Hunt, E. R., Jr. (1991). Testing a mechanistic carbon balance model against observed tree growth. *Canadian Journal of Forest Research* **21**, 1098–1105.

- Kotar, M. (1996). Volume and height growth of fully stocked mature beech stands in Slovenia during the past three decades. In "Growth Trends in European Forests" (H. Spiecker, K. Mielikäinen, K. Köhl, and J. P. Skovsgaard, eds.), pp. 291–312. Springer, Berlin.
- Kowalski, A. S., Loustau, D., Berbigier, P., Manca, G., Tedeschi, V., Borghetti, M., Balentini, R., Kolari, P., Berninger, F., Rannik, U., Hari, P., Rayment, M., Mencuccini, M., Moncrieff, J., and Grace, J. (2004). Paired comparisons of carbon exchange between disturbed and regenerating stands in four managed forests in Europe. *Global Change Biology* **10**, 1707–1723.
- Kozlowski, T. T., and Keller, T. (1966). Food relations of woody plants. *Botanical Review* **32**, 293–382.
- Kozlowski, T. T., and Pallardy, S. G. (1979). Stomata response of *Fraxinus pennsylvanica* seedlings during and after flooding. *Physiologia Plantarum* **46**, 155–158.
- Kros, H., and Warfvinge, P. (1995). Evaluation of model behaviour with respect to the biogeochemistry at the Solling spruce site. *Ecological Modelling* **83**, 255–262.
- Kuhn, U., Rottenberger, S., Biesenthal, T., Wolf, A., Schebeske, G., Ciccioli, P., and Kesselmeier, J. (2004). Strong correlation between isoprene emission and gross photosynthetic capacity during leaf phenology of the tropical tree species *Hymenaea courbaril* with fundamental changes in volatile organic compounds emission composition during early leaf development. *Plant, Cell and Environment* **27**, 1469–1485.
- Kull, O., and Jarvis, P. G. (1995). The role of nitrogen in a simple scheme to scale up photosynthesis from leaf to canopy. *Plant, Cell and Environment* **18**, 1174–1182.
- Kurz, W. A., and Kimmins, J. P. (1987). Analysis of some sources of error in methods used to determine fine root production in forest ecosystems: A simulation approach. *Canadian Journal of Forest Research* **17**, 901–912.
- Kuusisto, E. (1993). Lake ice observations in Finland in the 19th and 20th century: Any message for the 21st? In "Snow Watch '92: Detection Strategies for Snow and Ice, Glaciological Data" (R. G. Barry, B. E. Goodison, and E. F. LeDrew, eds.), pp. 57–65. Glaciological Data Report GD-25.
- Lahde, E., Nieminen, J., Etholen, K., and Suolahti, P. (1982). Older lodgepole pine stands in southern Finland. *Folia Forestalia* No. 533. Institute of Finnish Forestry, Helsinki, Finland.
- LaMarche, V. C., and Pittock, A. B. (1982). Preliminary temperature reconstruction for Tasmania. In "Climate from Tree Rings" (M. K. Hughes, P. M. Kelly, J. R. Pilcher, and V. C. LaMarche, eds.), pp. 177–185. Cambridge Univ. Press, London and New York.
- Lamberson, R. H., McKelvey, R., Noon, B. R., and Voss, C. (1992). A dynamic analysis of northern spotted owl viability in a fragmented forest landscape. *Conservation Biology* **6**, 1–8.
- Landsberg, J. J. (1986a). "Physiological Ecology of Forest Production." Academic Press, London.
- Landsberg, J. J. (1986b). Experimental approaches to the study of the effects of nutrients and water on carbon assimilation by trees. *Tree Physiology* **2**, 427–444.
- Landsberg, J. J., and Fowkes, N. D. (1978). Water movement through plant roots. *Annals of Botany* **42**, 493–508.
- Landsberg, J. J., and Gower, S. T. (1997). "Applications of Physiological Ecology to Forest Management." Academic Press, San Diego.
- Landsberg, J. J., and McMurtrie, R. (1984). Water use by isolated trees. *Agriculture and Water Management* **8**, 223–242.
- Landsberg, J. J., and Waring, R. H. (1997). A generalised model of forest productivity using simplified concepts of radiation-use efficiency, carbon balance and partitioning. *Forest Ecology and Management* **95**, 209–228.
- Landsberg, J. J., Prince, S. G. D., Jarvis, P. G., McMurtrie, R. E., Luxmoore, R., and Medlyn, B. E. (1996). Energy conversion and use in forests: The analysis of forest production in terms of radiation utilisation efficiency (ϵ). In "The Use of Remote Sensing in the Modeling of Forest

- Productivity at Scales from the Stand to the Globe" (H. L. Gholz, K. Nakane, and H. Shimoda, eds.), pp. 273–298. Kluwer, Dordrecht, The Netherlands.
- Landsberg, J. J., Waring, R. H., and Coops, N. C. (2003). Performance of the forest productivity model 3-PG applied to a wide range of forest types. *Forest Ecology and Management* **172**, 199–214.
- Lang, A. R. G. (1991). Application of some of Cauchy's theorems to estimation of surface areas of leaves, needles and branches of plants, and light transmittance. *Agricultural and Forest Meteorology* **55**, 191–212.
- Larsson, S., Oren, R., Waring, R. H., and Barrett, J. W. (1983). Attacks of mountain pine beetle as related to tree vigor of ponderosa pine. *Forest Science* **29**, 395–402.
- Latham, R. E., and Ricklefs, R. E. (1993). Global patterns of tree species richness in moist forests: Energy-diversity theory does not account for variation in tree species richness. *Oikos* **67**, 325–333.
- Lavelle, P., Blanchart, E., Martin, A., Martin, S., Spain, A., Toutain, F., Barois, I., and Schaefer, R. (1993). A hierarchical model for decomposition in terrestrial ecosystems: Application to soils of the humid tropics. *Biotropica* **25**, 130–150.
- Law, B. E. (1995). Estimation of leaf area index and light interception by shrubs from digital videography. *Remote Sensing of Environment* **51**, 276–280.
- Law, B. E., and Waring, R. H. (1994). Combining remote sensing and climatic data to estimate net primary production. *Ecological Applications* **4**, 717–728.
- Law, B. E., Falge, E., Gu, L., Baldocchi, D. D., Bakwin, P., Berbigier, P., Davis, K., Dolman, A. J., Falk, M., Fuentes, J. D., Goldstein, A., Granier, A., Grelle, A., Hollinger, D., Janssens, I. A., Jarvis, P., Jensen, N. O., Katul, G., Mahli, Y., Matteucci, G., Meyers, T., Monson, R., Munger, W., Oechel, W., Olson, R., Pilegaard, K., Paw U. K. T., Thorgeirsson, H., Valentini, R., Verma, S., Vesala, T., Wilson, K., and Wofsy, S. (2002). Environmental controls over carbon dioxide and water vapor exchange of terrestrial vegetation. *Agricultural and Forest Meteorology* **113**, 97–120.
- Law, B. E., Turner, D., Campbell, J., Sun, O. J., Van Tuyl, S., Ritts, W. D., and Cohen, W. B. (2004). Disturbance and climate effects on carbon stocks and fluxes across Western Oregon USA. *Global Change Biology* **10**, 1429–1444.
- Law, B. E., Waring, R. H., Anthoni, P. M., and Aber, J. D. (2000). Measurements of gross and net ecosystem productivity and water vapour exchange of a *Pinus ponderosa* ecosystem, and an evaluation of two general models. *Global Change Biology* **5**, 155–168.
- Law, R. M., Rayner, P. J., Denning, A. S., Erickson, D. Fung, I. Y., Heimann, M., Piper, S. C., Ramonet, M., Taguchi, S., Taylor, J. A., Trudinger, C. M., and Watterson, I. G. (1996). Variation in modeled atmospheric transport of carbon dioxide and the consequences for CO₂ inversions. *Global Biogeochemical Cycles* **10**, 783–796.
- Leahey, A. (1947). Characteristics of soils adjacent to the MacKenzie River in the Northwest Territories of Canada. *Soil Science Society of America Proceedings* **12**, 458–461.
- Leak, W. B. (1987). Fifty years of compositional change in deciduous and coniferous forest types in New Hampshire. *Canadian Journal of Forest Research* **17**, 388–393.
- Leavitt, S. W., and Long, A. (1989). The atmospheric $\delta^{13}\text{C}$ record as derived from 56 pinyon trees at 14 sites in the southwest United States. *Radiocarbon* **31**, 469–474.
- Lechowicz, M. J. (1995). Seasonality of flowering and fruiting in temperate forest trees. *Canadian Journal of Botany* **73**, 175–182.
- Lee, K.-S., Cohen, W. B., Kennedy, R. E., Maiersperger, T. K., and Gower, S. T. (2004). Hyperspectral versus multispectral data for estimating leaf area index in four different biomes. *Remote Sensing of Environment* **91**, 508–520.

- Lee, R., and Sybolt, C. R. (1974). Toward a biophysical evaluation of forest site quality. *Forest Science* **20**, 145–154.
- Leech, R. H., and Kim, Y. T. (1981). Foliar analysis and DRIS as a guide to fertilizer amendments in poplar plantations. *Forestry Chronicle* **57**, 17–21.
- Lefsky, M. A., Hudak, A. T., Cohen, W. B., and Acker, S. A. (2005a). Geographic variability in lidar predictions of forest stand structure in the Pacific Northwest. *Remote Sensing of Environment* **95**, 532–548.
- Lefsky, M. A., Turner, D. P., Guzy, M., and Cohen, W. B. (2005b). Combining lidar estimates of biomass and Landsat estimates of stand age for spatially extensive validation of modeled forest productivity. *Remote Sensing of Environment* **95**, 549–558.
- Leith, H. (1975). Modeling the primary productivity of the world. In “Primary Productivity of the Biosphere” (H. Leith and R. H. Whittaker, eds.), pp. 237–263. Springer-Verlag, New York.
- Lemon, P. C. (1961). Forest ecology of ice storms. *Bulletin of Torrey Botanical Club* **88**, 21–29.
- Lepers, E., Lambin, E. F., Janetos, A. C., DeFries, R., Achard, F., Ramankutty, N., and Scholes, R. J. (2005). A synthesis of information on rapid land-cover change for the period 1981–2000. *BioScience* **55**, 115–124.
- Leuning, R. (1995). A critical appraisal of a combined stomatal-photosynthesis model for C₃ plants. *Plant, Cell and Environment* **18**, 339–355.
- Leuning, R., Kelliher, F. M., DePury, D. G. G., and Schulze, E.-D. (1995). Leaf nitrogen, photosynthesis, conductance and transpiration: Scaling from leaves to canopies. *Plant, Cell and Environment* **18**, 1183–1200.
- Levin, S. A. (1992). The problem of pattern and scale in ecology. *Ecology* **73**, 1943–1967.
- Levine, E. R., Knox, R. G., and Lawrence, W. T. (1994). Relationships between soil properties and vegetation at the northern experimental forest, Howland, Maine. *Remote Sensing of Environment* **47**, 231–241.
- Levitt, J. (1980). “Responses of Plants to Environmental Stresses.” Academic Press, New York.
- Lewin, R. (1984). Parks: How big is big is enough? *Science* **225**, 611–612.
- Lewis, S. L., Phillips, O. L., Baker, T. R. *et al.* (2004). Concerted changes in tropical forest structure and dynamics: Evidence from 50 South American long-term plots. *Philosophical Transactions of the Royal Society of London, Series B* **359**, 421–436.
- Li, H., Franklin, J. F., Swanson, F. J., and Spies, T. A. (1993). Developing alternative forest cutting patterns: A simulation approach. *Landscape Ecology* **8**, 63–75.
- Likens, G. E., and Bormann, F. H. (1995). “Biogeochemistry of a Forest Ecosystem,” 2nd Ed. Springer-Verlag, New York.
- Likens, G. E., Bormann, F. H., Pierce, R. S., Eaton, J. S., and Johnson, N. M. (1977). “Biogeochemistry of a Forested Ecosystem.” Springer-Verlag, New York.
- Lillesand, T. M., and Kiefer, R. W. (1994). “Remote Sensing and Image Interpretation,” 3rd ed. Wiley, New York.
- Lindberg, S. E., Lovett, G. M., Richter, D. D., and Johnson, D. W. (1986). Atmospheric deposition and canopy interactions of major ions in a forest. *Science* **231**, 141–146.
- Linder, S. (1986). Responses to water and nutrients in coniferous ecosystems. In “Potentials and Limitations in Ecosystem Analysis” (E.-D. Schulze and H. Zwölfler, eds.), pp. 180–202. Springer-Verlag, Berlin.
- Linder, S. (1995). Foliar analysis for detecting and correcting nutrient imbalances in Norway spruce. *Ecological Bulletins* **44**, 178–190.
- Linder, S., and Rook, D. A. (1984). Effects of mineral nutrition on carbon dioxide exchange and partitioning carbon in trees. In “Nutrition of Plantation Forests” (G. D. Bowen and E. K. S. Nambiar, eds.), pp. 211–236. Academic Press, Orlando, Florida.

- Linder, S., and Troeng, E. (1981). The seasonal variation in stem and coarse root respiration in a 20-year old Scots pine (*Pinus sylvestris* L.). *Mitteilungender Forstlichen Bundes-Versuchsanstalt (Wein)* **142**, 125–139.
- Linder, S., Benson, M. L., Myers, B. J., and Raison, R. J. (1987). Canopy dynamics and growth of *Pinus radiata*. Effects of irrigation and fertilization during a drought. *Canadian Journal of Forest Research* **17**, 117–126.
- Linderholm, H. W. (2006). Growing season changes in the last century. *Agricultural and Forest Meteorology* **137**, 1–14.
- Lines, R., and Howell, R. S. (1963). The use of flags to estimate the relative exposure of trial plantations. *Forestry Commission, Forest Records* **51**, 1–31.
- Liu, G. F., and Deng, T. X. (1991). Mathematical model of the relationship between nitrogen-fixation by black locust and soil conditions. *Soil Biology and Biochemistry* **23**, 1–7.
- Liu, S., Munson, R., Johnson, D., Gherini, S., Summers, K., Hudson, R., Wilkinson, K., and Pitelka, L. (1991). Applications of a nutrient cycling model (NuCM) to a northern mixed hardwood and southern coniferous forest. *Tree Physiology* **9**, 173–184.
- Lloyd, J., and Farquhar, G. D. (1994). ¹³C discrimination during CO₂ assimilation by the terrestrial biosphere. *Oecologia* **99**, 201–215.
- Lloyd, J., Grace, J., Miranda, A. C., Meir, P., Wong, S. C., Miranda, H. S., Wright, I. R., Gash, J. H. C., and McIntyre, J. (1995). A simple calibrated model of Amazon rainforest productivity based on leaf biochemical properties. *Plant, Cell and Environment* **18**, 1129–1145.
- Lo Gullo, M. A., Salleo, S., Piaceri, E. C., and Rosso, R. (1995). Relations between vulnerability to xylem embolism and xylem conduit dimensions in young trees of *Quercus cerris*. *Plant, Cell and Environment* **18**, 661–669.
- Logan, J. A., Régnière, J., and Powell, J. A. (2003). Assessing the impacts of global warming on forest pest dynamics. *Frontiers in Ecology and the Environment* **1**, 130–137.
- Lorio, P. L., Jr. (1986). Growth–differentiation balance: A basis for understanding southern pine beetle–tree interactions. *Forest Ecology and Management* **14**, 259–273.
- Loveland, T. R., Merchant, J. W., Ohlen, D. O., and Brown, J. F. (1991). Development of a land cover characteristics database for the conterminous U.S. *Photogrammetric Engineering and Remote Sensing* **57**, 1453–1463.
- Lovett, G. M. (1994). Atmospheric deposition of nutrients and pollutants in North America: An ecological perspective. *Ecological Applications* **4**, 629–650.
- Lovett, G. M., Reiners, W. A., and Olson, R. K. (1982). Cloud droplet deposition in subalpine balsam fir forests: Hydrologic and chemical inputs. *Science* **218**, 1303–1304.
- Lowry, W. P. (1969). “Weather and Life: An Introduction to Biometeorology.” Academic Press, New York.
- Luan, J., Muetzelfeldt, R. L., and Grace, J. (1996). Hierarchical approach to forest ecosystem simulation. *Ecological Modelling* **86**, 37–50.
- Luce, C. H., and Cundy, T. W. (1994). Parameter identification for a runoff model for forest road. *Water Resources Research* **30**, 1057–1069.
- Lucht, W., Prentice, C. I., Myneni, R. B., Sitch, S., Friedlingstein, P., Cramer, W., Bousquet, P., Buermann, W., and Smith, B. (2002). Climatic control of the high-latitude vegetation greening trend and Pinatubo effect. *Science* **296**, 1687–1689.
- Lugo, A. E., Applefield, M., Pool, D. J., and McDonald, R. B. (1983). The impact of Hurricane David on the forest of Dominica. *Canadian Journal of Forest Research* **13**, 201–211.
- Luizao, F., Matson, P., Livingston, G., Luizao, R., and Vitousek, P. (1989). Nitrous oxide flux following tropical land clearing. *Global Biogeochemical Cycles* **3**, 281–285.
- Luxmoore, R. J. (1983). Infiltration and runoff prediction for a grassland watershed. *Journal of Hydrology* **65**, 271–278.

- Luxmoore, R. J. (1991). A source–sink framework for coupling water, carbon and nutrient dynamics of vegetation. *Tree Physiology* **9**, 267–280.
- MacKney, D. (1961). A podzol development sequence in oakwoods and heath in central England. *Journal of Soil Science* **12**, 22–40.
- Macko, A., and Estep, M. F. L. (1984). Microbial alteration of stable nitrogen and carbon isotopic composition of organic matter. *Organic Geochemistry* **6**, 787–790.
- MacLean, D. A., and Wein, R. W. (1977). Nutrient accumulation for post fire jack pine and hardwood successional patterns in New Brunswick. *Canadian Journal of Forest Research* **7**, 562–578.
- Magnani, F., and Borghetti, M. (1995). Interpretation of seasonal changes in xylem embolism and plant hydraulic resistance in *Fagus sylvatica*. *Plant, Cell and Environment* **18**, 689–696.
- Magnuson, J. J. (1990). Long-term ecological research and the invisible present. *BioScience* **40**, 495–501.
- Malmer, A., and Grip, H. (1990). Soil disturbance and loss of infiltrability caused by mechanized and manual extraction of tropical rainforest in Sabah, Malaysia. *Forest Ecology and Management* **38**, 1–12.
- Mandzak, J. M., and Moore, J. A. (1994). The role of nutrition in the health of inland western forests. *Journal of Sustainable Forestry* **2**, 191–210.
- Mariotti, A., German, J. C., Hubert, P., Kaiser, P., Letolle, R., Tardieu, A., and Tardieu, P. (1981). Experimental determination of nitrogen kinetic isotope fractionation: Some principles; illustration for the denitrification and nitrification processes. *Plant and Soil* **62**, 453–430.
- Marks, P. L. (1974). The role of pin cherry (*Prunus pennsylvanica* L.) in the maintenance of stability in northern hardwood ecosystems. *Ecological Monographs* **44**, 73–88.
- Marks, P. L., and Bormann, F. H. (1972). Revegetation following forest cutting: Mechanisms for return to steady state nutrient cycling. *Science* **176**, 914–915.
- Marschner, H. (1995). “Mineral Nutrition of Higher Plants.” Academic Press, San Diego.
- Marshall, J. D., and Monsrud, R. A. (1996). Homeostatic gas-exchange parameters inferred from $^{13}\text{C}/^{12}\text{C}$ in tree rings of conifers. *Oecologia* **105**, 13–21.
- Marshall, J. D., and Waring, R. H. (1985). Predicting fine root production and turnover by monitoring root starch and soil temperature. *Canadian Journal of Forest Research* **15**, 791–800.
- Marshall, J. D., and Waring, R. H. (1986). Comparison of methods of estimating leaf-area index in old-growth Douglas-fir. *Ecology* **67**, 975–979.
- Martikainen, P. J., and Palojarvi, A. (1990). Evaluation of the fumigation–extraction method for the determination of microbial C and N in a range of forest soils. *Soil Biology and Biochemistry* **22**, 797–802.
- Martin, B., and Sutherland, E. K. (1990). Air pollution in the past recorded in width and stable carbon isotope composition of annual growth rings of Douglas-fir. *Plant, Cell and Environment* **13**, 839–844.
- Martin, F., Canet, D., Rolin, D., Marchal, J. P., and Larher, F. (1983). Phosphorus-31 nuclear magnetic resonance study of polyphosphate metabolism in intact mycorrhizal fungi. *Plant and Soil* **71**, 469–476.
- Martin, M. E., and Aber, J. D. (1997). High spectral resolution remote sensing of forest canopy lignin, nitrogen, and ecosystem processes. *Ecological Applications* **7**, 431–443.
- Marumoto, T., Anderson, J. P. E., and Domsch, K. H. (1982). Mineralization of nutrients from soil microbial biomass. *Soil Biology and Biochemistry* **14**, 469–475.
- Marx, D. H., Hatch, A. B., and Mendicino, J. F. (1977). High soil fertility decreases sucrose content and susceptibility of loblolly pine roots to ectomycorrhizal infection by *Pisolithus tinctorius*. *Canadian Journal of Botany* **55**, 1569–1574.
- Maser, C., Trappe, J. M., and Nussbaum, R. A. (1978). Fungal–small mammal interrelationships with emphasis on Oregon coniferous forests. *Ecology* **59**, 799–809.

- Mason, R. R., Wickman, B. E., Beckwith, R. C., and Paul, H. G. (1992). Thinning and nitrogen fertilization in a grand fir stand infested with western spruce budworm. Part I. Insect response. *Forest Science* **38**, 235–251.
- Masscheleyn, P. H., Pardue, J. H., DeLaune, R. D., and Patrick, W. H., Jr. (1992). Phosphorus release and assimilatory capacity of two lower Mississippi Valley freshwater wetland soils. *Water Resources Research* **28**, 763–773.
- Mather, A. S. (1990). "Global Forest Resources." Timber Press, Portland, Oregon.
- Matson, P. A., and Harriss, R. C. (1988). Prospects for aircraft-based gas exchange measurements in ecosystem studies. *Ecology* **69**, 1318–1325.
- Matson, P. A., and Waring, R. H. (1984). Effects of nutrient and light limitation on mountain hemlock: Susceptibility to laminated root rot. *Ecology* **65**, 1517–1524.
- Matson, P. A., Johnson, L., Billow, C., Miller, J., and Pu, R. (1994). Seasonal patterns and remote spectral estimation of canopy chemistry across the Oregon transect. *Ecological Applications* **4**, 280–298.
- Matson, P. A., Vitousek, P. M., Ewel, J. J., Mazzarino, M. J., and Robertson, G. P. (1987). Nitrogen transformations following tropical forest felling and burning on a volcanic soil. *Ecology* **68**, 491–502.
- Matthews, E. (1983). Global vegetation and land use: New high-resolution data bases for climate studies. *Journal of Climatic Applied Meteorology* **22**, 474–487.
- Matyssek, R., Reich, P., Oren, R., and Winner, W. E. (1995). Response mechanisms of conifers to air pollutants. In "Ecophysiology of Coniferous Forests" (W. K. Smith and T. M. Hinckley, eds.), pp. 255–308. Academic Press, San Diego.
- Matyssek, R., Günthardt-Goerg, M. S., Saurer, M., and Keller, T. (1992). Seasonal growth, $\delta^{13}\text{C}$ in leaves and stem, and phloem structure of birch (*Betula pendula*) under low ozone concentrations. *Tree Physiology* **6**, 69–76.
- McCauley, K. J., and Cook, S. A. (1980). *Phellinus weirii* infestation of two mountain hemlock forests in the Oregon Cascades. *Forest Science* **26**, 201–211.
- McClagherty, C. A., Aber, J. D., and Melillo, J. M. (1982). The role of fine roots in the organic matter and nitrogen budgets of two forested ecosystems. *Ecology* **63**, 1481–1490.
- McClelland, B. R. (1973). Autumn concentration of bald eagles in Glacier National Park. *Condor* **75**, 121–123.
- McComb, W. C., Bonney, S. A., Sheffield, R. M., and Cost, N. D. (1986). Den tree characteristics and abundance in Florida and North Carolina. *Journal of Wildlife Management* **50**, 584–591.
- McCune, B. (1983). Fire frequency reduced by two orders of magnitude in the Bitterroot Canyons, Montana. *Canadian Journal of Forest Research* **13**, 212–218.
- McDermitt, D. K., and Loomis, R. S. (1981). Elemental composition of biomass and its relation to energy content, growth efficiency, and growth yield. *Annals of Botany* **48**, 275–290.
- McGarigal, K., and Marks, G. J. (1995). FRAGSTATS: Spatial pattern analysis program for quantifying landscape structure. *USDA Forest Service, General Technical Report PNW-351*. Portland, Oregon.
- McGinty, D. T. (1976). Comparative root and soil dynamics on a white pine watershed and in the hardwood forest in the Coweeta basin. Ph.D. Dissertation, University of Georgia, Athens.
- McGuire, A. D., Joyce, L. A., Kicklighter, D. W., Melillo, J. M., Esser, G., and Vorosmarty, C. J. (1993). Productivity response of climax temperate forests to elevated temperature and carbon dioxide: A North American comparison between two global models. *Climatic Change* **24**, 287–310.
- McKay, D. S., and Band, L. E. (1997). Forest ecosystem processes at the watershed scale: Dynamic coupling of distributed hydrology and canopy growth. *Hydrological Processes* **11**, 1197–1217.

- McKenzie, D., Hessel, A. E., and Peterson, D. L. (2001). Recent growth of conifer species of western North America: Assessing spatial patterns of radial growth trends. *Canadian Journal of Forest Research* **31**, 526–538.
- McKey, D., Waterman, P. G., Mbi, C. N., Cartlan, J. S., and Struhsaker, T. T. (1978). Phenolic content of vegetation in two African rain forests: Ecological implications. *Science* **202**, 61–64.
- McLaughlin, S. B. (1985). Effects of air pollution on forests, a critical review. *Journal of Air Pollution Control Association* **35**, 513–534.
- McLaughlin, S. B., and Shriner, D. S. (1980). Allocation of resources to defense and repair. *Plant Diseases* **5**, 22–40.
- McLaughlin, S. B., McConathy, R. K., Barnes, R. L., and Edwards, N. T. (1980). Seasonal changes in energy allocation by white oak (*Quercus alba*). *Canadian Journal of Forest Research* **10**, 379–388.
- McLeod, S., and Running, S. W. (1988). Comparing site quality indices and productivity of ponderosa pine stands in western Montana. *Canadian Journal of Forest Research* **18**, 346–352.
- McMurtrie, R. E. (1993). Modelling canopy carbon and water balance. In “Photosynthesis and Production in a Changing Environment: A Field and Laboratory Manual” (D. O. Hall, J. M. O. Scurlock, H. R. Bolhar-Nordenkamp, R. C. Leegood, and S. P. Long, eds.), pp. 220–231. Chapman & Hall, London.
- McMurtrie, R. E., and Landsberg, J. J. (1992). Using a simulation model to evaluate the effects of water and nutrients on the growth and carbon partitioning of *Pinus radiata*. *Forest Ecology and Management* **52**, 243–260.
- McMurtrie, R. E., Comins, H. N., Kirschbaum, M. U. F., and Wang, Y. P. (1992). Modifying existing forest growth models to take account of effects of elevated CO₂. *Australian Journal of Botany* **40**, 657–677.
- McMurtrie, R. E., Gholz, H. L., Linder, S., and Gower, S. T. (1994). Climatic factors controlling the productivity of pine stands: A model-based analysis. *Ecological Bulletins* **43**, 173–188.
- McMurtrie, R., and Wolf, L. (1983). A model of competition between trees and grass for radiation, water, and nutrients. *Annals of Botany* **52**, 449–458.
- McNaughton, K. G. (1976). Evaporation and advection I: evaporation from extensive homogeneous surfaces. *Quarterly Journal of the Royal Meteorology Society* **102**, 181–191.
- McNaughton, K. G., and Jarvis, P. G. (1983). Predicting effects of vegetation changes on transpiration and evaporation, In “Water Deficits and Plant Growth” (T. T. Kozlowski, ed.), Vol. 7, pp. 1–47. Academic Press, London.
- McNeill, A. M., Hood, R. C., and Wood, M. (1994). Direct measurement of nitrogen fixation by *Trifolium repens* L. and *Alnus glutinosa* using ¹⁵N₂. *Journal of Experimental Botany* **45**, 749–755.
- McNulty, S. G. (2002). Hurricane impacts on US forest carbon sequestration. *Environmental Pollution* **116**, S17–S24.
- Mead, D. J., and Preston, C. M. (1994). Distribution and retranslocation of ¹⁵N in lodgepole pine over eight growing seasons. *Tree Physiology* **14**, 389–402.
- Meinzer, F. C., and Grantz, D. A. (1991). Coordination of stomatal, hydraulic, and canopy boundary layer properties: Do stomata balance conductances by measuring transpiration? *Physiologia Plantarum* **83**, 324–329.
- Melillo, J. M., Aber, J. D., and Muratore, J. F. (1982). Nitrogen and lignin control of hardwood leaf litter decomposition dynamics. *Ecology* **63**, 621–626.
- Melillo, J. M., McGuire, A. D., Kicklighten, A. D., Moore III, B., Vorsemyarty, C. J., and Schloss, A. L. (1993). Global climate change and terrestrial net primary production. *Nature* **363**, 234–240.

- Mencuccini, M., and Grace, J. (1995). Climate influences the leaf area–sapwood area relationship in Scots pine (*Pinus sylvestris* L.). *Plant, Cell and Environment* **15**, 1–10.
- Mencuccini, M., and Grace, J. (1996). Hydraulic conductance, light interception, and needle nutrient concentration in Scots pine stands (Thetford, U.K.) and their relation with net primary production. *Tree Physiology* **16**, 459–469.
- Meyer, W. B., and Turner, B. L. (1994). “Changes in Land Use and Land Cover: A Global Perspective.” Cambridge Univ. Press, New York.
- Michaud, J., and Sorooshian, S. (1994). Comparison of simple versus complex distributed runoff models on a mid-sized semiarid watershed. *Water Resources Research* **30**, 593–605.
- Mildrexler, D. J., Zhao, M., Heinsch, F. A., and Running, S. W. (2007). A new satellite based methodology for continental scale disturbance detection. *Ecological Applications*. **17**, 235–250.
- Miles, J. (1985). The pedogenic effects of different species and vegetation types and the implications on succession. *Journal of Soil Science* **36**, 571–584.
- Miller, E. K., Blum, J. D., and Friedland, A. J. (1993). Determination of soil exchangeable-cation loss and weathering using Sr isotopes. *Nature* **362**, 438–441.
- Miller, H. G., and Miller, J. D. (1976). Analysis of needle fall as a means of assessing nitrogen status in pine. *Forestry* **49**, 57–61.
- Milne, B. T. (1992). Spatial aggregation and neutral models in fractal landscapes. *The American Naturalist* **139**, 32–57.
- Milner, K. S., Running, S. W., and Coble, D. W. (1996). A biophysical soil/site model for estimating potential productivity of forested landscapes. *Canadian Journal of Forest Research* **26**, 1174–1186.
- Mitchell, J. F. B., Johns, T. C., Gregory, J. M., and Tett, S. F. B. (1995). Climate response to increasing levels of greenhouse gases and sulphate aerosols. *Nature* **376**, 501–504.
- Mitchell, M. J., Driscoll, C. T., Kahl, J. S., Likens, G. E., Murdoch, P. S., and Pardo, L. H. (1996). Climatic control of nitrate loss from forested watersheds in the Northeast United States. *Environmental Science and Technology* **30**, 2609–2612.
- Mitchell, R. G., Waring, R. H., and Pitman, G. B. (1983). Thinning lodgepole pine increases tree vigor and resistance to mountain pine beetle. *Forest Science* **29**, 204–211.
- Moffat, A. S. (1996). Biodiversity is a boon to ecosystems, not species. *Science* **271**, 1497.
- Mohren, G. M. J., and Ilvesniemi, H. (1995). Modelling effects of soil acidification on tree growth and nutrient status. *Ecological Modelling* **83**, 263–272.
- Monson, R. K., Harley, P. C., Litvak, M. E., Wildermuth, M., Guenther, A. B., Zimmerman, P. R., and Fall, R. (1994). Environmental and developmental controls over the seasonal pattern of isoprene emission from aspen leaves. *Oecologia* **99**, 260–270.
- Monteith, J. L. (1965). Evaporation and environment. *Symposia of the Society for Experimental Biology* **29**, 205–234.
- Monteith, J. L. (1972). Solar radiation and productivity in tropical ecosystems. *Journal of Applied Ecology* **9**, 747–766.
- Monteith, J. L. (1977). Climate and the efficiency of crop production in Britain. *Philosophical Transactions of the Royal Society of London, Series B* **281**, 277–294.
- Monteith, J. L., and Unsworth, M. H. (1990). “Principles of Environmental Physics,” 2nd Ed. Arnold, London.
- Mooney, H. A. (1972). The carbon balance of plants. *Annual Review of Ecology and Systematics* **3**, 315–346.
- Mooney, H. A., and Chu, C. (1974). Seasonal carbon allocation in *Heteromeles arbutifolia* a California evergreen shrub. *Oecologia* **14**, 295–306.
- Moore III, B., and Braswell, B. H. (1994). The lifetime of excess atmospheric carbon dioxide. *Global Biogeochemical Cycles* **8**, 23–28.

- Moore, P. D. (1994). Trials in bad taste. *Nature* **372**, 410.
- Moore, R. D., and Thompson, J. C. (1996). Are water table variations in a shallow forest soil consistent with the TOPMODEL concept? *Water Resources Research* **32**, 663–669.
- Mott, K. A., and Parkhurst, D. F. (1991). Stomatal responses to humidity in air and helox. *Plant, Cell and Environment* **14**, 509–515.
- Mouillot, F., and Field, C. B. (2005). Fire history and the global carbon budget: A $1^\circ \times 1^\circ$ fire history reconstruction for the 20th century. *Global Change Biology* **11**, 398–420.
- Mu, Q, Heinsch, F. A., Zhao, M., and Running, S. W. (2007). Development of a global evapotranspiration algorithm based on MODIS and global meteorology data. *Remote Sensing of Environment*. In press.
- Muller, J.-F. (1992). Geographic distribution and seasonal variation of surface emissions and deposition velocities of atmospheric trace gases. *Journal of Geophysical Research* **97**(D4), 3787–3804.
- Muller, J.-F., and Brasseur, G. (1995). IMAGES: A three-dimensional chemical transport model of the global troposphere. *Journal of Geophysical Research* **11**(D8), 16445–16490.
- Myers, N. (1993). Tropical forests: The main deforestation fronts. *Environmental Conservation* **20**, 9–16.
- Myneni, R. B. (2001). Variations in northern vegetation activity inferred from satellite data of vegetation index during 1981–1999. *Journal of Geophysical Research* **106**, 20069–20084.
- Myneni, R. B., Nemani, R. R., and Running, S. W. (1997a). Algorithm for the estimation of global land cover, LAI, and FPAR based on radiative transfer models. *IEEE Transactions in Geoscience and Remote Sensing* **35**, 302–314.
- Myneni, R. B., Keeling, C. D., Tucker, C. J., Asrar, G., and Nemani, R. R. (1997b). Increased plant growth in the northern high latitudes from 1981–1991. *Nature* **386**, 698–702.
- Myneni, R. B., Los, S. O., and Asrar, G. (1995). Potential gross primary productivity of terrestrial vegetation from 1982–1990. *Geophysical Research Letters* **22**, 2617–2620.
- Myrold, D. D. (1987). Relationship between microbial biomass nitrogen and a nitrogen availability index. *Soil Society of America Journal* **51**, 1047–1049.
- Näsholm, T., and Ericsson, A. (1990). Seasonal changes in amino acids, protein, and total nitrogen in needles of fertilized Scots pine. *Tree Physiology* **6**, 267–282.
- Nadelhoffer, K. J., Aber, J. D., and Melillo, J. M. (1983). Leaf-litter production and soil organic matter dynamics along a nitrogen-availability gradient in Southern Wisconsin (U.S.A.). *Canadian Journal of Forest Research* **13**, 12–21.
- Nambiar, E. K. S., and Fife, D. N. (1991). Nutrient retranslocation in temperate conifers. *Tree Physiology* **9**, 185–207.
- Nason, G. E., and Myrold, D. D. (1992). Nitrogen fertilizers: Fates and environmental effects in forest. In “Forest Fertilization: Sustaining and Improving Nutrition and Growth of Western Forests” (H. N. Chappell, G. F. Weetman, and R. E. Miller, eds.), pp. 67–81. Institute of Forest Resources, Contrib. No. 73. University of Washington, Seattle, Washington.
- Naveh, Z., and Lieberman, A. (1994). “Landscape Ecology: Theory and Application.” Springer-Verlag, New York.
- Neilson, R. P. (1995). A model for predicting continental-scale vegetation distribution and water balance. *Ecological Applications* **5**, 362–385.
- Neilson, R. P., and Marks, D. (1994). A global perspective of regional vegetation and hydrologic sensitivities from climatic change. *Journal of Vegetation Science* **5**, 715–730.
- Neilson, R. P., Pitelka, L. F., Solomon, A. M., Nathan, R., Migley, G. F., Fragoso, J. M. V., Lischke, H., and Thompson. (2005). Forecasting regional to global plant migration in response to climate change. *BioScience* **55**, 749–759.
- Neilson, R. P., and Running, S. W. (1996). Global dynamic vegetation modelling: Coupling biogeochemistry and biogeography models. In “Global Change and Terrestrial Ecosystems: The

- First GCTE Core Project of the IGBP" (B. Walker and W. Steffen, eds.), pp. 451–465. Cambridge Univ. Press, Cambridge.
- Neilson, R. P., King, G. A., and Koerper, G. (1992). Toward a rule-based biome model. *Landscape Ecology* **7**, 27–43.
- Nel, E. M., and Wessman, C. A. (1993). Canopy transmittance models for estimating forest leaf area index. *Canadian Journal of Forest Research* **23**, 2579–2568.
- Nemani, R. R., and Running, S. W. (1989a). Testing a theoretical climate–soil–leaf area hydrologic equilibrium of forests using satellite data and ecosystem simulation. *Agricultural and Forest Meteorology* **44**, 245–260.
- Nemani, R., and Running, S. W. (1989b). Estimation of regional surface resistance to evapotranspiration from NDVI and thermal infrared AVHRR data. *Journal of Applied Meteorology* **28**, 276–284.
- Nemani, R. R., and Running, S. W. (1995). Satellite monitoring of global land cover changes and their impact on climate. *Climatic Change* **31**, 395–413.
- Nemani, R. R., Keeling, C. D., Hashimoto, H., Jolly, W. M., Piper, S. C., Tucker, C. J., Myneni, R. B., and Running, S. W. (2003). Climate-driven increases in global terrestrial net primary production from 1982 to 1999. *Science* **300**, 1560–1563.
- Nemani, R. R., Running, S. W., Pierce, L. L., and Goward, S. (1993a). Developing satellite derived estimates of regional surface resistance to evapotranspiration. *Journal of Applied Meteorology* **32**, 548–557.
- Nemani, R. R., Running, S. W., Band, L. E., and Peterson, D. L. (1993b). Regional hydro-ecological simulation system: An illustration of the integration of ecosystem modeling with a GIS. In "Environmental Modeling with GIS" (M. F. Goodchild, B. O. Parks, and L. T. Steyart, eds.), pp. 296–304. Oxford Univ. Press, London.
- Nemani, R., and Running, S. W. (1996). Implementation of a hierarchical global vegetation classification in ecosystem function models. *Journal of Vegetation Science* **7**, 337–346.
- Nemani, R., Pierce, L., Running, S., and Band, L. (1993c). Forest ecosystem processes at the watershed scale: Sensitivity to remotely-sensed leaf area index estimates. *International Journal of Remote Sensing* **14**, 2519–2534.
- Nemani, R., Running, S. W., Pielke, R. A., and Chase, T. N. (1996). Global vegetation cover changes from coarse resolution satellite data. *Journal of Geophysical Research* **101**(D3), 7157–7162.
- Nepstad, D. C., de Carvalho, C. R., Davidson, E. A., Jipp, P. H., Lefebvre, P. A., Negreiros, G. H., Stone, T. A., Trumbore, S. E., and Vieira, S. (1994). The role of deep roots in hydrological and carbon cycles of Amazonian forests and pastures. *Nature* **372**, 666–669.
- Newnham, R. M. (1992). A 30,000 year pollen, vegetation and climate record from Otakairangi (Hikurangi), Northland, New Zealand. *Journal of Biogeography* **19**, 541–554.
- Ni, B.-R., and Pallardy, S. G. (1991). Response of gas exchange to water stress in seedlings of woody angiosperms. *Tree Physiology* **8**, 1–10.
- Nicholas, N. S., and Zedaker, S. M. (1989). Ice damage in spruce–fir forests of the Black Mountains, North Carolina. *Canadian Journal of Forest Research* **19**, 1487–1491.
- Niyamah, J. U., and Black, T. A. (1977). Rates and patterns of water uptake in a Douglas-fir forest. *Soil Science Society of America Journal* **41**, 972–979.
- Nobel, P. S. (1991). "Physiochemical and Environmental Plant Physiology." Academic Press, San Diego.
- Noon, B. R., and McKelvey, K. S. (1996). Management of the spotted owl: A case history in conservation biology. *Annual Review of Ecology and Systematics* **27**, 135–162.
- Norby, R. J. (1996). Forest canopy productivity index. *Nature* **381**, 56.

- Nordmeyer, A. H., Kelland, C. M., Evans, G. R., and Ledgard, H. J. (1987). Nutrients and the restoration of mountain forests in New Zealand. *In* "Human Impacts and Management of Mountain Forests" (T. Fujimori and M. Kimura, eds.), pp. 145–154. Forestry and Forest Products Research Institute, Ibaraki, Japan.
- Norman, J. M., Anderson, M. C., Kustas, W. P., French, A. N., Mecikalski, J., Tom, R., Diak, G. R., Schmugge, T. J., and Tanner, B. C. W. (2003). Remote sensing of surface energy fluxes at 101-m pixel resolutions. *Water Resources Research* **39**, 1221–1238.
- Norman, J. M., Divakarla, M., and Goel, N. S. (1995). Algorithms for extracting information from remote thermal-IR observations of the earth's surface. *Remote Sensing of the Environment* **51**, 157–168.
- Northrup, R. R., Yu, Z., Dahgren, R. A., and Vogt, K. A. (1995). Polyphenol control of nitrogen release from pine litter. *Nature* **377**, 227–229.
- Norton, S. A., Wright, R. F., Kahl, J. S., and Schofield, J. P. (1992). The MAGIC simulation of surface water acidification at, and first year results from, the Bear Brook watershed manipulation, Maine, USA. *Environmental Pollution* **77**, 279–286.
- O'Connell, A. M. (1990). Microbial decomposition (respiration) of litter in eucalypt forests of southwestern Australia: An empirical model based on laboratory incubations. *Soil Biology and Biochemistry* **22**, 153–160.
- O'Hara, K. L. (1988). Stand structure and growing space efficiency following thinning in an even-aged Douglas-fir stand. *Canadian Journal of Forest Research* **18**, 859–866.
- O'Hara, K. L. (1996). Dynamics and stocking-level relationships of multi-aged ponderosa pine stands. *Forest Science Monographs* **33**, 1–34.
- O'Neill, R. V., Ausmus, B. S., Jackson, D. R., Van Hook, R. I., Van Voris, P., Washburne, C., and Watson, A. P. (1977). Monitoring terrestrial ecosystems by analysis of nutrient export. *Water, Air and Soil Pollution* **8**, 271–277.
- O'Neill, R. V., DeAngelis, D. L., Waide, J. B., and Allen, T. F. H. (1986). "A Hierarchical Concept of Ecosystems." Princeton Univ. Press, Princeton, New Jersey.
- Odum, H. T. (1983). "Systems Ecology: An Introduction." Wiley, New York.
- Oechel, W. C., Hastings, S. J., Vourlitis, G., Jenkins, M., Riechers, G., and Grulke, N. (1993). Recent change of Arctic tundra ecosystems from a net carbon dioxide sink to a source. *Nature* **361**, 520–523.
- Oerlemans, J. (1994). Quantifying global warming from the retreat of glaciers. *Science* **264**, 243–245.
- Ohno, T., Sucoff, E. I., Drich, M. S., Bloom, P. R., Buschena, C. A., and Dixon, R. K. (1988). Growth and nutrient content of red spruce seedlings in soil amended with aluminum. *Journal of Environmental Quality* **17**, 666–672.
- Oliver, C. D. (1981). Forest development in North America following major disturbances. *Forest Ecology and Management* **3**, 153–168.
- Oliver, C. D., and Larson, B. C. (1996). "Forest Stand Dynamics." Wiley, New York.
- Oliver, C. D., and Stephens, E. P. (1977). Reconstruction of a mixed species forest in central New England. *Ecology* **58**, 562–572.
- Ollinger, S. V., Aber, J. D., Lovett, G. M., Millham, S. E., Lathrop, R. G., and Ellis, J. M. (1993). A spatial model of atmospheric deposition for the northeastern U.S. *Ecological Applications* **3**, 459–472.
- Olson, J. S. (1963). Energy storage and balance of producers and decomposers in ecological systems. *Ecology* **44**, 322–331.
- Olson, J. S., Watts, J. A., and Allison, L. J. (1983). "Carbon in Life Vegetation of Major World Ecosystems." TR004, U.S. Dept. of Energy, Washington, D.C.

- Olsson, H. (1994). Changes in satellite-measured reflectances caused by thinning cuttings in boreal forest. *Remote Sensing of the Environment* **50**, 221–230.
- Olsthoorn, A. F. M., and Tiktak, A. (1991). Fine root density and root biomass of two Douglas-fir stands on sandy soil in the Netherlands. 2. Periodicity of fine root growth and estimation of below-ground carbon allocation. *Netherlands Journal of Agricultural Science* **39**, 61–77.
- Orchard, V. A., Cook, F. J., and Corderoy, D. M. (1992). Field and laboratory studies on the relationships between respiration and moisture for two soils of contrasting fertility status. *Pedobiologia* **36**, 21–33.
- Oren, R., Ellsworth, D. S., Johnsen, K. H., Phillips, N., Ewers, B. E., Maier, C., Schäfer, K. V. R., McCarthy, H., Hendrey, G., McNulty, S. G., and Katul, G. G. (2001). Soil fertility limits carbon sequestration by forest ecosystems in a CO₂-enriched atmosphere. *Nature* **411**, 469–472.
- Oren, R., Schulze, E.-D., Werk, K. S., Meyer, J., Schneider, B. U., and Heilmeyer, H. (1988a). Performance of two *Picea abies* (L.) Karst. stands at different stages of decline. I. Carbon relations and stand growth. *Oecologia* **75**, 25–37.
- Oren, R., Schulze, E.-D., Werk, K. S., Meyer, J., and Schneider, J. (1988b). Performance of two *Picea abies* (L.) Karst. stands at different stages of decline. VII. Nutrient relations and growth. *Oecologia* **77**, 163–173.
- Oren, R., Thies, W. G., and Waring, R. H. (1985). Tree vigor and stand growth of Douglas-fir as influenced by laminated root rot. *Canadian Journal of Forest Research* **15**, 985–988.
- Osonubi, O., Oren, R., Werk, K. S., Schulze, E.-D., and Heilmeyer, H. (1988). Performance of two *Picea abies* (L.) Karst. stands at different stages of decline. IV. Xylem sap concentrations of magnesium, calcium, potassium and nitrogen. *Oecologia* **77**, 1–6.
- Ostrofsky, A., and Shigo, A. L. (1984). Relationship between canker size and wood starch in American chestnut. *European Journal of Forest Pathology* **14**, 65–68.
- Overpeck, J. T., Bartlein, P. J., and Webb, T. (1991). Potential magnitude of future vegetation change in Eastern North America: Comparisons with the past. *Science* **254**, 692–695.
- Overpeck, J. T., Rind, D., and Goldberg, R. (1990). Climate-induced changes in forest disturbance and vegetation. *Nature* **343**, 51–53.
- Pacala, S. W., Canham, C. D., and Silander, J. A., Jr. (1993). Forest models defined by field measurements: I. The design of a northeastern forest simulator. *Canadian Journal of Forest Research* **23**, 1980–1988.
- Pacala, S. W., Canham, C. D., Saponara, J., Silander, J. A., Kobe, R. K., and Ribbens, E. (1996). Forest models defined by field measurements: Estimation, error analysis and dynamics. *Ecological Monographs* **66**, 1–43.
- Pan, Y., Birdsey, R., Hom, J., McCullough, K., and Clark, K. (2006). Improved estimates of net primary productivity from MODIS satellite data at regional and local scales. *Ecological Applications* **16**, 125–132.
- Panek, J. A. (1996). Correlations between stable carbon-isotope abundance and hydraulic conductivity in Douglas-fir across a climate gradient in Oregon, USA. *Tree Physiology* **16**, 747–755.
- Pang, P. C. K. (1984). Absorption of gaseous ammonia by Douglas-fir. *Soil Science Society of America Journal* **48**, 1178–1181.
- Paniconi, C., and Wood, E. F. (1993). A detailed model for simulation of catchment scale subsurface hydrologic processes. *Water Resources Research* **29**, 1601–1620.
- Panshin, A. J., de Zeeuw, C., and Brown, H. P. (1964). “Textbook of Wood Technology.” 2nd Ed., Vol. 1. McGraw-Hill, New York.
- Parrotta, J. A., Baker, D. D., and Fried, M. (1994). Applications of ¹⁵N-enrichment methodologies to estimate nitrogen fixation in *Casuarina equisetifolia*. *Canadian Journal of Forest Research* **24**, 201–207.

- Parsons, W. F. J., Mitre, M. E., Keller, M., and Reiners, W. A. (1993). Nitrate limitation of N₂O production and denitrification from tropical pasture and rain forest soils. *Biogeochemistry* **22**, 179–193.
- Parton, W. J. (1984). Predicting soil temperatures in a shortgrass steppe. *Soil Science* **138**, 93–101.
- Parton, W. J., Mosier, A. R., Ojima, D. S., Valentine, D. W., Schimel, D. S., Weier, K., and Kulmala, A. E. (1996). Generalized model for N₂ and N₂O production from nitrification and denitrification. *Global Biogeochemical Cycles* **10**, 401–412.
- Parton, W. J., Schimel, D. S., Cole, C. V., and Ojima, D. S. (1987). Analysis of factors controlling soil organic matter levels in the Great Plains grasslands. *Soil Society of America Journal* **51**, 1173–1179.
- Parton, W. J., Scurlock, J. M. O., Ojima, D. S., Gilmanob, T. G., Scholes, R. J., Schimei, D. S., Kirchner, T., Menaut, J.-C., Seastadt, T., Garcia Moya, E., Kamnalrut, A., and Kinyamario, J. (1993). Observations and modeling of biomass and soil organic matter dynamics for the grassland biome worldwide. *Global Biogeochemical Cycles* **7**, 785–809.
- Parton, W. J., Stewart, J. W. B., and Cole, C. V. (1988). Dynamics of C, N, P and S in grassland soils: A model. *Biogeochemistry* **5**, 109–131.
- Passioura, J. B. (1979). Accountability, philosophy and plant physiology. *Search* **10**, 347–350.
- Pastor, J., Aber, J. D., and Melillo, J. M. (1984). Biomass prediction using generalized allometric regressions for some Northeast tree species. *Forest Ecology and Management* **7**, 265–274.
- Pastor, J., and Bockheim, J. G. (1984). Distribution and cycling of nutrients in an aspen–mixed-hardwood–spodosol ecosystem in northern Wisconsin. *Ecology* **65**, 339–353.
- Pastor, J., Dewey, B., Naiman, R. J., McInnes, P. F., and Cohen, Y. (1993). Moose browsing and soil fertility in the boreal forests of Isle Royale National Park. *Ecology* **74**, 467–480.
- Paul, E. A., and Clark, F. E. (1996). “Soil Microbiology and Biochemistry,” 2nd Ed. Academic Press, New York.
- Paw, U. K. T., Falk, M., Suchanek, T. H., Ustin, S. L., Chen, J., Park, Y.-S., Winner, W. E., Thomas, S. C., Hsiao, T. C., Shaw, R. H., King, T. S., Pyles, R. D., Schroeder, M., and Matista, A. A. (2004). Carbon dioxide exchange between an old-growth forest and the atmosphere. *Ecosystems* **7**, 513–524.
- Pearson, S. M., Turner, M. G., Wallace, L. L., and Romme, W. H. (1995). Winter habitat use by large ungulates following fire in northern Yellowstone National Park. *Ecological Applications* **5**, 744–755.
- Pedro, G., Jamagne, M., and Began, J. C. (1978). Two routes in genesis of strongly differentiated acid soils under humid, coal-temperate conditions. *Geoderma* **20**, 173–189.
- Penman, H. C. (1948). Natural evaporation from open water, bare soil and grass. *Proceedings of the Royal Society of London, Series A* **194**, 120–145.
- Penning de Vries, F. W. T. (1975). The cost of maintenance processes in plant cells. *Annals of Botany* **39**, 77–92.
- Perakis, S. S., Maguire, D. A., Bullen, T. D., Cromack, K., Waring, R. H., and Boyle, J. R. (2006). Coupled nitrogen and calcium cycles in forests of the Oregon Coast Range. *Ecosystems* **9**, 63–74.
- Pereira, J. S., and Kozlowski, T. T. (1977). Influence of light intensity, temperature, and leaf area on stomatal aperture and water potential of woody plants. *Canadian Journal of Forest Research* **7**, 145–153.
- Perkins, T. D., and Adams, G. T. (1995). Rapid freezing induces winter injury symptomatology in red spruce foliage. *Tree Physiology* **15**, 259–266.
- Perry, D. A. (1994). “Forest Ecosystems.” Johns Hopkins Univ. Press, Baltimore and London.
- Persson, H. (1978). Root dynamics in a young Scots pine stand in central Sweden. *Oikos* **30**, 508–519.

- Peterjohn, W. T., Melillo, J. M., Steudler, P. A., Newkirk, K. M., Bowles, F. P., and Aber, J. D. (1994). Responses of trace gas fluxes and N availability to experimentally elevated soil temperatures. *Ecological Applications* **4**, 77–87.
- Peters, R. H. (1991). “A Critique for Ecology.” Cambridge Univ. Press, Cambridge.
- Peterson, B. J., and Fry, B. (1987). Stable isotopes in ecosystem studies. *Annual Review of Ecology and Systematics* **18**, 293–320.
- Peterson, D. L., and Running, S. W. (1989). Applications in Forest Science and Management. In “Theory and Applications of Optical Remote Sensing” (G. Asrar, ed.), pp. 429–463. Wiley, New York.
- Peterson, D. L., and Waring, R. H. (1994). Overview of the Oregon Transect Ecosystem research project. *Ecological Applications* **4**, 211–225.
- Peterson, D. W., and Peterson, D. L. (2001). Mountain hemlock growth trends to climatic variability at annual and decadal time scales. *Ecology* **82**, 3330–3345.
- Peterson, D. W., Peterson, D. L., and Ettl, G. J. (2002). Growth responses of subalpine fir to climatic variability in the Pacific Northwest. *Canadian Journal of Forest Research* **32**, 1503–1517.
- Petty, G. W. (1995). The status of satellite-based rainfall estimation over land. *Remote Sensing of the Environment* **51**, 125–137.
- Petty, J. A., and Worrell, R. (1981). Stability of coniferous tree stems in relation to damage by snow. *Forestry* **54**, 115–128.
- Phillipson, J., Aber, R., Steel, J., and Woodell, S. R. J. (1978). Earthworm numbers, biomass and respiratory metabolism in a beech woodland—Wytham Woods, Oxford. *Oecologia* **33**, 291–309.
- Pickett, S. T. A. (1976). Succession: An evolutionary interpretation. *American Naturalist* **110**, 107–119.
- Pielke, R. A., Cotton, W. R., Walko, R. L., Tremback, C. J., Lyons, W. A., Grasso, L. D., Nicholls, M. E., Moran, M. D., Wesley, D. A., Lee, T. J., and Copeland, J. H. (1992). A comprehensive meteorological modeling system—RAMS. *Meteorology and Atmospheric Physics* **49**, 69–91.
- Pielke, R. A., Lee, T. J., Copeland, J. H., Eastman, J. L., Ziegler, C. L., and Finley, C. A. (1997). Use of USGS-provided data to improve weather and climate simulations. *Ecological Applications* **7**, 3–21.
- Pierce, L. L., and Running, S. W. (1988). Rapid estimation of coniferous forest leaf area index using a portable integrating radiometer. *Ecology* **69**, 1762–1767.
- Pierce, L. L., and Running, S. W. (1995). The effects of aggregating sub-grid land surface variation on large-scale estimates of net primary production. *Landscape Ecology* **10**, 239–253.
- Pierce, L. L., Running, S. W., and Walker, J. (1994). Regional-scale relationships of leaf area index to specific leaf area and leaf nitrogen content. *Ecological Applications* **4**, 313–321.
- Pierce, L. L., Walker, J., Dowling, T. I., McVicar, T. R., Hatton, T. J., Running, S. W., and Caughlan, J. C. (1993). Ecohydrological changes in the Murray-Darling basin. III. A simulation of regional hydrological changes. *Journal of Applied Ecology* **30**, 283–294.
- Pinker, R. T., Frouin, R., and Li, A. (1995). A review of satellite methods to derive surface shortwave irradiance. *Remote Sensing of the Environment* **51**, 108–124.
- Piper, S. C., and Stewart, E. F. (1996). A gridded global data set of daily temperature and precipitation for terrestrial biospheric modeling. *Global Biogeochemical Cycles* **10**, 757–782.
- Placet, M., Battye, R. E., Fehsenfeld, F. C., and Bassett, G. W. (1990). Emissions involved in acidic deposition processes. State of science/technology report I. National Acid Precipitation Assessment Program, Washington, D.C.
- Polglase, P. J., Attiwill, P. M., and Adams, M. A. (1992). Nitrogen and phosphorus cycling in relation to stand age of *Eucalyptus regans* F. Muell. III. Labile inorganic and organic P, phosphatase activity and P availability. *Plant and Soil* **142**, 177–185.

- Polley, H. W., Johnson, H. B., Marina, B. D., and Mayeux, H. S. (1993). Increase in C₃ plant water-use efficiency and biomass over glacial to present CO₂ concentrations. *Nature* **361**, 61–64.
- Pothier, D., Margolis, H. A., and Waring, R. H. (1989). Patterns of change of saturated sapwood permeability and sapwood conductance with stand development. *Canadian Journal of Forest Research* **19**, 432–439.
- Potter, C. S., Matson, P. A., Vitousek, P. M., and Davidson, E. A. (1996). Process modeling of controls on nitrogen trace gas emissions from soils worldwide. *Journal of Geophysical Research—Atmospheres* **101**, 1361–1377.
- Potter, C., BrooksGenovese, V., Klooster, S., and Torregrosa, A. (2002). Biomass burning emission of reactive gases estimated from satellite data analysis and ecosystem modeling for the Brazilian Amazon region. *Journal of Geophysical Research* **107**(D20), 8056–8065.
- Pregitzer, K. S., and Burton, A. J. (1991). Sugar maple seed production and nitrogen in litterfall. *Canadian Journal of Forest Research* **21**, 1148–1152.
- Pregitzer, K. S., and Euskirchen, E. S. (2004). Carbon cycling and storage in world forests: Biome patterns related to forest age. *Global Change Biology* **10**, 2052–2077.
- Prentice, I. C., Bartlein, P. J., and Webb III, T. (1991). Vegetation and climate change in eastern North America since the last glacial maximum. *Ecology* **72**, 2038–2056.
- Prentice, I. C., Bramer, W., Harrison, S. P., Leemans, R., Monserud, R. A., and Solomon, A. M. (1992). A global biome model based on plant physiology and dominance, soil properties and climate. *Journal of Biogeography* **19**, 117–134.
- Prenzel, J., and Meiwes, K. J. (1994). Sulfate sorption in soils under acid deposition: Modeling field data from forest liming. *Journal of Environmental Quality* **23**, 1212–1217.
- Preston, C. M., Marshall, V. G., McCullough, K., and Mead, D. J. (1990). Fate of ¹⁵N-labelled fertilizer applied on snow at two forest sites in British Columbia. *Canadian Journal of Forest Research* **20**, 1583–1592.
- Prevedello, C. L., Libardi, P. L., and Reichardt, K. (1991). Water flow in homogeneous unsaturated soils: An attempt using a diffusional model to describe gravitational flow. *Soil Science* **152**, 184–188.
- Price, C., and Rind, D. (1994). The impact of a 2 × CO₂ climate on lightning-caused fires. *Journal of Climate* **7**, 1484–1494.
- Price, D. T., and Black, T. A. (1990). Effects of short-term variation in weather on diurnal canopy CO₂ flux and evaporation of a juvenile Douglas-fir stand. *Agricultural and Forest Meteorology* **50**, 139–158.
- Price, J. C. (1989). Quantitative aspects of remote sensing in the thermal infrared. In “Theory and Applications of Optical Remote Sensing” (G. Asrar, ed.), pp. 578–603. Wiley, New York.
- Price, P. W., Bouton, C. E., Gross, P., McPheron, B. A., Thompson, J. N., and Weis, A. E. (1980). Interactions among three trophic levels: Influence of plants on interactions between insect herbivores and natural enemies. *Annual Review of Ecology and Systematics* **11**, 41–65.
- Prince, S. D., and Goward, S. N. (1995). Global primary production: A remote sensing approach. *Journal of Biogeography* **22**, 815–835.
- Proctor, J., and Woodell, S. R. J. (1975). The ecology of serpentine soils. *Advances in Ecological Research* **9**, 255–366.
- Prudhomme, T. I. (1983). Carbon allocation to antiherbivore compounds in a deciduous and evergreen subarctic shrub species. *Oikos* **40**, 344–356.
- Putz, F. E., and Milton, K. (1982). Tree mortality rates on Barro Colorado Island. In “The Ecology of a Tropical Forest” (E. G. Leigh, Jr., A. S. Rand, and D. M. Windsor, eds.), pp. 95–100. Smithsonian Institution, Washington, D.C.
- Qi, J., Marshall, J. D., and Mattson, K. G. (1994). High soil carbon dioxide concentrations inhibit root respiration of Douglas-fir. *New Phytologist* **128**, 435–442.

- Rafes, P. M. (1971). Pests and the damage which they cause to forests. In "Productivity of Forest Ecosystems," pp. 357–367. UNESCO, Rome.
- Raffa, K. F., and Berryman, A. A. (1983). Physiological differences between lodgepole pines resistant and susceptible to the mountain pine beetle and associated microorganisms. *Environmental Entomology* **11**, 486–492.
- Ragsdale, H. L., and Berish, C. W. (1988). The decline of lead in tree rings of *Carya* spp. in urban Atlanta, GA, USA. *Biogeochemistry* **6**, 21–29.
- Rahman, A. F., Sims, D. A., Cordova, V. D., and El-Masri, B. Z. (2005). Potential of MODIS EVI and surface temperature for directly estimating per-pixel ecosystem C fluxes. *Geophysical Research Letters* **32**, L19404–L19407.
- Raich, J. W., and Nadelhoffer, K. J. (1989). Belowground carbon allocation in forest ecosystems: Global trends. *Ecology* **70**, 1346–1354.
- Raich, J. W., and Schlesinger, W. H. (1992). The global carbon dioxide flux in soil respiration and its relationship to vegetation and climate. *Tellus* **44B**, 81–99.
- Raison, R. J. (1980). A review of the role of fire in nutrient cycling in Australian native forests, and of methodology for studying the fire–nutrient interaction. *Australian Journal of Ecology* **5**, 15–21.
- Raison, R. J., O'Connell, A. M., Khanna, P. K., and Keith, H. (1993). Effects of repeated fires on nitrogen and phosphorus budgets and cycling processes in forest ecosystems. In "Fire in Mediterranean Ecosystems" (L. Trabaud and R. Prodon, eds.), pp. 347–363. Publ. No. EUR 15089 EN. Commission of the European Communities, Brussels–Luxembourg.
- Ranson, K. J., Irons, J. R., and Williams, D. L. (1994). Multispectral bidirectional reflectance of northern forest canopies with the advanced solid-state array spectroradiometer (ASAS). *Remote Sensing of the Environment* **47**, 276–289.
- Rastetter, E. B. (1996). Validating models of ecosystem response to global change. *Bioscience* **46**, 190–198.
- Rastetter, E. B., King, A. W., Crosby, B. J., Hornberger, G. M., O'Neill, R. V., and Hobbie, J. E. (1992). Aggregating fine-scale ecological knowledge to model coarser-scale attributes of ecosystems. *Ecological Applications* **2**, 55–70.
- Rastetter, E. B., Ryan, M. G., Shaver, G. R., Melillo, J. M., Nadelhoffer, K. J., Hobbie, J. E., and Aber, J. D. (1991). A general biogeochemical model describing the responses of the C and N cycles in terrestrial ecosystems to changes in CO₂ climate, and N deposition. *Tree Physiology* **9**, 101–126.
- Raven, P. H., Evert, R. F., and Curtis, H. (1981). "Biology of Plants." Worth, New York.
- Reich, P. B. (1987). Quantifying plant response to ozone: A unifying theory. *Tree Physiology* **3**, 63–91.
- Reich, P. B. (1995). Phenology of tropical forests: patterns, causes, and consequences. *Canadian Journal of Botany* **73**, 164–174.
- Reich, P. B., and Hinckley, T. M. (1989). Influence of pre-dawn water potential and soil-to-leaf hydraulic conductance on maximum daily leaf diffusive conductance in two oak species. *Functional Ecology* **3**, 719–726.
- Reich, P. B., and Walters, M. B. (1994). Photosynthesis–nitrogen relations in Amazonian tree species II. Variation in nitrogen vis-à-vis specific leaf area influences mass- and area-based expressions. *Oecologia* **97**, 73–81.
- Reich, P. B., Kaike, T., Gower, S. T., and Schoettle, A. W. (1995a). Causes and consequences of variation in conifer leaf life-span. In "Ecophysiology of Coniferous Forests" (W. K. Smith and T. M. Hinckley, eds.), pp. 225–254. Academic Press, San Diego.
- Reich, P. B., Kloeppel, B. D., Ellsworth, D. S., and Walters, M. B. (1995b). Different photosynthesis–nitrogen relation in deciduous hardwood and evergreen coniferous tree species. *Oecologia* **104**, 24–30.

- Reichle, D. E., ed. (1981). "Dynamic Properties of Forest Ecosystems." Cambridge Univ. Press, Cambridge.
- Reichle, D. E., Goldstein, R. A., van Hook, R. I., and Dodson, G. J. (1973). Analysis of insect consumption in a forest canopy. *Ecology* **54**, 1076–1084.
- Reichstein, M., Rey, A., Freibauer, A., Tenhunen, J., Valentini, R., Banza, J., Casals, P., Cheng, Y., Grünzweig, J. M., Irvine, J., Joffre, R., Law, B. E., Loustau, D., Miglietta, F., Oechel, W., Ourcival, J.-M., Pereira, J. S., Peressotti, A., Ponti, F., Qi, Y., Rambal, S., Rayment, M., Romanya, J., Rossi, F., Tedeschi, V., Tirone, G., Xu, M., and Yakir, D. (2003). Modeling temporal and large-scale variability of soil respiration from soil water availability, temperature and vegetation productivity indices. *Global Biogeochemical Cycles* **17**, 1104–1118.
- Reid, J. B., and Bowden, M. (1995). Temporal variability and scaling behavior in the fine-root system of kiwifruit (*Actinidia deliciosa*). *Plant, Cell and Environment* **18**, 555–564.
- Reid, L. M., and Dunne, T. (1984). Sediment production from forest road surfaces. *Water Resources Research* **20**, 1753–1761.
- Rhoades, D. F., and Cates, R. G. (1976). Toward a general theory of plant antiherbivore chemistry. *Recent Advances in Phytochemistry* **10**, 168–213.
- Rice, R. M., and Lewis, J. (1991). Estimating erosion risks associated with logging and forest roads in northwestern California. *Water Resources Bulletin* **27**, 809–817.
- Riley, S. J. (1984). Effect of clearing and road operations on the permeability of forest soils, Karuah catchment, New South Wales, Australia. *Forest Ecology & Management* **9**, 283–293.
- Rinne, P., Tuominen, H., and Junttila, O. (1992). Arrested leaf abscission in the non-abscising variety of pubescent birch: Developmental, morphological and hormonal aspects. *Journal of Experimental Botany* **43**, 975–982.
- Ritchie, G. A., and Hinckley, T. M. (1975). The pressure chamber as an instrument for ecological research. *Advances in Ecological Research* **9**, 165–254.
- Ritchie, J. C., Cwynar, L. C., and Spear, R. W. (1983). Evidence from northwest Canada for an early Holocene Milankovitch thermal maximum. *Nature* **305**, 126–128.
- Roberts, C. T., Hanley, T. A., Hagerman, A. E., Hjeljord, O., Baker, D. L., Schwarts, C. C., and Mautz, W. W. (1987). Role of tannins in defending plants against ruminants: Reduction in protein availability. *Ecology* **68**, 98–107.
- Roberts, D. (1996a). Landscape vegetation modeling with vital attributes and fuzzy systems theory. *Ecological Modelling* **90**, 175–184.
- Roberts, D. W. (1996b). Modeling forest dynamics with vital attributes and fuzzy systems theory. *Ecological Modelling* **90**, 161–173.
- Roberts, D. A., Ustin, S. L., Ogunjemiyo, S., Greenberg, J., Dobrowski, S. Z., Chen, J., and Hinckley, T. M. (2004). Spectral and structural measures of Northwest forest vegetation at leaf to landscape scales. *Ecosystems* **7**, 545–562.
- Robertson, G. P. (1982). Nitrification in forested ecosystems. *Philosophical Transactions of the Royal Society of London, Series B, Biological Sciences* **296**, 445–457.
- Robertson, G. P., and Tiedje, J. M. (1984). Denitrification and nitrous oxide production in successional and old-growth Michigan forests. *Soil Science Society of America Journal* **48**, 383–389.
- Robinson, J. (1994). Speculations on carbon dioxide starvation, late Tertiary evolution of stomatal regulation and floristic modernization. *Plant, Cell and Environment* **17**, 345–354.
- Robinson, J. S., Sivapalan, M., and Snell, J. D. (1995). On the relative roles of hillslope processes, channel routing, and network geomorphology in the hydrologic response of natural catchments. *Water Resources Research* **31**, 3089–3101.
- Rodríguez, R., Espinosa, M., Real, P., and Inzunza, J. (2002). Analysis of productivity of radiata pine plantations under different silvicultural regimes using the 3-PG process-based model. *Australian Forestry* **65**, 165–172.

- Rogers, R., and Hinckley, T. M. (1979). Foliage weight and area related to current sapwood area in oak. *Forest Science* **25**, 298–303.
- Romme, W. H. (1982). Fire and landscape diversity in subalpine forests of Yellowstone National Park. *Ecological Monographs* **52**, 199–221.
- Rood, S. B., Samuelson, G. M., Weber, J. K., and Wywrot, K. A. (2005). Twentieth-century decline in streamflows from the hydrographic apex of North America. *Journal of Hydrology* **306**, 215–233.
- Rose, C. L. (1990). Application of the carbon/nutrient balance concept to predicting the nutritional qualities of blueberry foliage to deer in southeastern Alaska. Ph.D. Thesis, Oregon State University, Corvallis, Oregon.
- Rothermel, R. C. (1972). A mathematical model for predicting fire spread in wildland fuels. *USDA Research Paper INT-443*. Ogden, Utah.
- Ruel, J. C. (1995). Understanding windthrow: Silvicultural implications. *Forestry Chronicle* **71**, 434–445.
- Ruess, R. W., Van Cleve, K., Yarie, J., and Viereck, L. A. (1996). Contributions of fine root production and turnover to the carbon and nitrogen cycling in tiaga forests of the Alaskan interior. *Canadian Journal of Forest Research* **26**, 1326–1336.
- Ruimy, A., Saugier, B., and Dedieu, G. (1994). Methodology for the estimation of terrestrial net primary production from remotely sensed data. *Journal of Geophysical Research* **99**, 5263–5283.
- Running, S. W. (1976). Environmental control of leaf water conductance in conifers. *Canadian Journal of Forest Research* **6**, 104–112.
- Running, S. W. (1984a). Documentation and preliminary validation of H2OTRANS and DAY-TRANS, two models for predicting transpiration and water stress in western coniferous forests. *USDA Rocky Mountain Forest and Range Experiment Station Research Paper RM-252*. Fort Collins, Colorado.
- Running, S. W. (1984b). Microclimate control of forest productivity: Analysis by computer simulation of annual photosynthesis/transpiration balance in different environments. *Agriculture and Forest Meteorology* **32**, 267–288.
- Running, S. W. (1994). Testing FOREST-BGC ecosystem process simulations across a climatic gradient in Oregon. *Ecological Applications* **4**, 238–247.
- Running, S. W. (2006). Is global warming causing more, larger wildfires? *Science* **313**, 927–928.
- Running, S. W., and Gower, S. T. (1991). FOREST-BGC, a general model of forest ecosystem processes for regional applications II. Dynamic carbon allocation and nitrogen budgets. *Tree Physiology* **9**, 147–160.
- Running, S. W., and Hunt, E. R., Jr. (1993). Generalization of a forest ecosystem process model for other biomes, BIOME-BGC, and an application for global-scale models, In “Scaling Processes between Leaf and Landscape Levels” (J. R. Ehleringer and C. Field, eds.), pp. 141–158. Academic Press, San Diego.
- Running, S. W., and Nemani, R. R. (1991). Regional hydrologic and carbon balance responses of forests resulting from potential climate change. *Climatic Change* **19**, 349–368.
- Running, S. W., and Reid, C. P. (1980). Soil temperature influences root resistance of *Pinus contorta* seedlings. *Plant Physiology* **65**, 535–640.
- Running, S. W., Baldocchi, D. D., Turner, D. P., Gower, S. T., Bakwin, P. S., and Hibbard, K. A. (1999). A global terrestrial monitoring network integrating tower fluxes, flask sampling, ecosystem modeling and EOS satellite data. *Remote Sensing of Environment* **70**, 108–127.
- Running, S. W., Justice, C. O., Salomonson, V., Hall, D., Barker, J., Kaufmann, Y. J., Strahler, A. H., Huete, A. R., Muller, J.-P., Vanderbilt, V., Wan, Z. M., Teillet, P., and Carneggie, D.

- (1994). Terrestrial remote sensing science and algorithms planned for EOS/MODIS. *International Journal of Remote Sensing* **15**, 3587–3620.
- Running, S. W., Nemani, R. R., Heinsch, F. A., Zhao, M., Reeves, M., and Hashimoto, H. (2004). A continuous satellite-derived measure of global terrestrial primary production. *BioScience* **54**, 547–560.
- Running, S. W., Nemani, R. R., Peterson, D. L., Band, L. E., Potts, D. F., Pierce, L. L., and Spanner, M. A. (1989). Mapping regional forest evapotranspiration and photosynthesis by coupling satellite data with ecosystem simulation. *Ecology* **70**, 1090–1101.
- Running, S. W., and Coughlan, J. C. (1988). A general model of forest ecosystem processes for regional applications. I. Hydrologic balance, canopy gas exchange and primary production processes. *Ecological Modelling* **42**, 125–154.
- Running, S. W., Loveland, T. R., Pierce, L. L., and Hunt, E. R., Jr. (1995). A remote sensing based vegetation classification logic for global land cover analysis. *Remote Sensing of Environment* **51**, 39–48.
- Running, S. W., Nemani, R., and Hungerford, R. D. (1987). Extrapolation of synoptic meteorological data in mountainous terrain, and its use for simulating forest evapotranspiration and photosynthesis. *Canadian Journal of Forest Research* **17**, 472–483.
- Running, S. W., Waring, R. H., and Rydell, R. A. (1975). Physiological control of water flux in conifers: A computer simulation model. *Oecologia* **18**, 1–16.
- Runyon, J., Waring, R. H., Goward, S. N., and Welles, J. M. (1994). Environmental limits on net primary production and light-use efficiency across the Oregon transect. *Ecological Applications* **4**, 226–237.
- Rutter, A. J. (1963). Studies in water relations of *Pinus sylvestris* in plantation conditions. *Journal of Ecology* **51**, 191–203.
- Rutter, A. J. (1975). The hydrological cycle in vegetation. In “Vegetation and the Atmosphere” (J. L. Monteith, ed.), Vol. 1, pp. 111–154. Academic Press, London.
- Rutter, A. J., Kershaw, K. A., Robins, P. C., and Morton, A. J. (1971). A predictive model of rainfall interception in forests I. Derivation of the model from observations in a plantation of Corsican pine. *Agricultural Meteorology* **9**, 367–383.
- Ryan, M. G. (1991a). Effects of climate change on plant respiration. *Ecological Applications* **1**, 157–167.
- Ryan, M. G. (1991b). A simple method for estimating gross carbon budgets for vegetation in forest ecosystems. *Tree Physiology* **9**, 255–266.
- Ryan, M. G. (1995). Foliar maintenance respiration of subalpine and boreal trees and shrubs in relation to nitrogen content. *Plant, Cell and Environment* **18**, 765–772.
- Ryan, M. G., and Yoder, B. J. (1997). Hydraulic limits to tree height and tree growth. *BioScience* **47**, 235–242.
- Ryan, M. G., Binkley, D., and Fownes, J. H. (1997). Age-related decline in forest productivity: Pattern and process. *Advances in Ecological Research* **27**, 213–262.
- Ryan, M. G., Lavigne, M. B., and Gower, S. T. (1997a). Annual carbon cost of autotrophic respiration in boreal forest ecosystems in relation to species and climate. *Journal of Geophysical Research* **102**, 28871–28884.
- Ryan, M. G., Gower, S. T., Hubbard, R. M., Waring, R. H., Gholz, H. L., Cropper, W. P., and Running, S. W. (1995). Stem maintenance respiration of four conifers in contrasting climates. *Oecologia* **101**, 133–140.
- Ryan, M. G., Hunt, E. R., Jr., McMurtrie, R. E., Ågren, G. I., Aber, J. D., Friend, A. D., Rastetter, E. B., Pulliam, W. M., Raison, R. J., and Linder, S. (1996a). Comparing models of ecosystem function for temperate conifer forests. I. Model description and validation. In “Global Change: Effects on Coniferous Forests and Grasslands” (A. I. Breymeyer, D. O. Hall, J. M. Melillo, and G. I. Ågren, eds.), SCOPE Vol. 56, pp. 313–362. Wiley, New York.

- Ryan, M. G., Hubbard, R. M., Pongracic, S., Raison, R. J., and McMurtrie, R. E. (1996b). Foliage, fine-root, woody-tissue and stand respiration in *Pinus radiata* in relation to nitrogen status. *Tree Physiology* **16**, 333–344.
- Ryerson, R. A. (1996). Earth observing platforms and sensors. In “Manual of Remote Sensing” (S. A. Morain and A. M. Budge, eds.), 3rd Ed., American Society for Photogrammetry and Remote Sensing, Bethesda, Maryland.
- Rygiewicz, P. T., and Andersen, C. P. (1994). Mycorrhizae alter quality and quantity of carbon allocated below ground. *Nature* **369**, 58.
- Rykiel, E. J., Jr. (1996). Testing ecological models: The meaning of validation. *Ecological Modelling* **90**, 229–244.
- Sackett, S. S. (1975). Scheduling prescribed burns for hazard reduction in the southeast. *Journal of Forestry* **73**, 143–147.
- Sakai, A., and Weiser, C. J. (1973). Freezing resistance of trees in North America with reference to tree regions. *Ecology* **54**, 118–126.
- Sample, V. A., ed. (1994) “Remote Sensing and GIS in Ecosystem Management.” Island Press, Washington, D.C.
- Sampson, D. A., Waring, R. H., Maier, C. A., Gough, C. M., Ducey, M. J., and Johnsen, K. N. (2006). Fertilization effects on forest carbon storage and exchange, and net primary production; a new hybrid process model for stand management. *Forest Ecology and Management* **211**, 91–109.
- Sanchez, P. A., Bandy, D. E., Villachica, J. H., and Nicolaides, J. J. (1982a). Amazon Basin Soils: Management for continuous crop production. *Science* **216**, 821–827.
- Sanchez, P. A., Gichuru, M. P., and Katz, L. B. (1982b). Organic matter in major soils of the tropical and temperate regions. *Twelfth International Congress on Soil Science 1982*, **1**, 99–114.
- Sandford, A. P., and Grace, J. (1985). The measurement and interpretation of ultrasound from woody stems. *Journal of Experimental Botany* **36**, 1–14.
- Sarr, D. A., Hibbs, D. E., and Huston, M. A. (2005). A hierarchical perspective of plant diversity. *Quarterly Review of Biology* **80**, 187–212.
- Schadauer, K. (1996). Growth trend in Austria. In “Growth Trends in European Forests” (H. Spiecker, K. Mielikäinen, K. Köhl, and J. P. Skovsgaard, eds.), pp. 275–289. Springer, Berlin.
- Schimel, D. S. (1993). “Theory and Application of Tracers.” Academic Press, San Diego.
- Schimel, D. S. (1995). Terrestrial ecosystems and the carbon cycle. *Global Change Biology* **1**, 77–91.
- Schimel, D. S., Braswell, B. H., Holland, E. A., McKeon, R., Ojima, D. S., Painter, T. H., Parton, W. J., and Townsend, A. R. (1994). Climatic, edaphic, and biotic controls over storage and turnover of carbon in soils. *Global Biogeochemical Cycles* **8**, 279–293.
- Schimel, J. P., Scott, W., and Killham, K. (1989). Changes in cytoplasmic carbon and nitrogen pools in a soil bacterium and a fungus in response to salt stress. *Applied Environmental Microbiology* **55**, 1635–1637.
- Schlesinger, W. H. (1991). “Biogeochemistry—An Analysis of Global Change.” Academic Press, San Diego.
- Schlesinger, W. H. (1997). “Biogeochemistry—An Analysis of Global Change,” 2nd Ed. Academic Press, San Diego.
- Schlesinger, W. H., and Marks, P. L. (1977). Mineral cycling and the niche of Spanish moss, *Tillandsia usneoides* L. *American Journal of Botany* **64**, 1254–1262.
- Schlesinger, W. H., Gray, J. T., and Gilliam, F. S. (1982). Atmospheric deposition processes and their importance as sources of nutrients in a chaparral ecosystem of southern California. *Water Resources Research* **18**, 623–629.

- Schmid, H. P. (2002). Footprint modeling for vegetation atmosphere exchange studies: A review and perspective. *Agricultural and Forest Meteorology* **113**, 159–183.
- Schnoor, J. L., and Stumm, W. (1984). Acidification of aquatic and terrestrial systems. In “Chemical Processes in Lakes” (W. Stumm, ed.), pp. 311–338. Wiley, New York.
- Schoennagel, T., Veblen, T. T., and Romme, W. H. (2004). The interaction of fire, fuels, and climate across Rocky Mountain forests. *BioScience* **54**, 661–676.
- Schoettle, A. W., and Fahey, T. D. (1994). Foliage and fine root longevity of pines. *Ecological Bulletin* **43**, 136–153.
- Scholander, P. F., Hammel, H. T., Bradstreet, E. D., and Hemmingsen, E. A. (1965). Sap pressure in vascular plants. *Science* **148**, 339–346.
- Schowalter, T. D. (1989). Canopy arthropod community structure and herbivory in old-growth and regenerating forests in western Oregon. *Canadian Journal of Forest Research* **19**, 318–322.
- Schultz, J. C., and Baldwin, I. T. (1982). Oak leaf quality declines in response to defoliation by gypsy moth larvae. *Science* **217**, 149–151.
- Schulze, E.-D. (1986). Carbon dioxide and water vapor exchange in response to drought in the atmosphere and in the soil. *Annual Review of Plant Physiology* **37**, 247–274.
- Schulze, E.-D. (1989). Air pollution and forest decline in a spruce (*Picea abies*) forest. *Science* **244**, 776–783.
- Schulze, E.-D., Chapin III, F. S., and Gebauer, G. (1994b). Nitrogen nutrition and isotope differences among life forms at the northern treeline of Alaska. *Oecologia* **100**, 406–412.
- Schulze, E.-D., Kelliher, F. M., Körner, C., Lloyd, J. N., and Leuning, R. (1994a). Relationships among stomatal conductance, ecosystem surface conductance, carbon assimilation rates, and plant nitrogen nutrition: A global ecology scaling exercise. *Annual Review of Ecology and Systematics* **25**, 629–660.
- Schulze, E.-D., Robichaux, R. H., Grace, J., Rundel, P. W., and Ehleringer, J. R. (1987). Plant water balance. *BioScience* **37**, 30–37.
- Schwartz, M. D. (1996). Examining the spring discontinuity in daily temperature ranges. *Journal of Climate* **9**, 803–808.
- Schwartz, M. D., Ahas, R., and Aasa, A. (2006). Onset of spring starting earlier across the Northern Hemisphere. *Global Change Biology* **12**, 343–351.
- Schwartz, M. D., and Karl, T. R. (1990). Spring phenology: Nature’s experiment to detect the effect of “green-up” on surface maximum temperatures. *Monthly Weather Review* **118**, 883–890.
- Scriber, R. A., and Slansky, F. (1981). The nutritional ecology of immature insects. *Annual Review of Entomology* **76**, 183–211.
- Seastedt, T. R., and Tate, C. M. (1981). Decomposition rates and nutrient contents of arthropod remains in forest litter. *Ecology* **62**, 13–19.
- Sedjo, R. A. (1989). Forests to offset the greenhouse. *Journal of Forestry* **87**, 12–15.
- Sedjo, R. A. (1992). Temperate forest ecosystems in the global carbon cycle. *Ambio* **21**, 274–277.
- See, L. M., and Fritz, S. (2006). A method to compare and improve land cover datasets: Application to the GLC-2000 and MODIS land cover products. *IEEE Transactions on Geoscience and Remote Sensing* **44**, 1740–1746.
- Seielstad, C. A., and Queen, L. P. (2003). Using airborne laser altimetry to determine fuel models for estimating fire behavior. *Journal of Forestry* **101**, 10–15.
- Seif el Din, A., and Obeid, M. (1971). Ecological studies of the vegetation of the Sudan. IV. The effect of simulated grazing on the growth of *Acacia senegal* (L.) Willd. seedlings. *Journal of Applied Ecology* **8**, 211–216.
- Sellers, P. J. (1985). Canopy reflectance, photosynthesis and transpiration. *International Journal of Remote Sensing* **6**, 1335–1372.

- Sellers, P. J. (1987). Canopy reflectance, photosynthesis and transpiration. II. The role of biophysics in the linearity of their interdependence. *Remote Sensing of Environment* **21**, 143–183.
- Sellers, P. J., Berry, J. A., Collatz, G. J., Field, C. B., and Hall, F. G. (1992a). Canopy reflectance, photosynthesis, and transpiration. III. A reanalysis using improved leaf models and a new canopy integration scheme. *Remote Sensing of Environment* **42**, 187–216.
- Sellers, P. J., Heiser, M. D., and Hall, F. G. (1992b). Relations between surface conductance and spectral vegetation indices at intermediate (100 m² to 15 km²) length scales. *Journal of Geophysical Research* **97**, 19,033–19,059.
- Sellers, P. J., Randall, D. A., Collatz, G. J., Berry, J., Field, C., Dazlich, D. A., and Zhang, C. (1996a). A revised land-surface parameterization (SiB2) for atmospheric GCMs. Part 1: Model formulation. *Journal of Climate* **9**, 738–763.
- Sellers, P. J., Bounoua, L., Collatz, G. J., Randall, D. A., Dazlich, D. A., Los, S. O., Berry, J. A., Fung, I., Tucker, C. J., Field, C. B., and Jensen, T. G. (1996b). Comparison of radiative and physiological effects of doubled atmospheric CO₂ on climate. *Science* **271**, 1402–1406.
- Sellers, P., Hall, F., Margolis, H., Kelly, B., Baldocchi, D., denHartog, G., Cihlar, J., Ryan, M. G., Goodison, B., Crill, P., Hanson, K. J., Lettenmaier, D., and Wickland, D. E. (1995). The Boreal Ecosystem–Atmosphere Study (BOREAS): An overview and early results from the 1994 field year. *Bulletin of the American Meteorological Society* **76**, 1549–1577.
- Sellin, A. (1993). Resistance to water flow in xylem of *Picea abies* (L.) Karst. trees grown under contrasting light conditions. *Trees* **7**, 220–226.
- Shahlaee, A. K., Nutter, W. L., Burroughs, E. R., Jr., and Morris, L. A. (1991). Runoff and sediment production from burned forest sites in the Georgia Piedmont. *Water Resources Bulletin* **27**, 485–493.
- Sharkey, T. D., and Singsaas, E. L. (1995). Why plants emit isoprene. *Nature* **374**, 769.
- Sharkey, T. D., Singsaas, E. L., Vanderveer, P. J., and Geron, C. (1995). Response of isoprene and photosynthesis to temperature and light in a North-Carolina forest. *Plant Physiology* **108**, 60–69.
- Sharma, N. P., Rowe, R., Openshaw, K., and Jacobson, M. (1992). World forests in perspective. In “Managing the World’s Forests” (N. P. Sharma, ed.), pp. 17–31. Kendall/Hunt, Dubuque, Iowa.
- Shaver, G. R., and Melillo, J. M. (1984). Nutrient budgets of marsh plants: Efficiency concepts and relation to availability. *Ecology* **65**, 1491–1510.
- Shaver, G. R., Giblin, A. E., Nadelhoffer, K. J., and Rastetter, E. B. (1997). Plant functional types and ecosystem change. In “Plant Functional Types” (T. Smith, H. H. Shugart, and F. I. Woodward, eds.), Cambridge Univ. Press, Cambridge.
- Shearer, G., and Kohl, D. H. (1986). N₂-fixation in field settings: Estimations based on natural δ¹⁵N abundance. *Australian Journal of Plant Physiology* **13**, 699–756.
- Shelburne, V. B., and Hedden, R. L. (1996). Effect of stem height, dominance class, and site quality on sapwood permeability in loblolly pine (*Pinus taeda* L.). *Forest Ecology and Management* **83**, 163–169.
- Sheriff, D. W., Narmbiar, E. K. S., and Fife, D. N. (1986). Relationships between nutrient status, carbon assimilation and water use efficiency in *Pinus radiata* (D. Don) needles. *Tree Physiology* **2**, 73–88.
- Shugart, H. H. (1984). “A Theory of Forest Dynamics: The Ecological Implications of Forest Succession Models.” Springer-Verlag, New York.
- Shugart, H. H., and Noble, I. R. (1981). A computer model of succession and fire response of the high altitude *Eucalyptus* forests of the Brindabella Range, Australian Capital Territory. *Australian Journal of Ecology* **6**, 149–164.

- Shugart, H. H., Smith, T. M., and Post, W. M. (1992). The potential for application of individual-based simulation models for assessing the effects of global change. *Annual Review of Ecology and Systematics* **23**, 15–35.
- Shuttleworth, W. J. (1989). Micrometeorology of temperate and tropical forest. *Philosophical Transactions of the Royal Society of London, Series B* **324**, 299–334.
- Siau, J. F. (1971). "Flow in Wood," Syracuse Wood Science Series 1. Syracuse Univ. Press, Syracuse, New York.
- Silkworth, D. R., and Grigal, D. F. (1982). Determining and evaluating nutrient losses following whole-tree harvesting of aspen. *Soil Science Society of America Journal* **46**, 626–631.
- Silvester, W. B. (1989). Molybdenum limitations of asymbiotic nitrogen fixation in forests of Pacific Northwest America. *Soil Biology and Biochemistry* **21**, 283–289.
- Silvester, W. B., Carter, D. A., and Sprent, J. I. (1979). Nitrogen input by *Lupinus* and *Coriaria* in *Pinus radiata* forest in New Zealand. In "Symbiotic Nitrogen Fixation in the Management of Temperate Forests" (J. C. Gordon, C. T. Wheeler, and D. A. Perry, eds.), pp. 253–265. Forest Research Lab., Oregon State University, Corvallis, Oregon.
- Singh, J. S., Lauenroth, W. K., Hunt, W. H., and Swift, D. M. (1984). Bias and random errors in estimators of net root production: A simulation approach. *Ecology* **65**, 1760–1764.
- Sirois, L., Bonan, G. B., and Shugart, H. H. (1994). Development of a simulation model of the forest–tundra transition zone of northeastern Canada. *Canadian Journal of Forest Research* **24**, 697–706.
- Sisk, T. D., Launer, A. E., Switky, K. R., and Ehrlich, P. R. (1994). Identifying extinction threats. *BioScience* **44**, 592–604.
- Skole, D., and Tucker, C. (1993). Tropical deforestation and habitat fragmentation in the Amazon: Satellite data from 1978 to 1988. *Science* **260**, 1905–1910.
- Skole, D. L., Chomentowski, W. H., Salas, W. A., and Nobre, A. D. (1994). Physical and human dimensions of deforestation in Amazonia. *BioScience* **44**, 314–322.
- Skovsgaard, J. P., and Henriksen, H. A. (1996). Increasing site productivity during consecutive generations of naturally regenerated and planted beech (*Fagus sylvatica* L.) in Denmark. In "Growth Trends in European Forests" (H. Spiecker, K. Mielikäinen, K. Köhl, and J. P. Skovsgaard, eds.), pp. 89–97. Springer, Berlin.
- Slatyer, R. O., and Morrow, P. A. (1977). Attitudinal variation in photosynthetic characteristics of snow gum, *Eucalyptus pauciflora* Sieb. ex Spreng. I. Seasonal changes under field conditions in the Snowy Mountains area of south-eastern Australia. *Australian Journal of Botany* **25**, 1–20.
- Smirnoff, N., and Stewart, G. R. (1985). Nitrate assimilation and translocation by higher plants: Comparative physiology and ecological consequences. *Physiologia Plantarum* **64**, 133–140.
- Smirnoff, N., Todd, P., and Stewart, G. R. (1984). The occurrence of nitrate reduction in the leaves of woody plants. *Annals of Botany* **54**, 363–374.
- Smith, D. H. (1946). Storm damage in New England Forests. M.S. Thesis, Yale University, New Haven, Connecticut.
- Smith, N. J., Chen, J. M., and Black, T. A. (1993). Effects of clumping on estimates of stand leaf area index using the LI-COR LAI-2000. *Canadian Journal of Forest Research* **23**, 1940–1943.
- Smith, T. A., Leemans, R., and Shugart, H. H. (1992). Sensitivity of terrestrial carbon storage to CO₂-induced climate change: Comparison of four scenarios based on general circulation models. *Climatic Change* **21**, 367–384.
- Smith, W. K., and Hinckley, T. M. (1995a). "Resource Physiology of Conifers—Acquisition, Allocation, and Utilization." Academic Press, San Diego.
- Smith, W. K., and Hinckley, T. M. (1995b). "Ecophysiology of Coniferous Forests." Academic Press. San Diego.

- Snell, J. K. A., and Brown, J. K. (1978). Comparison of tree biomass estimators—dbh and sapwood area. *Forest Science* **24**, 455–457.
- Sobrado, M. A., Grace, J., and Jarvis, P. G. (1992). The limits to xylem embolism recovery in *Pinus sylvestris* L. *Journal of Experimental Botany* **43**, 831–836.
- Sohlenius, B. (1980). Abundance, biomass and contribution to energy flow by soil nematodes in terrestrial ecosystems. *Oikos* **34**, 186–194.
- Sollins, P., Grier, C. C., McCorison, F. M., Cromack, K., Jr., Fogel, R., and Fredriksen, R. L. (1980). The internal element cycles of an old-growth Douglas-fir ecosystem in western Oregon. *Ecological Monographs* **50**, 261–285.
- Sollins, P., Spycher, G., and Glassman, C. A. (1984). Net nitrogen mineralization from light- and heavy-fraction forest soil organic matter. *Soil Biology and Biochemistry* **16**, 31–37.
- Solomon, A. M., and Bartlein, P. J. (1992). Past and future climate change: Response by mixed deciduous–coniferous forest ecosystems in northern Michigan. *Canadian Journal of Forest Research* **22**, 1727–1738.
- Solomon, A. M., Delcourt, H. R., West, D. C., and Blasing, T. J. (1980). Testing simulation model for reconstruction of prehistoric forest-stand dynamics. *Quaternary Research* **14**, 275–293.
- Sørensen, L. H. (1974). Rate of decomposition of organic matter in soil as influenced by repeated air drying–rewetting and repeated additions of organic material. *Soil Biology and Biochemistry* **6**, 287–292.
- Spanner, M. A., Pierce, L. L., Peterson, D. L., and Running, S. W. (1990). Remote sensing of temperate coniferous forest leaf area index: The influence of canopy closure, understory vegetation and background reflectance. *International Journal of Remote Sensing* **11**, 95–111.
- Spanner, M., Johnson, L., Miller, J., McCreight, R., Freemantle, J., Runyon, J., and Gong, P. (1994). Remote sensing of seasonal leaf area index across the Oregon transect. *Ecological Applications* **4**, 258–271.
- Sparks, T. H., and Carey, P. D. (1995). The responses of species to climate over two centuries: An analysis of the Marsham phenological record, 1736–1947. *Journal of Ecology* **83**, 321–329.
- Sparling, G. P., and Williams, B. L. (1986). Microbial biomass in organic soils: Estimation of biomass C, and effect of glucose or cellulose amendments on the amounts of N and P released by fumigation. *Soil Biology and Biochemistry* **18**, 507–513.
- Specht, R. L., and Specht, A. (1989). Canopy structure in *Eucalyptus*-dominated communities in Australia along climatic gradients. *Acta Oecologica* **10**, 191–213.
- Sperry, J. S., and Pockman, W. T. (1993). Limitation of transpiration by hydraulic conductance and xylem cavitation in *Betula occidentalis*. *Plant, Cell and Environment* **16**, 279–287.
- Sperry, J. S., Donnelly, J. R., and Tyree, M. T. (1988). Seasonal occurrence of xylem embolism in sugar maple (*Acer saccharum*). *American Journal of Botany* **75**, 831–836.
- Spies, T. A., Ripple, W. J., and Bradshaw, G. A. (1994). Dynamics and pattern of a managed coniferous forest landscape in Oregon. *Ecological Applications* **4**, 555–568.
- Staaf, H., and Berg, B. (1982). Accumulation and release of plant nutrients in decomposing Scots pine needle litter. Long-term decomposition in a Scots pine forest II. *Canadian Journal of Botany* **60**, 1561–1568.
- Stage, A. R. (1977). Forest inventory data and construction of growth models. *Eidgenössische Anstalt für das Forstliche Versuchswesen Mitteilungen* **171**, 23–27.
- Stathers, R. J., Black, T. A., and Novak, M. D. (1985). Modelling soil temperature in forest clearcuts using climate station data. *Agricultural Forest Meteorology* **36**, 153–164.
- Steingraeber, D. A., Kascht, L. J., and Franck, D. H. (1979). Variation of shoot morphology and bifurcation ratio in sugar maple (*Acer saccharum*) saplings. *American Journal of Botany* **66**, 441–445.
- Stenberg, P. (1996). Correcting LAI-2000 estimates for the clumping of needles in shoots of conifers. *Agricultural and Forest Meteorology* **79**, 1–8.

- Stephenson, N. L. (1990). Climatic control of vegetation distribution: The role of the water balance. *The American Naturalist* **135**, 649–670.
- Sternberg, L. (1989). A model to estimate carbon dioxide recycling in forests using $^{13}\text{C}/^{12}\text{C}$ ratios and concentrations of ambient carbon dioxide. *Agricultural and Forest Meteorology* **48**, 163–173.
- Stuedler, P. A., Bowden, R. D., Melillo, J. M., and Aber, J. D. (1989). Influence of nitrogen fertilization on methane uptake in temperate forest soils. *Nature* **341**, 314–316.
- Stuedler, P. A., Melillo, J. M., Bowden, R. D., Castro, M. S., and Lugo, A. E. (1991). The effects of natural and human disturbances on soil nitrogen dynamics and trace gas fluxes in a Puerto Rican wet forest. *Biotropica* **23**, 356–363.
- Stevenson, F. J. (1986). “Cycles of Soil: Carbon, Nitrogen, Phosphorus, Sulfur, Micronutrients.” Wiley, New York.
- Stewart, I. T., Cayan, D. R., and Dettinger, M. D. (2005). Changes toward earlier streamflow timing across western North America. *Journal of Climate* **18**, 1136–1155.
- Stocks, B. J., Mason, J. A., Todd, J. B., Bosch, E. M., Wotton, B. M., Amiro, B. D., Flannigan, M. D., Hirsch, K. G., Logan, K. A., Martell, D. L., and Skinner, W. R. (2002). Large forest fires in Canada, 1959–1997. *Journal of Geophysical Research* **108**, 8149–8160.
- Stone, E. C., and Vasey, R. B. (1968). Preservation of coast redwood on alluvial flats. *Science* **159**, 157–161.
- Strain, B. R., Higginbotham, K. O., and Mulroy, J. C. (1976). Temperature preconditioning and photosynthetic capacity of *Pinus taeda* L. *Photosynthetica* **10**, 47–53.
- Strand, M., and Öquist, G. (1985). Inhibition of photosynthesis by freezing temperatures and high light levels in cold-acclimated seedlings of Scots pine (*Pinus sylvestris*). I. Effects on the light-limited and light-saturated rates of CO_2 assimilation. *Physiologia Plantarum* **64**, 425–430.
- Stroo, H. F., Reich, P. B., Schoettle, A. W., and Amundson, R. G. (1988). Effects of ozone and acid rain on white pine (*Pinus strobus*) seedlings grown in five soils. II. Mycorrhizal infection. *Canadian Journal of Botany* **66**, 1510–1516.
- Stuiver, M., and Braziunas, T. F. (1987). Tree cellulose $^{13}\text{C}/^{12}\text{C}$ isotope ratios and climatic change. *Nature* **328**, 58–60.
- Sturtevant, B. R., Bissonette, J. A., Long, J. N., and Roberts, D. W. (1997). Coarse woody debris as a function of age, stand structure, and disturbance in boreal Newfoundland. *Ecological Applications* **7**, 702–712.
- Sucoff, E. (1972). Water potential in red pine: Soil moisture, evapotranspiration, crown position. *Ecology* **52**, 681–686.
- Sukwong, S., Frayer, W. E., and Morgen, E. W. (1971). Generalized comparisons of the precision of fixed-radius and variable-radius plots for basal-area estimates. *Forest Science* **17**, 263–271.
- Sun, O. J., Sweet, G. B., Whitehead, D., and Buchan, G. D. (1995). Physiological responses to water stress and waterlogging in *Nothofagus* species. *Tree Physiology* **15**, 629–638.
- Swain, T. (1977). Secondary compounds as protective agents. *Annual Review of Plant Physiology* **28**, 479–501.
- Swartzman, G. L. (1979). Simulation modeling of material and energy flow through an ecosystem: Methods and documentation. *Ecological Modelling* **7**, 55–81.
- Swenson, J., and Waring, R. H. (2006). Modeled photosynthesis predicts woody plant richness at three geographic scales across the northwestern U.S.A. *Global Ecology & Biogeography* **15**, 470–485.
- Swenson, J. J., Waring, R. H., Fan, W., and Coops, N. (2005). Predicting site index with a physiologically based growth model across Oregon, USA. *Canadian Journal of Forest Research* **35**, 1697–1707.
- Swift, L. W. (1976). Algorithm for solar radiation on mountain slopes. *Water Resources Research* **12**, 108–112.

- Tadaki, Y., Sato, A., Sakurai, S., Takeuchi, I., and Kawahara, T. (1977). Studies on the production structure of forest. XVII. Structure and primary production in subalpine "dead tree strips" *Abies* forest near Mt. A. Sahi. *Japanese Journal of Ecology* **27**, 83–90.
- Talsma, T., and Gardner, E. A. (1986). Soil water extraction by a mixed eucalypt forest during a drought period. *Australia Journal of Soil Research* **24**, 25–32.
- Tan, K. H. (1982). "Principles of Soil Chemistry." Dekker, New York and Basel.
- Tan, K. H., and Troth, P. S. (1982). Silica–sesquioxide ratios as aids in characterization of some temperate region and tropical soil clays. *Soil Science Society of America Journal* **46**, 1109–1114.
- Tang, S., Meng, C. H., Meng, F.-R., and Wang, Y. H. (1994). A growth and self-thinning model for pure even-age stands: Theory and applications. *Forest Ecology and Management* **70**, 67–73.
- Tans, P. P., Fung, I. Y., and Takahashi, T. (1990). Observational constraints on the global atmospheric CO₂ budget. *Science* **247**, 1431–1438.
- Tansley, A. G. (1935). The use and abuse of vegetational terms and concepts. *Ecology* **16**, 284–307.
- Teklehaimanot, Z., and Jarvis, P. G. (1991). Direct measurement of evaporation of intercepted water from forest canopies. *Journal of Applied Ecology* **28**, 603–618.
- Temple, S. A. (1977). Plant–animal mutualism: Coevolution with dodo leads to near extinction of plant. *Science* **197**, 885–886.
- Tesch, S. D. (1981a). The evolution of forest yield determination and site classification. *Forest Ecology and Management* **3**, 169–182.
- Tesch, S. D. (1981b). Comparative stand development in an old-growth Douglas-fir (*Pseudotsuga menziesii* var. *glauca*) forest in western Montana. *Canadian Journal of Forest Research* **11**, 82–89.
- Thies, W. G. (1984). Laminated root rot—The quest for control. *Journal of Forestry* **82**, 345–356.
- Thies, W. G., Neilson, E. E., and Zabowski, D. (1994). Removal of stumps from a *Phellinus weirii* infected site and fertilization affect mortality and growth of planted Douglas-fir. *Canadian Journal of Forest Research* **24**, 234–239.
- Thomas, J. W. (1979). "Wildlife Habitats in Managed Forests of the Blue Mountains of Oregon and Washington." Agricultural Handbook No. 553. USDA Forest Service, Washington, D.C.
- Thornley, J. H. M. (1991). A transport-resistance model of forest growth and partitioning. *Annals of Botany* **68**, 211–226.
- Thornley, J. H. M., and Cannell, M. G. R. (1996). Temperate forest responses to carbon dioxide, temperate and nitrogen: A model analysis. *Plant, Cell and Environment* **19**, 1331–1348.
- Thornton, P. E., and Running, S. W. (1996). Generating daily surfaces of temperature and precipitation over complex topography. In "GIS and Environmental Modeling: Progress and Research Issues" (M. F. Goodchild, L. T. Steyaert, B. O. Parks, C. Johnston, D. Maidment, M. Crane, and S. Glendinning, eds.), pp. 93–98. GIS World, Fort Collins, Colorado.
- Thornton, P. E., Running, S. W., and White, M. A. (1997). Generating surfaces of daily meteorological variables over large regions of complex terrain. *Journal of Hydrology* **190**, 214–251.
- Tickle, P. K., Coops, N. C., Hafner, S. D., and The Bago Science Team. (2001). Assessing forest productivity at local scales across a native eucalypt forest using a process model, 3PG-SPATIAL. *Forest Ecology and Management* **152**, 275–291.
- Tiedje, J. M., Sextone, A. J., Parkin, T. B., Revsbech, N. P., and Shelton, D. R. (1984). Anaerobic processes in soil. *Plant and Soil* **76**, 197–212.
- Tiessen, H., Cuevas, E., and Chacon, P. (1994). The role of soil organic matter in sustaining soil fertility. *Nature* **371**, 783–785.

- Tiktak, A., and van Grinsven, H. J. M. (1995). Review of sixteen forest–soil–atmosphere models. *Ecological Modelling* **83**, 35–53.
- Tilman, D. (1985). The resource-ratio hypothesis of plant succession. *American Naturalist* **125**, 827–852.
- Tilman, D. (1996). Biodiversity: Population versus ecosystem stability. *Ecology* **77**, 350–363.
- Tilman, D., and Downing, J. A. (1994). Biodiversity and stability in grasslands. *Nature* **367**, 363–365.
- Tissue, D. T., Thomas, R. B., and Strain, B. R. (1993). Long-term effects of elevated CO₂ and nutrients on photosynthesis and Rubisco in loblolly pine seedlings. *Plant, Cell and Environment* **16**, 859–865.
- Tognetti, R., Raschi, A., Béres, C., Fenyvesi, A., and Ridder, H.-W. (1996). Comparison of sap flow, cavitation and water status of *Quercus petraea* and *Quercus cerris* trees with special reference to computer tomography. *Plant, Cell and Environment* **19**, 928–938.
- Tomé, M., Ribeiro, F., Páscoa, F., Silva, R., Tavares, M., Palma, A., João, C., and Paulo, M. (1996). Growth trend in Portuguese forests: An exploratory analysis. In “Growth Trends in European Forests” (H. Spiecker, K. Mielikäinen, K. Köhl, and J. P. Skovsgaard, eds.), pp. 329–353. Springer, Berlin.
- Torgersen, T. R., Mason, R. R., and Campbell, R. W. (1990). Predation by birds and ants on two forest insect pests in the Pacific Northwest. *Studies in Avian Biology* **13**, 14–19.
- Townsend, A. R., Vitousek, P. M., and Trumbore, S. E. (1995). Soil organic matter dynamics along gradients in temperate and land use on the island of Hawaii. *Ecology* **76**, 721–733.
- Townshend, J., Justice, C., Li, W., Gurney, C., and McManus, J. (1991). Global land cover classification by remote sensing: Present capabilities and future possibilities. *Remote Sensing of the Environment* **35**, 243–255.
- Treuhaft, R. N., Law, B. E., and Asner, G. P. (2004). Forest attributes from radar interferometric structure and its fusion with optical remote sensing. *BioScience* **54**, 561–571.
- Trofymow, J. A., Barclay, H. J., and McCullough, K. M. (1991). Annual rates and elemental concentrations of litter fall in thinned and fertilized Douglas-fir. *Canadian Journal of Forest Research* **21**, 1601–1615.
- Trumbore, S. E., Chadwick, O. A., and Amundson, R. (1996). Rapid exchange between soil carbon and atmospheric carbon dioxide driven by temperature change. *Science* **272**, 393–396.
- Tuomisto, H., Ruokolainen, K., Kalliola, R., Linna, A., Danjoy, W., and Rodriguez, Z. (1995). Dissecting Amazon biodiversity. *Science* **269**, 63–66.
- Turnbull, M. H., Goodall, R., and Stewart, G. R. (1995). The impact of mycorrhizal colonization upon nitrogen source utilization and metabolism in seedlings of *Eucalyptus grandis* Hill ex Maiden and *Eucalyptus maculata* Hook. *Plant, Cell and Environment* **18**, 1386–1394.
- Turner, D. P., and Koerper, G. J. (1995). A carbon budget for forests of the conterminous United States. *Ecological Applications* **5**, 421–436.
- Turner, D. P., Dodson, R., and Marks, D. (1996). Comparison of alternative spatial resolutions in the application of a spatially distributed biogeochemical model over complex terrain. *Ecological Modelling* **90**, 53–67.
- Turner, D. P., Koerper, G., Gucinski, H., Peterson, C., and Dixon, R. K. (1993). Monitoring global change: Comparison of forest cover estimates using remote sensing and inventory approaches. *Environmental Monitoring and Assessment* **26**, 295–305.
- Turner, D. P., Ritts, W. D., Cohen, W. B., Maeirsperger, T. K., Gower, S. T., Kirschbaum, A. A., Running, S. W., Zhao, M., Wofsy, S. C., Dunn, A. L., Law, B. E., Campbell, J. L., Oechel, W. C., Kwon, H. J., Meyers, T. P., Small, E. E., Kurc, S. A., and Gamon, J. A. (2005). Site-level evaluation of satellite-based global terrestrial gross primary production and net primary production monitoring. *Global Change Biology* **11**, 666–684.

- Turner, D. P., Ritts, W. D., Zhao, M., Kurc, S. A., Dunn, A. L., Wofsy, S. C., Small, E. E., and Running, S. W. (2006). Assessing interannual variation in MODIS-based estimates of gross primary production. *IEEE Transactions on Geoscience and Remote Sensing* **44**, 1899–1907.
- Turner, J. (1977). Effects of nitrogen availability on nitrogen cycle in a Douglas-fir stand. *Forest Science* **23**, 307–316.
- Turner, J., and Gessel, S. P. (1990). Forest productivity in the southern hemisphere with particular emphasis on managed forests. In “Sustained Productivity of Forest Soils” (S. P. Gessel, D. S. Lacate, G. F. Weetman, and R. F. Powers, eds.), pp. 23–39. University of British Columbia, Faculty of Forestry. University of British Columbia, Vancouver, B.C., Canada.
- Turner, J., and Lambert, M. J. (1983). Nutrient cycling within a 27-year-old *Eucalyptus grandis* plantation in New South Wales. *Forest Ecology and Management* **6**, 155–168.
- Turner, J., and Lambert, M. J. (1986). Nutrition and nutritional relationships of *Pinus radiata*. *Annual Review of Ecology and Systematics* **17**, 325–350.
- Turner, J., and Lambert, M. J. (1988). Soil properties as affected by *Pinus radiata* plantations. *New Zealand Journal of Forest Science* **18**, 77–91.
- Turner, J., and Long, J. N. (1975). Accumulation of organic matter in a series of Douglas-fir stands. *Canadian Journal of Forest Research* **5**, 681–690.
- Turner, M. G. (1989). Landscape ecology: The effect of pattern on process. *Annual Review of Ecological Systems* **20**, 171–197.
- Turner, M. G., and Gardner, R. H., eds. (1991) “Quantitative Methods in Landscape Ecology: The Analysis and Interpretation of Landscape Heterogeneity.” Springer-Verlag, New York.
- Turner, M. G., and Romme, W. H. (1994). Landscape dynamics in crown fire ecosystems. *Landscape Ecology* **9**, 59–77.
- Turner, M. G., Romme, W. H., Gardner, R. H., O’Neill, R. V., and Kratz, T. K. (1993). A revised concept of landscape equilibrium: Disturbance and stability on scaled landscapes. *Landscape Ecology* **8**, 213–227.
- Turner, M. G., Wu, Y., Wallace, L. L., Romme, W. H., and Brenkert, A. (1994). Simulating winter interactions among ungulates, vegetation, and fire in northern Yellowstone Park. *Ecological Applications* **4**, 472–496.
- Turner, M. G., Arthaud, G. J., Engstrom, R. T., Hejl, S. J., Liu, J., Loeb, S., and McKelvey, K. (1995). Usefulness of spatially explicit population models in land management. *Ecological Applications* **5**, 12–16.
- Tuzet, A., Perrier, A., and Leuning, R. (2003). A coupled model of stomatal conductance, photosynthesis and transpiration. *Plant, Cell and Environment* **26**, 1097–1116.
- Tworokoski, T. J., Burger, J. A., and Smith, D. W. (1983). Soil texture and bulk density affect early growth of white oak seedlings. *Tree Planters Notes* **34**, 22–25.
- Tyler, G. (1972). Heavy metals pollute nature—may reduce productivity. *Ambio* **1**, 52–59.
- Tyree, M. T., and Dixon, M. A. (1986). Water stress induced cavitation and embolism in some woody plants. *Physiologia Plantarum* **66**, 397–405.
- Tyree, M. T., and Ewers, F. W. (1991). The hydraulic architecture of trees and other woody plants (Tansley Review 34). *New Phytologist* **119**, 345–360.
- Tyree, M. T., Davis, S. D., and Cochard, H. (1994). Biophysical perspectives of xylem evolution: Is there a tradeoff of hydraulic efficiency for vulnerability to dysfunction? *IAWA Journal* **15**, 335–360.
- Ugolini, F. C., Dawson, H., and Zachara, J. (1977a). Direct evidence of particle migration in the soil solution of a podzol. *Science* **198**, 603–605.
- Ugolini, F. C., Minden, R., Dawson, H., and Zachara, J. (1977b). An example of soil processes in the *Abies amabilis* zone of central Cascades. Washington. *Soil Science* **124**, 291–302.

- Ulrich, B. (1983). A concept of forest ecosystem stability and of acid deposition as driving force for destabilization. In "Effects of Accumulation of Air Pollutants in Forest Ecosystems" (B. Ulrich and J. Pankrath, eds.), pp. 1–29. Reidel, Dordrecht, The Netherlands.
- Ulrich, B., Benecke, P., Harris, W. F., Khanna, P. K., and Mayer, R. (1981). Soil processes. In "Dynamic Properties of Forest Ecosystems" (D. E. Reichle, ed.), pp. 265–359. Cambridge Univ. Press, London and New York.
- USDA. (1991). State soil geographic database (STATSGO) data user guide. Misc. Pub. USDA No. 1492, Washington, D.C.
- Ustin, S. L., Roberts, D. A., Gamon, J. A., Asner, G. P., and Green, R. O. (2004). Using imaging spectroscopy to study ecosystem processes and properties. *BioScience* **54**, 523–534.
- Valencia, R., Balslev, H., and Pazy Mio, G. (1994). High tree alpha diversity in Amazonian Ecuador. *Biodiversity Conservation* **3**, 21–28.
- Valentini, R., Mugnozza, G. E. S., De Angelis, P., and Bimbi, R. (1991). An experimental test of the eddy correlation technique over Mediterranean macchia canopy. *Plant, Cell and Environment* **14**, 987–994.
- Van Bell, A. J. E. (1990). Xylem-phloem exchange via the rays: The undervalued route of transport. *Journal of Experimental Botany* **41**, 631–644.
- Van Cleve, K., Dyrness, C. T., Viereck, L. A., Fox, J., Chapin III, F. S., and Oechel, W. C. (1983). Taiga ecosystems in interior Alaska. *BioScience* **33**, 39–44.
- Van de Water, P. K., Leavitt, S. W., and Betancourt, J. L. (1994). Trends in stomatal density and $^{13}\text{C}/^{12}\text{C}$ ratios of *Pinus flexilis* needles during last glacial–interglacial cycle. *Science* **264**, 239–243.
- Van den Driessche, R. (1984). Nutrient storage, retranslocation and relationship of stress to nutrition. In "Nutrition of Plantation Forests" (G. D. Bowen and E. K. S. Nambiar, eds.), pp. 181–209. Academic Press, Orlando, Florida.
- Van der Merwe, N. J., Lee-Thorp, J. A., Thaderay, J. F., Hull-Martion, A., Kruger, F. J., Coetzee, H., Bell, R. H., and Lindeque, M. (1990). Source-area determination of elephant ivory by isotopic analyses. *Nature* **346**, 744–746.
- Van Hook, R. I., Johnson, D. W., West, D. C., and Mann, L. K. (1982). Environmental effects of harvesting forests for energy. *Forest Ecology and Management* **4**, 79–94.
- Van Horne, B., Hanley, T. A., and Cates, R. G., McKendrick, J., and Hornet, J. D. (1988). Influence of seral stage and season on leaf chemistry of southeastern Alaska deer forage. *Canadian Journal of Forest Research* **18**, 90–99.
- Vance, C. P., and Heichel, G. H. (1991). Carbon in N_2 fixation: Limitation or exquisite adaptation. *Plant Physiology and Plant Molecular Biology* **42**, 373–392.
- Vann, D. R., Johnson, A. H., and Casper, B. B. (1994). Effect of elevated temperatures on carbon dioxide exchange in *Picea rubens*. *Tree Physiology* **14**, 1339–1349.
- Veblen, T. T., and Alaback, P. B. (1996). A comparative review of forest dynamics and disturbance in the temperate rainforests of North and South America. In "High-Latitude Rainforests and Associated Ecosystems of the West Coast of the Americas" (R. G. Lawford, P. B. Alaback, and E. Fuentes, eds.), pp. 105–133. Springer-Verlag, New York.
- VEMAP Members. (1995). Vegetation/ecosystem modeling and analysis project (VEMAP): Comparing biogeography and biogeochemistry models in a continental-scale study of terrestrial ecosystem responses to climate change and CO_2 doubling. *Global Biogeochemical Cycles* **9**, 407–437.
- Vepraskas, M. J., Jongmans, A. G., Hoover, M. T., and Bouma, J. (1991). Hydraulic conductivity of saprolite as determined by channels and porous groundmass. *Soil Science Society of America Journal* **55**, 923–938.

- Verbyla, D. L. (1995). "Satellite Remote Sensing of Natural Resources." CRC Press, Boca Raton, Florida.
- Vertessy, R. A., Benyon, R. G., O'Sullivan, S. K., and Gribben, P. R. (1995). Relationships between stem diameter, sapwood area, leaf area and transpiration in a young mountain ash forest. *Tree Physiology* **15**, 559–568.
- Vertregt, N., and Penny de Vries, F. W. T. (1987). A rapid method for determining the efficiency of biosynthesis of plant biomass. *Journal of Theoretical Biology* **128**, 109–119.
- Vetter, M., Wirth, C., Böttcher, H., Churkina, G., Schulze, E.-D., Wutzler, T., and Weber, G. (2005). Partitioning direct and indirect human-induced effects on carbon sequestration of managed coniferous forests using model simulations and forest inventories. *Global Change Biology* **11**, 810–827.
- Vidal, A., Pinglo, F., Durand, H., Devaux-Ros, C., and Maillet, A. (1994). Evaluation of a temporal fire risk index in Mediterranean forests from NOAA thermal IR. *Remote Sensing of the Environment* **49**, 96–303.
- Viereck, L. A., Dyrness, C. T., and Van Cleve, K. (1983). Vegetation, soils, and forest productivity in selected forest types in interior Alaska. *Canadian Journal of Forest Research* **13**, 703–720.
- Vitousek, P. (1982). Nutrient cycling and nutrient use efficiency. *American Naturalist* **119**, 553–572.
- Vitousek, P. M. (1994). Beyond global warming: Ecology and global change. *Ecology* **75**, 1861–1876.
- Vitousek, P. M., and Hooper, D. U. (1993). Biological diversity and terrestrial ecosystem biogeochemistry. In "Biodiversity and Ecosystem Function" (E.-D. Schulze and H. A. Mooney, eds.), pp. 3–14. Springer-Verlag, New York.
- Vitousek, P. M., and Matson, P. (1993). Agriculture, the global nitrogen cycle, and trace gas flux. In "Biogeochemistry of Global Change: Radiatively Active Trace Gases" (R. Oremland, ed.), pp. 193–208. Chapman & Hall, New York.
- Vitousek, P. M., Ehrlich, P. R., Ehrlich, A. H., and Matson, P. A. (1986). Human appropriation of the products of photosynthesis. *BioScience* **36**, 368–373.
- Vitousek, P. M., Gosz, J. R., Grier, C. C., Melillo, J. M., and Reiners, W. A. (1982). A comparative analysis of potential nitrification and nitrate mobility in forest ecosystem. *Ecological Monographs* **52**, 155–177.
- Vitousek, P. (1984). Litterfall, nutrient cycling, and nutrient limitations in tropical forests. *Ecology* **65**, 285–298.
- Vogel, J. C., Eglinton, B., and Auret, J. M. (1990). Isotope fingerprints in elephant bone and ivory. *Nature* **346**, 747–749.
- Vogt, K. A., Grier, C. C., and Vogt, D. J. (1986). Production, turnover, and nutrient dynamics of above- and belowground detritus of world forests. *Advances in Ecological Research* **15**, 303–377.
- Volney, W. J. A., and Fleming, R. A. (2000). Climate change and impacts of boreal forest insects. *Agriculture, Ecosystems and Environment* **82**, 283–294.
- Von Caemmerer, S., and Farquhar, G. D. (1981). Some relations between the biochemistry of photosynthesis and the gas exchange of leaves. *Planta* **153**, 376–387.
- Walcroft, A. S., Silvester, W. B., Whitehead, D., and Kelliher, F. M. (1997). Seasonal changes in stable carbon isotope ratios within annual growth rings of *Pinus radiata* reflect environmental regulation of growth processes. *Australian Journal of Plant Physiology* **24**, 57–68.
- Walker, G. K., Sud, Y. C., and Atlas, R. (1995). Impact of the ongoing Amazonian deforestation on local precipitation: A GCM simulation study. *Bulletin of the American Meteorological Society* **76**, 346–361.

- Walker, J., Bullen, F., and Williams, B. G. (1993). Ecohydrological changes in the Murray—Darling basin. I. The number of trees cleared over two centuries. *Journal of Applied Ecology* **30**, 265–273.
- Walker, J., Raison, R. J., and Khanna, P. K. (1983). Fire. In “Australian Soils: The Human Impact” (J. S. Russell and R. F. Isbell, eds.), pp. 185–216. Univ. of Queensland Press, Brisbane, Australia.
- Walker, T. W., and Syers, J. K. (1976). The fate of phosphorus during pedogenesis. *Geoderma* **15**, 1–19.
- Wallin, D. O., Harmon, M. E., Cohen, W. B., Fiorella, M., and Ferrell, W. K. (1996). Use of remote sensing to model land use effects on carbon flux in forests of the Pacific Northwest, USA. In “The Use of Remote Sensing in the Modeling of Forest Productivity” (H. L. Gholz, K. Nakane, and H. Shimoda, eds.), pp. 219–237. Kluwer, Dordrecht, The Netherlands.
- Wallin, D. O., Swanson, F. J., and Marks, B. (1994). Landscape pattern response to changes in pattern generation rules: Land-use legacies in forestry. *Ecological Applications* **4**, 569–580.
- Walsh, J. E. (1995). Long-term observations for monitoring of the cryosphere. *Climatic Change* **31**, 369–394.
- Walter, H. (1954). “Grundlagen der Pflanzenverbreitung. III. Einführung in die Pflanzengeographie.” Ulmer, Stuttgart.
- Wang, Y. P., and Jarvis, P. G. (1990). Influence of crown structural properties on PAR absorption, photosynthesis, and transpiration in Sitka spruce: Application of a model (MAESTRO). *Tree Physiology* **7**, 297–316.
- Wang, Y. P., and Polglase, P. J. (1995). Carbon balance in tundra, boreal forest and humid tropical forest during climate change: Scaling up from leaf physiology and soil carbon dynamics. *Plant, Cell and Environment* **18**, 1226–1244.
- Wang, Y. P., McMurtrie, R. E., and Landsberg, J. J. (1992a). Modelling canopy photosynthetic productivity. In “Crop Photosynthesis: Spatial and Temporal Determinants” (N. R. Baker and H. Thomas, eds.), pp. 43–67. Elsevier, Amsterdam.
- Wang, Y. S., Miller, D. R., Welles, J. M., and Heisler, G. M. (1992b). Spatial variability of canopy foliage in an oak forest estimated with fisheye sensors. *Forest Science* **38**, 854–865.
- Wargo, P. M. (1972). Defoliation-induced chemical changes in sugar maple roots stimulate growth of *Armillaria mellea*. *Phytopathology* **62**, 1278–1283.
- Wargo, P. M., Parker, J., and Houston, D. R. (1972). Starch content in roots of defoliated sugar maple. *Forest Science* **18**, 203–204.
- Waring, R. H. (1969). Forest plants of the eastern Siskiyou: Their environmental and vegetational distribution. *Northwest Science* **43**, 1–17.
- Waring, R. H. (1980). Site, leaf area, and phytomass production in trees. In “Mountain Environments and Subalpine Tree Growth” (U. Benecke, ed.), pp. 125–135. IUFRO Workshop, Forest Research Institute Tech. Paper No. 70, Christchurch, New Zealand.
- Waring, R. H. (1983). Estimating forest growth and efficiency in relation to canopy leaf area. *Advances in Ecological Research* **13**, 327–354.
- Waring, R. H. (1987). Characteristics of trees predisposed to die. *BioScience* **37**, 569–574.
- Waring, R. H. (1989). Ecosystems: Fluxes of matter and energy. In “Ecological Concepts: The Contribution of Ecology to an Understanding of the Natural World” (J. M. Cherrett, A. D. Bradshaw, P. J. Grubb, F. B. Goldsmith, and J. R. Krebs, eds.), pp. 17–41. Blackwell, Oxford.
- Waring, R. H., and Franklin, J. F. (1979). Evergreen coniferous forests of the Pacific Northwest. *Science* **204**, 1380–1386.
- Waring, R. H., and Pitman, G. B. (1983). Physiological stress in lodgepole pine as a precursor for mountain pine beetle attack. *Zeitschrift für angewandte Entomologie* **96**, 265–270.

- Waring, R. H., and Pitman, G. B. (1985). Modifying lodgepole pine stands to change susceptibility to mountain pine beetle attack. *Ecology* **66**, 889–897.
- Waring, R. H., and Running, S. W. (1976). Water uptake, storage, and transpiration by conifers: A physiological model. In “Water and Plant Life” (O. L. Lange, E.-D. Schulze, and L. Kappen, eds.), pp. 189–202. Springer-Verlag, New York.
- Waring, R. H., and Running, S. W. (1978). Sapwood water storage: Its contribution to transpiration and effect upon water conductance through the stems of old-growth Douglas-fir. *Plant, Cell and Environment* **1**, 131–140.
- Waring, R. H., and Schlesinger, W. H. (1985). “Forest Ecosystems: Concepts and Management.” Academic Press, Orlando, Florida.
- Waring, R. H., and Silvester, W. B. (1994). Interpreting variation in carbon isotopes within tree crowns. *Tree Physiology* **14**, 1203–1213.
- Waring, R. H., and Winner, W. E. (1996). Constraints on terrestrial primary production in temperate forests along the Pacific Coast of North and South America. In “High Latitude Rain Forests and Associated Ecosystems of the West Coast of the Americas: Climate, Hydrology, Ecology and Conservation” (R. G. Lawford, P. Alaback, and E. R. Fuentes, eds.), pp. 89–102. Springer-Verlag, New York.
- Waring, R. H., Coops, N. C., Ohmann, J. L., and Sarr, D. A. (2002). Interpreting woody plant richness from seasonal ratios of photosynthesis. *Ecology* **83**, 2964–2970.
- Waring, R. H., Cromack, K., Jr., Boone, R. D., and Stafford, S. G. (1987). Responses to pathogen-induced disturbance: Decomposition, nutrient availability, and tree vigour. *Forestry* **60**, 219–227.
- Waring, R. H., Landsberg, J. J., and Williams, M. (1998). Net primary production of forests: A constant fraction of gross primary production? *Tree Physiology* **18**, 129–134.
- Waring, R. H., Law, B. E., Goulden, M. L., Bassow, S. L., McCreight, R. W., Wofsy, S. C., and Bazzaz, F. A. (1995a). Scaling gross ecosystem production at Harvard Forest with remote sensing: A comparison of estimates from a constrained quantum-use efficiency model and eddy correlation. *Plant, Cell and Environment* **18**, 1201–1213.
- Waring, R. H., Way, J., Hunt, E. R., Jr., Morrissey, L., Ranson, K. J., Weishampel, J. F., Oren, R., and Franklin, S. E. (1995b). Imaging radar for ecosystem studies. *BioScience* **45**, 715–723.
- Waring, R. H., Savage, T., Cromack, K., Jr., and Rose, C. (1992). Thinning and nitrogen fertilization in a grand fir stand infested with western spruce budworm. Part IV. An ecosystem management perspective. *Forest Science* **38**, 275–286.
- Waring, R. H., Schroeder, P. E., and Oren, R. (1982). Application of the pipe model theory to predict canopy leaf area. *Canadian Journal of Forest Research* **12**, 556–560.
- Waring, R. H., Whitehead, D., and Jarvis, P. G. (1979). The contribution of stored water to transpiration in Scots pine. *Plant, Cell and Environment* **2**, 309–317.
- Waring, R. H., Whitehead, D., and Jarvis, P. G. (1980). Comparison of an isotopic method and the Penman–Monteith equation for estimating transpiration from Scots pine. *Canadian Journal of Forest Research* **10**, 555–558.
- Warren, J. M., Meinzer, F. C., Brooks, J. R., and Domec, J. C. (2005). Vertical stratification of soil water storage and release dynamics in Pacific Northwest coniferous forests. *Agricultural and Forest Meteorology* **130**, 39–58.
- WCMC (World Conservation Monitoring Center). (1992). “Global Biodiversity: Status of the Earth’s Living Resources.” Chapman & Hall, London.
- Webb III, T., and Bartlein, P. J. (1992). Global changes during the last 3 million years: Climatic controls and biotic responses. *Annual Review of Ecology and Systematics* **23**, 141–173.
- Webster, P. J., Holland, G. J., Curry, J. A., and Chang, H.-R. (2005). Changes in tropical cyclone number, duration, and intensity in a warming environment. *Science* **309**, 1844–1846.

- Weier, T. E., Stocking, C. R., and Barbour, M. G. (1974). "Botany, An Introduction to Plant Biology." Wiley, New York.
- Weinstein, D. A., and Yanai, R. D. (1994). Integrating the effects of simultaneous multiple stresses on plants using the simulation model TREGRO. *Journal of Environmental Quality* **23**, 418–428.
- Weinstein, D. A., Beloin, R. M., and Yanai, R. D. (1991). Modeling changes in red spruce carbon balance and allocation in response to interacting ozone and nutrient stresses. *Tree Physiology* **9**, 127–146.
- Weishampel, J. F., Ranson, K. J., Harding, D. J., and Blair, J. B. (1996). Remote sensing of forest canopies. *Selbyana* **7**, 6–14.
- Weller, D. A. (1987). A reevaluation of the $-3/2$ power rule of plant self-thinning. *Ecological Monographs* **57**, 23–43.
- Wendler, R., and Millard, P. (1996). Impact of water and nitrogen supplies on the physiology, leaf demography and nitrogen dynamics of *Betula pendula*. *Tree Physiology* **16**, 153–159.
- Westerling, A. L., Hidalgo, H. G., Cayan, D. R., and Swetnam, T. W. (2006). Warming and earlier spring increases western U.S. forest wildfire activity. *Science* **313**, 940–943.
- Westoby, M. (1977). Self-thinning driven by leaf area not by weight. *Nature* **265**, 330–331.
- Westoby, M. (1984). The self-thinning rule. *Advances in Ecological Research* **14**, 167–225.
- White, C. S. (1986). Effects of prescribed fire on rates of decomposition and nitrogen mineralization in a ponderosa pine ecosystem. *Biology and Fertility of Soils* **2**, 87–95.
- White, C. S., Moore, D. I., Homer, J. D., and Gosz, J. R. (1988). Nitrogen mineralization–immobilization response to field N or C perturbations: An evaluation of a theoretical model. *Soil Biology and Biochemistry* **20**, 101–105.
- White, J. (1981). The allometric interpretation of the self-thinning rule. *Journal of Theoretical Biology* **89**, 475–500.
- White, J. D., and Running, S. W. (1994). Testing scale dependent assumptions in regional ecosystem simulations. *Journal of Vegetation Science* **5**, 687–702.
- White, J. D., Running, S. W., Nemani, R., Keane, R. E., and Ryan, K. C. (1997). Measurement and mapping of LAI in Rocky Mountain montane ecosystems. *Canadian Journal of Forest Research* **8**, 805–823.
- White, J. D., Running, S. W., Thornton, P. E., Keane, R. E., Ryan, K. C., Fagre, D. B., and Key, C. H. (1998). Assessing regional ecosystem simulations of carbon and water budgets for climate change research at Glacier National Park, USA. *Ecological Applications* **8**, 805–823.
- White, J. W. C., Cook, E. R., Lawrence, J. R., and Broecker, W. S. (1985). The D/H ratios of sap in trees: Implications for water sources and tree ring D/H ratios. *Geochimica et Cosmochimica Acta* **49**, 237–246.
- White, M. A., and Mladenoff, D. J. (1994). Old-growth forest landscape transitions from pre-European settlement to present. *Landscape Ecology* **9**, 191–205.
- White, M. A., Thornton, P. E., and Running, S. W. (1997). A continental phenology model for monitoring vegetation responses to interannual climatic variability. *Global Biogeochemical Cycles* **11**, 217–234.
- Whitehead, D., and Jarvis, P. G. (1981). Coniferous forest and plantations. In "Water Deficits and Plant Growth" (T. T. Kozlowski, ed.), pp. 49–152. Academic Press, New York.
- Whitehead, D., and Kelliher, F. M. (1991). Modeling the water balance of a small *Pinus radiata* catchment. *Tree Physiology* **9**, 17–33.
- Whitehead, D., Hall, G. M. J., Walcroft, A. S., Brown, K. J., Landsberg, J. J., Tissue, D. T., Turnbull, M. H., Griffin, K. L., Schuster, W. S., Carswell, F. E., Trotter, C. M., James, I. L., and Norton, D. A. (2002). Analysis of the growth of rimu (*Dacrydium cupressinum*) in South Westland, New Zealand, using process-based simulation models. *International Journal of Biometeorology* **46**, 66–75.

- Whitehead, D., Kelliher, F. M., Frampton, C. M., and Godfrey, M. J. S. (1994). Seasonal development of leaf area in a young, widely spaced *Pinus radiata* D. Don stand. *Tree Physiology* **14**, 1019–1038.
- Whitehead, D., Livingston, N. J., Kelliher, F. M., Hogan, K. P., Pepin, S., McSeveny, T. M., and Byers, J. N. (1996). Response of transpiration and photosynthesis to a transient change in illuminated foliage area for a *Pinus radiata* D. Don tree. *Plant, Cell and Environment* **19**, 949–957.
- Whitehead, D., Okali, D. U. U., and Fasehun, F. E. (1981). Stomatal response to environmental variables in two tropical forest species during the dry season in Nigeria. *Journal of Applied Ecology* **18**, 571–587.
- Whittaker, R. H. (1953). A consideration of climax theory: The climax as a population and pattern. *Ecological Monographs* **23**, 41–78.
- Whittaker, R. H. (1975). “Communities and Ecosystems.” 2nd Ed. Macmillan, New York.
- Whittaker, R. H., and Woodwell, G. M. (1968). Dimension and production relations of trees and shrubs in the Brookhaven Forest, New York. *Journal of Ecology* **56**, 1–24.
- Wickman, B. E. (1978). Ecological effects. In “The Douglas-fir Tussock Moth: A Synthesis” (M. H. Brookes, R. W. Stark, and R. W. Campbell, eds.), pp. 63–75. Forest Service Technical Bulletin 1585. Washington, D.C.
- Wickman, B. E., Mason, R. R., and Paul, H. G. (1992). Thinning and nitrogen fertilization in a grand fir stand infested with western spruce budworm. Part II: Tree growth response. *Forest Science* **38**, 252–264.
- Wiens, J. A., Stenseth, N. C., Van Borne, B., and Ims, R. A. (1993). Ecological mechanisms and landscape ecology. *Oikos* **66**, 369–380.
- Wigmosta, M. S., Vail, L. W., and Lettenmaier, D. P. (1994). A distributed hydrology-vegetation model for complex terrain. *Water Resources Research* **30**, 1665–1679.
- Wikström, F., and Ericsson, T. (1995). Allocation of mass in trees subject to nitrogen and magnesium limitation. *Tree Physiology* **15**, 339–344.
- Williams, D. W., and Liebhold, A. M. (2002). Climate change and the outbreak ranges of two North American bark beetles. *Agricultural and Forest Entomology* **4**, 87–99.
- Williams, K., Percival, F., Merino, J., and Mooney, H. A. (1987). Estimation of tissue construction cost from heat of combustion and organic nitrogen content. *Plant, Cell and Environment* **10**, 725–734.
- Williams, M., Rastetter, E. B., Fernandes, D., Goulden, M. L., Wofsy, S. C., Shaver, G. R., Melillo, J. M., Nadelhoffer, K. J., Fan, S.-M., and Monger, D. W. (1996). Modelling the soil–plant–atmosphere continuum in a *Quercus–Acer* stand at Harvard Forest: The regulation of stomatal conductance by light, nitrogen, and soil/plant hydraulic properties. *Plant, Cell and Environment* **19**, 911–927.
- Williams, M., Rastetter, E. R., Fernandes, D. N., Goulden, M. L., and Shaver, G. R. (1997). Predicting gross primary productivity in terrestrial ecosystems. *Ecological Applications* **7**, 882–894.
- Williams, M., Schwarz, P. A., Law, B. E., Irvine, J., and Kurpius, M. R. (2005). An improved analysis of forest carbon dynamics using data assimilation. *Global Change Biology* **11**, 89–105.
- Wilson, K. B., Baldocchi, D. D., Aubinet, M., Berbigier, P., Bernhofer, C., Dolman, H., Falge, E., Field, C., Goldstein, A., Granier, A., Grelle, A., Halldor, T., Hollinger, D., Katul, G., Law, B. E., Lindroth, A., Meyers, T., Moncrieff, J., Monson, R., Oechel, W., Tenhunen, J., Valentini, R., Verma, S., Vesala, T., and Wofsy, S. (2002). Energy partitioning between latent and sensible heat flux during the warm season at FLUXNET sites. *Water Resources Research* **38**, 1294–1304.

- Winner, W. M., Bewley, J. D., Krause, H. R., and Brown, H. M. (1978). Stable sulfur isotope analysis of SO₂ pollution impact on vegetation. *Oecologia* **36**, 351–361.
- Witkamp, M. (1971). Soils as components of ecosystems. *Annual Review of Ecology and Systematics* **2**, 85–110.
- Witkamp, M., and Ausmus, B. S. (1976). Processes in decomposition and nutrient transfer in forest systems. In “The Role of Terrestrial and Aquatic Organisms in Decomposition Processes” (J. M. Anderson and A. MacFadyen, eds.), pp. 375–396. Blackwell, Oxford.
- Wofsy, S. C., Goulden, M. L., Munger, J. W., Fan, S.-M., Bakwin, P. S., Daube, B. C., Bassow, S. L., and Bazzaz, F. A. (1993). Net exchange of CO₂ in a mid-latitude forest. *Science* **260**, 1314–1317.
- Woldendorp, J. W., and Laanbroek, H. J. (1989). Activity of nitrifiers in relation to nitrogen nutrition of plants in natural ecosystems. *Plant and Soil* **115**, 217–228.
- Wolfe, M. L., and Berg, F. C. (1988). Deer and forestry in Germany—Half a century after Aldo Leopold. *Journal of Forestry* **86**, 25–28.
- Wood, T. G. (1976). The role of termites (Isoptera) in decomposition processes. In “The Role of Terrestrial and Aquatic Organisms in Decomposition Processes” (J. M. Anderson and A. MacFadyen, eds.), pp. 145–168. Blackwell, Oxford.
- Woods, A. S., Coates, K. D., and Hamann, A. (2005). Is an unprecedented Dothistroma needle blight epidemic related to climate change? *BioScience* **55**, 761–769.
- Woodward, F. I. (1987). “Climate and Plant Distribution” (R. S. K. Barnes, H. J. B. Birks, E. F. Connor, J. L. Harper, and R. T. Paine, eds.), pp. 11–165. Cambridge Univ. Press, New York.
- Woodward, F. I. (1992). Predicting plant responses to global environmental change. *New Phytology* **122**, 239–255.
- Woodward, F. I., Smith, T. M., and Emanuel, W. R. (1995). A global land primary productivity and phytogeography model. *Global Biogeochemical Cycles* **9**, 471–490.
- Woodward, F. I., Thompson, G. B., and McKee, I. F. (1991). Effects of elevated concentrations of carbon dioxide on individual plants, populations, communities and ecosystems. *Annals of Botany* **67**, 23–38.
- Woodwell, G. M. (1974). Variation in the nutrient content of leaves of *Quercus alba*, *Quercus coccinea*, and *Pinus rigida* in the Brookhaven Forest from bud-break to abscission. *American Journal of Botany* **61**, 749–753.
- Wright, R. F., Roelofs, J. G. M., Bredemeir, M., Blanck, K., Boxman, A. M., Emmett, B. A., Gundersen, P., Hultberg, H., Kjønaas, O. J., Moldan, F., Tietena, A., van Breeinen, N., and van Dijk, H. E. G. (1995). NITREX: Responses of coniferous forest ecosystems to experimentally changed deposition of nitrogen. *Forest Ecology and Management* **71**, 163–169.
- Yanai, R. D. (1991). Soil solution phosphorus dynamics in a whole-tree-harvested northern hardwood forest. *Soil Science Society of America Journal* **55**, 1746–1752.
- Yanai, R. D., Fahey, T. J., and Miller, S. L. (1995). Efficiency of nutrient acquisition by fine roots and mycorrhizae. In “Resource Physiology of Conifers—Acquisition, Allocation, and Utilization” (W. K. Smith and T. M. Hinckley, eds.), pp. 75–103. Academic Press, San Diego.
- Yih, K., Boucher, D. H., Vandermeer, J. H., and Zamora, N. (1991). Recovery of the rain forest of southeastern Nicaragua after destruction by Hurricane Joan. *Biotropica* **23**, 106–113.
- Yoder, B. J., and Waring, R. H. (1994). The normalized difference vegetation index of small Douglas-fir canopies with varying chlorophyll concentrations. *Remote Sensing of the Environment* **49**, 81–91.
- Yoder, B. J., Ryan, M. G., Waring, R. H., Schoettle, A. W., and Kaufmann, M. R. (1994). Evidence of reduced photosynthetic rates in old trees. *Forest Science* **40**, 513–527.
- Youngberg, C. T., and Wollum, A. G. (1976). Nitrogen accretion in developing *Ceanothus velutinu* stands. *Soil Science Society of America Proceedings* **40**, 109–112.

- Zagolski, F., Pinel, V., Romier, J., Alcayde, D., Fontanari, J., Gastellu-Etchegorry, J. P., Giordano, G., Marty, G., Mougin, E., and Joffre, R. (1996). Forest canopy chemistry with high spectral resolution remote sensing. *International Journal of Remote Sensing* **17**, 1107–1128.
- Zarco-Tejada, P. J., Miller, J. R., Harron, J., Hu, B., Noland, T. L., Goel, N., Mohammed, G. H., and Sampson, P. (2004). Needle chlorophyll content estimation through model inversion using hyperspectral data from boreal conifer forest canopies. *Remote Sensing of Environment* **89**, 189–199.
- Zhao, M., Heinsch, F. A., Nemani, R. R., and Running, S. W. (2005). Improvement of the MODIS terrestrial gross and net primary production global data set. *Remote Sensing of Environment* **95**, 164–176.
- Zheng, D., Hunt, E. R., Jr., and Running, S. W. (1993). A daily soil temperature model based on air temperature and precipitation for continental applications. *Climatic Research* **2**, 183–191.
- Zheng, D., Hunt, E. R., Jr., and Running, S. W. (1996). Comparison of available soil water capacity estimated from topography and soil series information. *Landscape Ecology* **11**, 3–14.
- Zhou, L., Tucker, C. J., Kaufmann, R. K., Slayback, D., Shabanov, N. V., and Myneni, R. B. (2001). Variations in northern vegetation activity inferred from satellite data of vegetation index during 1981–1999. *Journal of Geophysical Research* **106**, 20069–20084.
- Zhu, A.-X., Band, L. E., Dotton, B., and Nimlos, T. J. (1996). Automated soil inference under fuzzy logic. *Ecological Modelling* **90**, 123–145.
- Ziemer, R. R. (1981). Roots and the stability of forested slopes. *International Association of Hydrologic Sciences Publication* **132**, 343–357.
- Zimmermann, M. H. (1978). Hydraulic architecture of some diffuse-porous trees. *Canadian Journal of Botany* **56**, 286–295.
- Zinke, P. J. (1967). Forest interception studies in the United States. In “Forest Hydrology” (W. E. Sopper and W. Lull, eds.), pp. 137–160. Pergamon, Oxford.
- Zinke, P. J. (1980). Influence of chronic air pollution on mineral cycling in forests. *USDA Forest Service, Pacific Southwest Forest and Range Experimental Station, General Technical Report* **43**, Berkeley, California.
- Zucker, W. V. (1983). Tannins: Does structure determine function? An ecological perspective. *American Naturalist* **121**, 335–365.