

Subject Index

- Acacia 290, 307
 Accessory Fuel Moisture (AFM) System
 477
 acetaldehyde 9, 81
 acetic acid 9, 81, 82, 305
 achievable future conditions 333
 acrolein 9, 296
 adenostoma 414
 Advanced Very High-Resolution
 Radiometer (AVHRR) 277, 591
 satellite 273
 aerial ignition 538
 aerial photographs 348
 aerological data 225
 aerosols 79, 172, 248
 Aerosol Optical Thickness (AOT) 257
 Africa 85
 agricultural burning 501, 511, 524
 agriculture 86, 212
 air polluted forests 567
 air pollution 366, 373, 393, 567, 569, 571,
 573, 575, 577, 579, 581, 585
 emissions 425, 428
 episodes 209
 monitoring 577
 air quality 171, 209, 277, 539, 585
 forecasting models 597
 Framework Directive 220
 management strategies 211
 modelling system 209–210
 models 471, 579
 simulation models 180
 standards 260, 569
 related values 568–569
 aircraft emissions 215
 AIRFIRE 224
 AirNow 529
 AIRPACT-3 508, 529
 Alaska 19, 86, 319
 alkanes 93
 alkenes 93
 alkylbenzenes 9
 Amazonia 210
 ambient air quality 597
 ambient ozone (O₃) 325, 567
 ammonia (NH₃) 8, 61, 213, 373
 ammonification, nitrification 406
 ammonium (NH₄⁺) 408, 428
Annosus root disease 381
 annual average exposure 295
 anthropogenic ignition rate 347
 anthropogenic nitrogen 80
 antioxidant 376
 area burned 61
 aromatic hydrocarbons 9, 93
 arson 6, 241, 586
 Asia 585, 591
 asphyxiants 24
 ASTER 12
 asthma 297
 atmosphere 129
 atmospheric
 carbon 130
 deposition 417, 419–420
 dispersion models 553
 emissions 197
 lifetimes 94
 N deposition 594
 particulate matter 268
 Australia 85, 210, 290, 471, 499,
 501, 506–507, 517, 519, 527, 536,
 585, 591
 Australian Fire Danger Rating System 65
 Austria 233
 autoregressive error 556

 background ozone 575
 bacteria 307

- Baja California 339
 bark beetle 320, 366, 388, 392, 395–396,
 567, 586
 beetle epidemics 393
 Belarus 233
 belowground biomass 83
 benzaldehyde 9
 benzene 9, 294, 296
 benzo (a) pyrene 9
 benzofuran 9
 benzoic acid, methyl ester 9
 bioclimatic “envelope” 321
 biogenic emissions 307
 bioindicator plant species sensitive to ozone
 261
 bioindicators 304
 biomass burning 9, 291, 293, 295–299,
 302–303, 305, 307, 535
 biomass emissions 110–111
 black carbon 9
 Black Dragon Fire 286
 black stain root disease 381
 BlueSky 499–500, 506–508, 510–511, 515,
 522–523, 526–529, 553
 BlueSkyRAINS 511
 boreal forest 88
 Brazil 6, 85, 210
 burn intervals 419
 burn severity 130
 burned area 110, 130, 197, 198
 burned biomass 197, 238
 Burning Index (BI), 486
 burning period 62
- calcium (Ca) 410
 California 339, 425, 567, 569, 571–573, 575,
 577, 579, 581, 593
 California Interagency Air and Smoke
 Council (IASC) 576
 CALPUFF 505–507, 511–513
 PM_{2.5} 513
 Canada 86, 477
 Canadian Fire Danger Rating System
 65
 Canadian Forest Fire Behavior Prediction
 (FBP) System 477
 Canadian Forest Fire Weather Index (FWI)
 System 477
 Canadian Yukon 19
 carbohydrate 379, 392
- carbon (C) 405–411, 413, 415, 416–419, 421,
 423, 585
 accounting 579
 acquisition 377
 and N budget 427
 balance 128–129
 budget 586
 dynamics 115
 gain 385
 mass balance method 84
 release 598
 sequestration 114, 585
 stocks 109, 114, 130
 storage 110, 124, 130
 trading 585
 carbon (C) and nitrogen (N) cycling 425
 carbon dioxide (CO₂) 8, 61, 92, 210, 239,
 425, 588
 carbon monoxide (CO) 7, 18, 61, 80, 92,
 210, 212, 214, 239, 291–294, 296, 425,
 588
 carboxylic acids 9
 carcinogen 24
 catastrophic forest fires 589
 catastrophic wildfire 576
 causes of wildland fires 586
Ceanothus chaparral 414
 Central and Eastern Europe 233, 590
 Central Asia 86
 Central Russia 247, 249, 251, 253, 255, 257,
 259, 261, 263
 cesium (Ce) 11, 84
 CFFDRS 486
 changes in species composition 427
 changing climate 585, 591
 effects on wildfire 130
 chaparral 339, 415
 char oxidation 81
 charcoal 407
 chemical composition of the emissions 8, 80
 Chernobyl 10, 13, 265, 590
 China 277, 591
 chloro-methane 9
 Class I areas 568
 Class II areas 568
 Clean Air Act 568
 Clean Air Status and Trends Network
 (CASTNET) 577
 ClearSky 499, 501, 507–508, 510–513, 522,
 524, 526, 528, 530

- climate 38
 - change 128, 277, 280, 287, 567, 586
 - variability 3, 567
 - zones 38
- climate-fire-carbon interactions 129
- climate/weather 595
- combustion of vegetation 291
- combustion process 81
- combustion products 241
- coniferous forest 88, 234, 339, 418
- Consume 3.0 model 69
- consumption 129
- contributions of smoke from fires 553
- controlled burning 290
- criteria pollutants 570
- cross-analysis of air quality 210
- crown fire 49, 87
- crotonaldehyde 9
- Czech Republic 233

- DAYCENT model 425
- decision support systems 535
- decomposition 379
- defensible space 371
- degradation in atmospheric quality 362
- deposition 210
- dibenzo-furans 10
- dibenzo-p-dioxines 10
- Direcc-ão Geral das Florestas 229
- dispersion model 64, 535, 579
- dispersion of radionuclides 265, 267, 269, 271, 273, 275
- distillation 81
- distribution of air pollution 568
- distribution of fires 339
- distribution of ozone 556
- disturbance 419–420
- drought 39, 126, 247, 287, 319, 366, 586
 - factor 475
 - index 474
 - stress 365, 376, 381, 383, 385, 392–393
- Drought Code (DC), 479
- dynamic transport models 554

- EC₅₀ 23
- ecological impacts 598
- ecosystem carbon fluxes 124
- ecosystem disturbance 366
- ecosystems 287
- effects of fire on carbon fluxes 115
- effects of forest fires 171, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197
- El Niño 125–126
 - cycle 360
- El Niño Southern Oscillation (ENSO) 40
- elemental carbon 9, 588
- EMISPREAD 72
- emission(s) 61, 111, 126, 209, 233, 294, 588
 - data 83
 - factors 62, 84
 - inventory 71, 172
 - source strength 64
 - chemistry 596
 - from aircrafts 209
 - from wildland fires 589
- energy 376
 - release component (ERC) 485
 - transformation industries 212
 - limited 322
- Environmental Protection Agency (EPA) 568
- EPM 504, 506–507, 510–511, 515
- equilibrium moisture content 48
- erosion 408
- esters 9
- Estonia 233
- ethyl-benzene 9
- ethylene 305
- EU fire database 199
- eucalypt forests 537
- eucalyptus 290, 306, 307
- Europe 86, 471, 589
- European Commission 209, 230
- European Forest Fire Information System (EFFIS) 197
- European Union (EU) 197, 210, 489, 590
- evapotranspiration 358
- exceedances of permissible ozone
 - levels 218
- extreme fire events 211
- extreme weather 247, 339

- FARSITE 67, 483, 486
- FASTRACS 510
- fate of wildland fire emissions 81
- fauna 297–298
- FCAMMS 508
 - BlueSky 510
- FCCS 504, 507, 510
- feedbacks between fire and climate 130

- FFMC 491
- fine and coarse particulate matter 80
- Fine Fuel Moisture Code (FFMC) 478
- fine root biomass 416, 418
- fire 126, 319, 419
 - and patch dynamics 342
 - as a management tool 594
 - behavior 62, 80, 471, 579, 586, 592
 - characteristics 209
 - control 472
 - detection 287, 595
 - dynamics 117
 - effects on carbon 118
 - environment 471
 - exclusion 324, 427
 - frequency 427
 - hazard 368, 371
 - impacts 197, 199, 201, 203, 205, 207
 - intervals 343, 427
 - occurrence 277, 586, 592
 - plume dynamics 80
 - prevention management 586
 - regime 115, 128, 342
 - risks 266
 - severity 320, 586
 - spread rates 348
 - weather 342, 346
 - weather window 342
- Fire Area Simulator (FARSITE) 473
- fire danger 283, 471, 473, 475, 477, 479, 481, 483, 485, 487, 489, 491, 493, 495, 497
 - index 472
 - level 472
 - dynamics 118
- fire emissions 111, 120, 129–130, 277
 - Production Simulator 67
- fire management 3, 281
 - policies 361
- Fire Occurrence Prediction (FOP) system 477
- fire suppression 279, 283, 339, 366, 406, 409, 425, 589
 - planning 481
 - policy 342
- fire-safe activities 368
- fire-scar dendrochronology 360
- firefighter health and safety 297
- firefighting 215
 - operations 210
- fireline safety 481
- FireMapper system 591
- firestorms 356
- First Order Fire Effects Model (FOFEM 5.0) 65, 431
- Flaming 7, 64, 82, 292
 - combustion 48, 81, 291–292
 - phase 9
- flammability of plants 306, 340
- flanking fire 50
- foliar N concentrations 426
- foliar N content 428
- foliar senescence 567
- forecasting smoke-radionuclide dispersion 274
- forest(s) 247, 279, 405–410, 413–419, 585
 - densification 366
 - density 368, 395
 - fire behavior data 210
 - fires 197, 209, 233, 235, 237, 239, 241, 243, 245
 - flammability 425
 - health 374
 - herbaceous plant development 247
 - management 586
 - mensuration models 568
 - susceptibility to wildfires 365
- Forest Fire Danger Index (FFDI), 474
- Forest Fire Danger Rating System (CFFDRS) 477
- Forest Fire Regimes 339
- forestry 537
- formaldehyde (HCHO) 9, 82, 253, 296
- formic acid 82, 296, 305
- France 488, 590
- free-running fire 340
- frequency of fires 339, 342
- Frisia 5
- fuel 9, 129
 - accumulation rates 342
 - build-up 427, 567
 - Characteristic Classification System 66
 - characteristics 62, 80
 - chemistry 80
 - combustion 79
 - combustion process 80
 - consumption 62, 118
 - load 197
 - Load Models 65
 - loads in forests 538

- moisture 47, 284, 472
- N content 425
- properties 342
- property 284
- reduction 290, 295
- treatments 567, 593
- type 277
- fuel models and modeling systems 65, 471, 473, 475, 477, 479, 481, 483, 485, 487, 489, 491, 493, 495, 497
- fuelbed 81
- fundamental niche 321
- fungi 304, 306
- furans 9
- furfural 9

- gas-to-particle conversion 94
- gases (gaseous compounds) 210
- gaseous emissions 293
- Gaussian distribution 557
- genotypes 332
- geographic zones 79, 85
- Germany 233
- global fire emissions 126
- global phenomena 210
- global warming 41, 319, 321, 323, 325, 327, 329, 331, 333, 335, 337, 586
- GOES 503, 516–517
- Gradient modeling 321
- Grassland Fire Danger Index (GFDI) 475
- Greater Hinggan Forest 286
- Greece 211, 488, 590
- greenhouse effects 598
- greenhouse gases (GHG) 79–80, 214
- greenness 283
- ground fire 49

- halocarbons 88
- haze 290, 292–293, 307
- heading fire 49
- health 28
 - effects of smoke 599
 - hazard 260
 - of firefighters 599
- heat release rate 62
- herbaceous fuels 92
- herbaceous vegetation 92
- high temperatures 247
- high-intensity fires 339
- historic evidence 3

- history of land-use 4
- HMS 514–516, 521–522
- human fatalities 211
- human health 3, 290, 293–296, 428
- human population 366, 393
- human-induced changes 368
- Hungary 233
- hydrocarbons 215
- hydrogen sulfide (H₂S) 8
- hydrophobicity 408
- HYSPLIT model 221, 505, 507, 511, 514, 517, 536

- ICS-209 508
- ignition factors 472
- illegal forestry activities 6
- impact assessments 12
- IMPROVE network 172
- in-plume chemistry 596
- incense cedar (*Calocedrus decurrens*) 426
- India 86
- indicators 304
- Indonesia 22, 210
- indoor biomass smoke 295
- Initial Spread Index (ISI), 479
- insects 319
- intensity of wildfires 87
- interactions between air pollution, drought, and insects 568
- interactions between climate, fire regimes, and carbon 128
- interactions of wildland fires and air pollution 585
- interactive effects 425
- Interagency Monitoring of Protected Visual Environments (IMPROVE) 577
- invasive species 320
- irritants 24
- isoprene 305–307
- isotopic tracer 416
- Italy 211, 488, 590

- jack pine (*Pinus banksiana*) 478
- Jeffrey pine (*Pinus jeffreyi*) 415
- Joint Research Centre (JRC) 198

- Kazakhstan 16
- Keetch-Byram Drought Index 479, 486
- Kiev 590

- Lake Tahoe Basin 407–409
- land cover 277
- land management 210, 535
- land surface temperature 284
- land-use fires 5
- LANDFIRE 65
- Landsat 277
- large diameter fuels 83
- Latvia 233
- LC₅₀ 23
- leaching 406–408, 419
- leaching of nitrate 427
- leaf turnover 379
- lightning 43
 - detection rate 347
- lignin 379
- lignocellulosic biomass 81
- Limited Area Prediction Scheme (LAPS) 540
- Lithuania 233
- litter 396, 418
- litterfall 377
- local and regional air quality 567
- lodgepole pine (*Pinus contorta*) 327, 478
- logging 393
- long-range transport of pollutants 270, 598
- long-term carbon storage 586
- long-term dynamics of fuel accumulation 339
- long-term ecosystem changes 567
- Los Angeles 426
- low-intensity smoldering fires 248
- lung function 297
- lung volume 296

- Madden Julian Oscillation 40
- magnesium (Mg) 410
- Malaysia 21
- management issues and strategies 568, 585, 599
- managing smoke from prescribed burning 539
- MCE 84
- mechanical removal 567
- Mediterranean basin 488
- Mediterranean France 211
- Mediterranean climate 340
- Mega-Fire(s) 247, 249, 251, 253, 255, 257, 259, 261, 263
- mercury (Hg) 19

- MERIS 12
- mesoscale numerical weather prediction 535
- meteorological conditions 217
- meteorological data 554
- meteorology 80
- methane (CH₄) 9, 18, 61, 80, 210, 239, 425
- methanol 81
- methyl acetate 81
- microorganisms 303, 306
- mineral leaching 428
- mistletoe 381
- mitigating nitrogen losses 425
- mixed-conifer forests 343, 416, 418, 425
- mixed-severity fire regimes 117
- modal weather states 342
- Moderate Resolution Imaging Spectroradiometer (MODIS) 12, 273, 274, 277, 503, 514, 517, 519, 546, 592
- MODIS satellite image of fire locations 273
- moisture content 92
- monitoring networks 209
- monoterpene 305–307
- monoterpenoids 306
- MOPITT 18
- mortality 397
 - rates 395
- Moscow 20, 247, 590
- mountain pine beetle 326, 389
- multiple regression 556
- mutagen 25

- N-fixing vegetation 409, 414
- N-saturated 416, 418
 - chaparral 414–415
 - forests 415–416
- N-saturation 415–416, 418
 - responses 427
- N₂O (nitrous oxide) 210, 570
- National Ambient Air Quality Standards (NAAQS) 570
- National Parks (NPS), 553, 568
- natural global atmosphere 4
- natural hazards 277
- negative water balances 323
- NESDIS 514
- Nesterov's flammability indices 249
- New South Wales (NSW) 476
- New Zealand 476
- NFDRS 504, 507, 515

- nitrate (NO_3^-) 407, 414–417
 - leaching 416–418
 - runoff 425, 428
- nitric oxide (NO) 407–409, 417, 427
- nitrification 407, 417–418, 427
- nitrogen (N) 405–411, 413–421, 423
 - content 426
 - cycle 427
 - deposition 373, 416–417, 419, 425–426, 567, 586
 - deposition scenarios 425
 - fixation 419
 - leaching 408, 419
 - pollutant emissions 586
 - saturation 414, 426, 594
 - volatilization 406
- nitrogen dioxide (NO_2) 19, 253
- nitrogen oxides (NO_x) 61, 80, 210, 212, 278, 291–294, 296, 425, 588
- nitrous oxide (N_2O) 210, 427
- NMHC 210, 212
- NM VOC 80
- NOAA 273, 499, 501, 503, 505, 507–508, 510, 513–515
- NOAA AVHRR 12
- NOAA POES 17
- NOAA-HYSPLIT 513–514, 521–522, 529, 531
- NOAA-HYSPLIT smoke prediction 515–516, 529
- non-hydrostatic meteorological model (MEMO) 224
- nonmethane hydrocarbons 61, 210
- nonmethane volatile organic carbon 80
- normal probability plots 557
- Normalized Difference Vegetation Index (NDVI) 283
- North America 87, 210, 471, 585, 592
- North American ecosystems 85
- nuclear accidents 274
- numerical modeling 224
- nursery stock 332
- nutrient budgets 598
- nutrient cycling 426, 589

- Occupational Exposure Limits (OELs) 26
- ocean circulation patterns 125–126
- Old Fire 395
- old-growth 339
- onshore winds 340

- open flames 92
- organic carbon (OC) 588
- oxidative stress 376
- oxygen-to-fuel ratio 7
- oxygenated compounds 93
- ozone (O_3) 19, 217, 293, 296, 302, 303–304, 415–416, 418, 586
 - formation 80, 94
 - damage 261
 - precursors 219, 559
 - tropospheric 210, 217, 426

- Pacific Decadal Oscillation 40
- PAHs 291, 293, 295
- Palmer Drought Index 479
- particles 80
- particulate emissions 278
- particulate matter (PM, PM_{10} , $\text{PM}_{2.5}$) 9, 10, 61, 79, 80, 171, 210, 292, 295, 425, 500, 502, 504, 506, 508, 511–515, 522, 526, 528–529, 588
 - monitors 578
- particulates 210, 291, 295, 297, 302, 305
- passive samplers 577
- patch mosaic dynamics 342
- peat and bog fires 596
- peat bog fires 248
- peat bogs 247
- peatland fires 19
- peatlands 3
- Peninsular Range 342
- permafrost 319
- personal protective equipment (PPE) 28, 599
- pests and diseases 586
- phenology changes 261, 262
- Philippines 210
- phosphorus (P) 407, 410, 411
- Photo Series 65
- photochemically reactive compounds 79–80
- pinyon-juniper 319
- plant flammability 306
- plant injury 248, 261
- plant mortality 262
- plant phenology 248
- plant responses 298
- plant successions 339
- plant vigor 325
- plume rise 541

- plume-dominated fire 51
- plutonium (Pu) 16
- Poland 233
- polyaromatic hydrocarbons 9
- polynomial regressions 558
- ponderosa pine (*Pinus ponderosa*) 367, 415–416, 426
- Portugal 6, 211, 488
- postfire carbon dynamics 122, 123
- postfire soil respiration 121–122
- precipitation 346
- precisions of forecasts 560
- prediction of air pollution 471
- prediction of fire behavior 596
- prescribed burning 296–297, 474, 535
- prescribed fire 69, 405, 414–415, 418–419, 428, 538, 567, 569, 573, 586, 589
- primary pollutants 80
- private property 593
- probability of fire spread 349
- PROMETHEUS 66
- property damage 211
- public health 210
- public lands 567–568, 593
- pyrolysis 7, 81

- radiative forcing 258
- radioactive emissions 3, 10
- radioactivity 268
 - in soil and vegetation 267
- radionuclides 3, 13, 267
- Recommended Exposure Limits (RELS) 26
- recreational use 368
- reducing fuel accumulation 567
- refugia 333
- regional air quality 428
 - models 597
- regional haze 571, 574
 - regulation 171
- relative humidity 44
- remote sensing 197, 277, 279, 281, 283, 285, 287, 585
- research needs (wildfire/carbon interactions) 131
- resin production 391, 393
- respiratory illness 297
- road transport 212
- roots 303, 306
 - biomass 379, 385

- Rothermel fire progression model 224
- Russia 86, 210, 488, 590
- Russian Federation 20

- San Bernardino Mountains 366, 416–417
- San Dimas Experimental Forest 414
- San Gabriel Mountains 351, 414, 426
- San Joaquin Valley Air Pollution Control District 574
- Santa Ana winds 340, 356
- satellite imagery 348
- scattering albedo 247
- sclerophyllous vegetation 290, 298
- secondary air pollutants 79, 80
- security 3
- sediment and ice core studies 4
- seed germination 304
- semi-volatile organic compounds 8
- severity of fire 120, 128
- sheep grazing 324
- shifting cultivation 6
- Short-term Exposure Limits (STELs) 26
- Sierra Nevada Mountains 319, 419, 426, 560, 574
- Sierra San Pedro Mártir 352
- simulations 555
- Singapore 21
- slash-and-burn agriculture 6
- Slovakia 233
- small fires 342
- smoke
 - aerosol 4
 - cloud 247
 - dispersion 13, 224, 579
 - forecasting 540
 - emissions 4, 61, 265, 267, 269, 271, 273, 275, 339
 - exposure 599
 - haze 539
 - management 3, 501, 506, 511, 517, 526–527, 535
 - monitoring 567
 - plumes 217, 270
 - prediction 499, 500–508, 514–515, 517, 519, 521–522, 524, 526–531
 - transport 6, 539
- smoldering 7, 64, 82, 291–292
- smoldering combustion 123, 291, 292
- soil(s) 299, 301–304, 306
 - acidification 427

- bacteria 304, 306
- hydrophobicity 408
- microbes 304
- microbial community 306
- microorganisms 303
- N emissions 425
- organic matter 407
- processes 121
- respiration 122, 129
- solution 408
- solution SO_4^{2-} 408
- solar radiation 218, 247–248
- source strength 61
- South America 86
- Southeast Asia 6, 19, 86
- southern California 339, 353, 589
- southern Europe 209, 211, 213, 215, 217, 219, 221, 223, 225, 227, 229, 231, 590
- Southwest 319
- Spain 211, 488, 590
- SPOT 12
- spruce bark beetle 329
- stand demography 395
- stand densification 426
- stand development 568
- stand-replacement fires 123, 343
- stand-replacing fires 116
- state and federal air regulators 567
- statistical model 553, 556
- stomata 299, 301–303, 386
- streamwater 408
 - nitrate 414–415
- stress complexes 319, 321, 323, 325, 327, 329, 331, 333, 335, 337
- strontium (Sr) 13
- subboreal forest 247
- sulfur (S) 8, 410
 - deposition 80
- sulfur dioxide (SO_2) 8, 61, 253, 278, 291, 296, 303–304, 425
- sulfur oxides (SO_x) 212
- surface albedo 127
- surface fire 49, 117
- surface temperature 283
- susceptibility of forests to wildfire 365
- teleconnection 39
- temperate continental forests 234
- temperate forest 88
- temperate mountain forests 234
- temperate oceanic forest 234
- temperate rangelands 88
- temperate zone wildfires 87
- temperature 42, 346
 - inversions 52
- terpenes 81, 306
- terrestrial ecosystems 585
- Threshold Limit Values (TLVs) 26
- threshold of combustion 342
- threshold of flammability 343
- thunderstorm activity 347
- timber utilization 366
- toluene 9
- total aerosols 253
- total suspended particles (TSP) 278
- toxicity 22
- trace gases 79
- trajectory technique 221
- Transbaikal Region 17
- transboundary transport 29
- transformation of fire emissions 80
- transport 80, 210
- Transverse ranges 342, 417
- tree density 387
- tree growth 426
- tree mortality 387, 395, 426, 567
- tropical forest 88
- tropical savanna 86, 88
- tropospheric chemistry 79
- U.S. National Fire Danger Rating System 473, 483
- Ukraine 233, 590
- uncertainties 560
- understory vegetation 418
- urban air pollution 278
- urban areas 589
- vegetation
 - burning 291
 - fires 265, 292–295, 298–299, 303, 305
 - fuel threshold 347
 - growth 342
 - mosaics 339
 - recovery 129
 - smoke 298
 - types 88
- visibility 21, 171, 290, 292, 472, 571
- visibility impairment 588

- volatile organic compounds (VOCs) 8, 81, 290, 291–296, 305–307, 588, 591
 - emissions from plants 306
- volatilization 407–408
- warmer climate 319
- water
 - loss 366, 385–386
 - quality 407
 - stress 567
 - vapor 215
 - use efficiency 385
- weather 42, 287
 - and climate 125
 - and fuel conditions 339
 - conditions 219
 - stations 554
- western conifer forests 88
- Western North America 319
- western pine beetle 389
- Western Regional Air Partnership (WRAP) 576
- western United States 88
- wet and dry deposition 93
- white pine blister rust 325
- wilderness areas 568
- wildfire(s) 129, 366, 405–410, 413–414, 419, 535
 - frequency 567
 - hazard 6
 - occurrence 425
 - risk 397
 - severity 589
- wildland fire(s) 61, 109, 139, 247, 277, 567, 585
 - emissions 79, 88
 - ignition potential 586
 - management 472
 - occurrence and behavior 471
- Wildland Fire Assessment System (WFAS) 283
- wildland-urban interface 418, 567, 593
- woodsmoke 295–296
- World Health Organization (WHO) 278
- xylene 9