

Subject Index

- Abies amabilis* 156
- Abies concolor* 11
- Abies religiosa* 102
- abscission 199
- Acer rubrum* 156
- Acer saccharum* 158, 315, 316
- acid rain 1, 44, 279, 375
- acidic deposition 2, 19, 49, 448
- acidification 19–21, 29, 289, 448
- adaptability 28
- adaptation 444
- afforestation/reforestation 72
- agricultural crops 346
- agroforestry 72
- air dispersion modeling 315, 316, 325
- air monitoring 28
- air pollutant 149
- air pollutant interactions 51
- air pollution 1, 43, 54, 277, 297, 298, 447
- air pollution and climate change research 48
- air quality 44, 455
- air temperature 349
- Aleppo pine 211
- alkenes 86
- Alternaria* 405
- aluminum smelter 329, 339
- American beech (*Fagus grandifolia* Ehrh.) 350
- ammonia 110
- anatomy 380
- anthropogenic emissions 1
- antioxidant 8, 99, 392, 396, 404
 - activities 399, 403
 - compound 151
 - enzyme 217
 - system 100
- AOS 393
- AOT40 106, 120, 131, 274, 442
- AOT40 exposure maps 135
- apoplast 226
- Arabidopsis* 405, 442
- Arbutus unedo* L. 260
- ascorbate 404
- ascorbate peroxidase 398
- ascorbate-glutathione 393
- aspen 12, 13, 26, 201, 206, 248, 392, 404, 443, 444
- aspen FACE 247, 249
- aspen leaf rust 247
- background ozone 94
- bark beetles 101
- beech (*Fagus sylvatica*) 301–305, 310, 311, 359–363, 365, 367–371, 373, 443
- belowground C allocation 352
- Betula* 148
- Betula papyrifera* 60
- Betula pendula* 143–147, 158, 159, 442
- Betula pubescens* 340
- biodiversity 53, 454
- bioindicator 130
- biomass 379
- biomass production 352
- biotic stressors 431, 432
- Black Triangle 20, 451
- branch growth 349
- broadleaved forests 130
- budburst 349
- ¹³C 143, 144, 146
- C₃ plants 346
- C₄ plants 346
- C:N ratios 403
- calcium depletion 353
- CAM species 346
- Canada Wide Standard 105
- carbon 70, 350
 - allocation 141, 145, 146, 148–150, 158, 162
 - assimilation 64
 - balance 66, 153, 155, 164, 349
 - budgets 66, 454
 - dioxide 1, 2, 6, 8, 14, 24–27, 29, 49, 51, 53, 57, 58, 74–76, 141, 143, 144, 147–150, 162, 164, 165, 248, 345, 346, 392, 441, 443, 447–450, 455
 - gain 349, 353

- market 70
- sequestration 59, 65, 67, 69, 70, 72, 75, 454, 455
- sink 67, 68, 73
- stocks 65
- storage 64, 69, 73, 76
- carotenoids 393, 401
- catalase 213, 398
- chestnut oak (*Quercus montana* Willd.) 348
- Chihauha pine 102
- chlorophyll 199, 393
- Clean Air Act 104
- Clean Air Scientific Advisory Committee 105
- climate change 54, 412
- climate warming 49
- cloud cover 349
- CO₂ 25
- CO₂ fertilization 147
- compensation 141, 150, 155, 163, 165
- competitive ability 150, 162
- competitive interaction 99
- conifer forests 130
- contact angle 253
- copper 315–317, 319, 320, 322–325
 - accumulation 315, 321, 322, 325
 - concentration 315, 319, 321–325
 - loading 315, 321–324
- coralloid morphotypes 340
- corn 27
- critical level for O₃ 93, 103
- critical loads 20, 278, 289, 438
- critical threshold 270
- crown 364, 365
- crown condition 359, 360, 362, 363, 371
- cumulative effects 278

- dark respiration 349
- data capturing 122
- dead trees 289
- defense 141, 146, 149–152, 155, 162–165
- defoliation 278, 301, 303, 304, 306–308, 311
- demographic change 45
- demographic factors 43
- deposition 278, 359, 360, 362, 369–371
- dieback 412, 415, 422, 423, 430, 432
- diversity 99

- DNA 445
- Douglas fir 101
- drought 61, 352
- dust pollutants 339
- dynamic global vegetation models 67

- early summer 232, 244
- eastern hemlock 315, 316
- eastern white pine (*Pinus strobus* L.) 11, 13, 348, 351
- ecosystem functions 53
- ectendomycorrhiza 339
- ectendomycorrhizal
 - penetration 337
 - community 341
 - morphotypes 332, 337, 338, 340
 - richness 339
 - symbiosis 330
 - tips 334
- ectomycorrhizas 329, 330, 332
- elevated air temperature 349
- elevated carbon dioxide 375
- elevation 289
- environmental pollutants 340
- environmental stresses 346
- epicuticular wax 199, 204, 249, 251, 254
 - structure 252
- episodic approach 233
- ergosterol 329, 330, 332, 333, 338, 340
- European beech (*Fagus sylvatica* L.) 103, 348, 445
- European larch 71
- eutrophication 19
- evapotranspiration 349
- exceedance 277, 289
 - of critical loads 298
- exceeded areas 289, 297
- exposure classes 130
- exposures 133
- expressed sequence tags (ESTs) 454

- FACE 7, 8, 206, 392, 411, 413–416, 418, 429, 431, 432, 442, 445, 450, 452–454
- Fagus sylvatica* L. 103, 130, 135, 147, 148, 151, 152, 160, 162, 301–304, 310, 311, 362, 363, 367, 368, 371
- fertilization 145
- fine root biomass 334, 339
- fine root production and turnover 64

- fine roots 329
- fitness 205
- fluoride accumulation coefficient 341
- fluorides 329, 340
- fluorine 330, 333, 334, 340
- FLUXNET 450, 453
- foliage 303–308, 310, 311
- foliar injury symptoms 137
- foliar lesions 99
- forest
 - damage 277
 - decline 212
 - ecosystems 340, 346, 447
 - fires 453
 - growth 53, 351, 352
 - health 43, 54, 448, 453
 - – monitoring 103, 450, 452, 453
 - litter 315–318, 322–325
 - maturation 142
 - mortality 298
 - productivity 18, 58
 - soils 350
 - tent caterpillar 109
 - vitality 297
- forests 43
- free air carbon dioxide enrichment 107
- Free-Air Pollutant Exposure Systems 442
- fungal biomass 329, 340
- future pollutant scenarios 51

- gaseous pollutants 339
- gene expression 396, 454
- gene flow 18
- genetic
 - diversity 28, 351
 - multiplicity 99
 - resources 27
 - variation 25
- genetics 444
- genotype 352
- geostatistic techniques 124
- GIS 127
- global carbon cycle 17
- global change 1, 43, 347, 447, 453
- global climate change 430
- global CO₂ 346
- global warming 13, 16–19, 29, 61, 62, 75, 450, 453
- global warming and pests 64

- glutathione 404
 - reductase 213, 398
- Glycine max* 27
- greenhouse effect 2, 87
- greenhouse gases 1, 4, 14
- growing season 277
- growth 58, 231, 232, 234, 236, 242, 244, 375
- growth analysis 397
- guaiacol peroxidase 213

- Hartweg pine 102
- heavy metals 23, 29, 447, 449, 451
- herb species 136
- high O₃ concentrations in late spring and early summer 232
- high O₃ levels 242
- high temperature events 61
- holm oak 375
- humidity 349
- hybrid poplar 7, 27, 442
- hypersensitive response 99
- hypotheses 141, 142, 149, 150, 163, 164

- increased N deposition 450
- increment cores 280
- indicator plants 97
- interacting effects of CO₂ and O₃ 413
- interpolation techniques 124
- inverse weighted distance 124
- ISC3 316, 323, 325
- ISC3 model 315
- IUFRO Research Group 7.04.00 437

- jack pine 71
- jasmonic acid 405
- Jeffrey pine 11, 101
- Juniperus occidentalis* 155

- knowledge gaps 439, 443
- kriging 124
- Kyoto protocol 14, 47, 69, 70

- land cover classes 128
- Larix decidua* 71, 135
- leaf
 - area 349, 382
 - biomass 352
 - decomposition 443
 - mass per area ratio (LMA) 145

- morphology 151
- responses 147
- senescence 352
- surface wettability 250, 253
- water potential 153
- Level I risk assessment 129
- Level I risk maps 136
- Level II assessment 132
- Level II ozone risk evaluation 136
- light 157
- litter decomposition 64, 350
- litter layer 315
- LMA 146, 156
- loblolly pine (*Pinus taeda* L.) 7, 13, 101, 345, 347, 349, 351
- Lombardy (Northern Italy) 119
- long-range transport 10
- Lupinus* 206
- Lycopersicon esculentum* 27

- mapping algorithm 136
- maximum permissible ozone concentration 106
- Mediterranean environment 375
- Mediterranean region 212
- Mediterranean shrub 259
- Melampsora* 405
- Melampsora medusae* 247, 249, 250, 254
- Mexico City 102
- Michigan 315
- mineral nutrients 147, 149, 162
- mineral nutrition 143, 150, 165
- mineral soil 315, 316, 318, 321, 322, 324
- mineralization 59
- model 277
- modifying factors 132
- molecular markers 445
- monitoring needs 449
- monitoring stations 122, 123
- Monterey pine (*Pinus radiata* D. Don) 348
- Montezuma pine 102
- morphotypes 335, 337, 340
- morphotyping 332
- mortality 289, 297
- mycorrhizal
 - coenosis 330
 - diversity 339
 - fungi 330, 340
 - morphotypes 329, 334
- morphotyping 339
- status 340
- tips 339
- mycorrhizas 334, 339, 340

- National Ambient Air Quality Standards 104
- natural O₃ occurrence under northern conditions 233
- natural stressors 277, 298
- natural variation 277
- needle water potential 213
- net carbon assimilation 349
- net ecosystem production 16
- net photosynthesis 347–349
- net primary productivity (NPP) 67, 347
- nitrification 59
- nitrogen 24, 53, 59, 145, 147, 151, 156, 277, 278, 349, 442, 444, 447–449, 451
 - deposition 21, 74, 443, 453
 - dioxide 86
 - eutrophication 279
 - immobilization 350
 - oxides 1, 2, 8, 10, 19, 28, 29, 45, 57, 87, 89, 110, 111, 248, 329, 455
 - emissions 20
 - saturation 59, 353
- nitrous acid 443
- northern areas 233, 244
- Norway spruce 445
- nutrient 141, 144, 145, 147, 149
- nutrient and water limitations 347
- nutrient imbalance 298
- nutrition 143, 148, 149

- ontogeny 141, 142, 149, 155, 163, 165
- open-top chamber experiment 352
- ordinary kriging 125
- organic matter decomposition 454
- Oryza sativa* 27
- OTC 135, 442
- oxidative burst 99
- ozone 8–11, 15, 25–28, 49, 50, 53, 57, 60, 74, 85–87, 89, 97–101, 108, 109, 119, 123, 141–165, 199, 200, 212, 231–233, 240, 259, 298, 351, 359, 360, 363, 365–367, 371, 373, 438, 441, 443, 447–450, 455
 - concentrations 214

- critical-levels 214
- effects of 176, 177, 182, 184, 185, 187–193
- European Commission Directive 223
- gradient 445
- model 175, 178, 181–183, 185, 186, 190–192
- risk areas 127
- symptomatology 96
- uptake 141, 145, 214
- ozone air quality standards 103
- ozone and water stress 213, 225
- ozone effects
 - antioxidant enzymes 221
 - biomass 226
 - chlorophylls 224
 - growth 222
 - photosynthesis 215
 - stomatal conductance 215
 - visible injury 212
 - xanthophylls 217
- ozone-like symptoms 270
- ozone-sensitive 204
- ozone-tolerant 202

- PAN, peroxyacyl nitrate 9
- paper birch 7, 60, 443, 444
- particulate pollution 23
- particulates 29
- passive O₃ samplers 112
- passive samplers 95, 270, 440, 452
- peak O₃ episode 232, 242, 244
- peroxyacetyl nitrate (PAN) 10
- phenolic glycosides 109
- phenology 141, 143, 159
- phenols 265
- phenylalanine ammonia-lyase 402
- phenylpropanoid 393
- photo-oxidant plume 130
- photochemical oxidant production 10
- photochemical oxidants 53
- photooxidative stress 225
- photorespiration 67
- photosynthesis 8, 58, 145, 147–154, 163, 164, 175–178, 180–182, 185, 190, 191, 193, 199, 214, 215
- photosynthetic rates 352
- physiology 58
- Picea abies* 135, 151, 152, 445
- Picea aristata* 155
- Picea rubens* 154
- pigment 400
- pine 13
- Pinus banksiana* 71
- Pinus contorta latifolia* 62
- Pinus halepensis* 211
- Pinus hartwegii* 11, 102
- Pinus jeffreyi* 11, 101
- Pinus lambertiana* 11
- Pinus leiophylla* 102
- Pinus montezumae* var. *lindleyi* 102
- Pinus ponderosa* 11, 27, 101, 153–155
- Pinus resinosa* 71
- Pinus* spp. 13
- Pinus strobus* 11, 207
- Pinus sylvestris* 27
- Pinus taeda* L. 13, 101, 155
- pollutant interactions 24, 29
- pollution loadings 277
- ponderosa pine (*Pinus ponderosa* P. Laws. ex C. Laws) 11, 101, 109, 348, 443
- poplar 8
- Populus* hybrids 27, 348
- Populus* spp. 130, 158
- Populus tremula* x *P. alba* 404
- Populus tremuloides* Michx. 13, 27, 60, 97, 108, 109, 199, 200, 247, 248, 251, 253, 392
- potato 27
- precipitation 349
- Prunus serotina* 130, 151–161, 163
- Pseudotsuga macrocarpa* 101
- Pseudotsuga menziesii* 151, 155

- Quercus ilex* 375
- Quercus petraea* 27
- Quercus rubra* 151, 153–156

- radial increment 277
- radiative forcing 14
- reactive oxygen species 441
- red maple (*Acer rubrum* L.) 350
- red pine 71
- red spruce (*Picea rubens* Sarg.) 350
- regional scale risk assessment 129
- research needs 53, 450, 453
- resource availability 143
- respiration 67, 144, 146, 147, 149, 150, 153, 163
- respiratory 145

- rice 27
 RNA 397, 403
 root biomass 353
 root growth 349, 352
 root respiration 349
 root/shoot ratio 145
 Rubisco 8, 99, 392, 393, 396, 401, 402
 rust occurrence 250
- sacred fir 102
 salicylic acid 405
 San Bernardino forest 101
 scaling 141–143, 146, 149–151, 156, 163
 scaling ozone 142
 Scots pine (*Pinus sylvestris* L.) 27, 130, 231, 232, 240, 242–244, 329, 330, 339, 348
 semi-variogram 125
 – functions 127
 senescence 199
Sequoiadendron giganteum 153–155
 shortleaf pine (*Pinus echinata* Mill.) 352
 shrubs 136
 silver birch 444
 site productivity 277, 297
 Sitka spruce (*Picea sitchensis* (Bong.) Carr.) 348
 small-scale ozone risk assessment 119, 136
 smelter particulate deposition 315
 smog 86
 SOD 404
 soil 359–363, 368, 369, 371, 373
 – acidification 298
 – C and N cycling 350
 – decomposition rates 350
 – moisture 349
 – nitrogen 430, 432
 – organic matter 350
 – organic matter decomposition 349
 – respiration 16, 350
 – temperature 349, 350
 – warming 63
 – water availability 132
 – water content 134
 soil-to-leaf hydraulic conductance 153
Solanum tuberosum 27
 solar radiation 349
 soluble protein assays 396
 sooty mold fungus 405
- soybean 27
 Spain 212
 spatial survey for O₃ induced injuries to vegetation 271
 species composition and ranges 17
 species richness 62, 63
 spruce 443
 stand age 297
 stand density 277
 starch 401
 stem biomass 353
 stomata 97, 145, 146
 stomatal conductance 141, 143, 145, 147, 150–152, 154–159, 162–164, 214, 351
 stratosphere 86
 strawberry tree 260
 stress-induced ethylene 99
 subarctic Scots pine 232
 succession 444
 sugar maple 7, 315, 316
 sugar pine 11
 sulfur 23, 46, 53, 278, 329, 330, 444, 448, 449, 451
 – compounds 447
 – deposition 21, 74
 – dioxide 23, 25, 28, 110, 455
 – dioxide emissions 20
 – emissions 330
 – oxides 2, 19, 29
 summer chlorosis 224
 superoxide dismutase 213, 398
 surface level ozone 88, 90, 92, 94
 surface temperature 5
 sweetgum 7
 symptoms 136
- temperature 53
 tomato 27
 trace metals 331, 338
 transpiration 144–146
 tree
 – age 277
 – decline 142
 – maturation 157, 160, 164
 – ontogeny 157, 165
 trees 136
 trembling aspen (*Populus tremuloides* Michx.) 7, 13, 27, 60, 97, 108,

- 109, 199, 200, 247, 345, 348, 351, 352
- Triticum aestivum* 27, 122
- troposphere 86
- tropospheric ozone 1, 6, 90, 247, 248, 392
- Tsuga canadensis* 315, 316
- USDA Forest Service Global Change Research Program 347
- vapor-pressure deficit 153, 157
- vines 136
- visible foliar symptoms 204
- visible injury 259
- visible leaf symptoms 135
- visible symptoms 274
- volatile organic compounds (VOC) 8–10, 45, 87, 88, 111, 248, 451, 455
- emissions 15
- volume growth 279
- water availability 350
- water stress
- antioxidant enzymes 222
- photosynthesis 216
- stomatal conductance 216
- xanthophylls 217
- water-use efficiency (WUE) 143–147, 350
- wax classes 252
- wheat 27
- white fir 11
- white oak (*Quercus alba* L.) 348
- whole-plant carbon balance 145
- wind speed 132, 134
- xanthophyll 216
- yellow poplar (*Liriodendron tulipifera* L.) 345, 348, 352, 353
- Zea mays* 27