

INDEX

- Activities, analytical, 389
 - , publishing, 389
 - , research, 389
- Activity, 81, 320–325
 - , slack, 323–325
 - , –, free, 323, 325
 - , –, total, 323, 325
- Adaptability, model, 276
 - , system, 22, 47, 48, 252
- Adaptation, 276
- Aggregation, 22, 47, 48, 252
 - , degree, 252
 - , parameters, 252
- ALGOL, 204–210, 264, 265
- Algorithm, 68, 85, 145, 198, 208–210, 216, 249, 355
- Algorithmization, 330, 339, 372, 383
- Allocation, optimal, 344
 - , water, 351
- Alternative, 25, 56, 262, 273
 - , basic, 402
- Analogy, hydrological, 255
- Analytic terms, 385
- Application, automatic control, 85–87
 - , calculus, variations, 181, 189–191
 - , cybernetics, 390
 - , dynamic programming, 236–248
 - , graph theory, 329–339
 - , inventory theory, 292, 299
 - , linear programming, 221–232
 - , Markov(ian) processes, 149, 289–297
 - , out-of-kilter algorithm, 344–350
 - , queuing theory, 312–316
 - , systems engineering, 25
 - , theoretical probability distribution, 93
- Approach, functional, 259
 - , heuristic, 368
 - , information, 22
 - , morphological, 79
 - , probability, 16, 17
- Arborescence, 320
- Arc, 318–322, 331–335, 340–350
- Array, arrangement, 269, 270
- Arrival, bulk, in queue, 303
 - , individual, in queue, 303
 - , rate, 308–310
- Autocode, 204
- Automatic control, 81–87
 - , design, 336
 - , information system, 372
- Automation, 22
- Balance, mass, 334
- Balk, queue, 304
- Batch size, 283–288
- Behaviour, analysis, 45–48
 - , dynamic, 249
 - , system, 45, 277
- Benefits, 65
 - , discounted, 232
 - , flood control, 368
 - , gross, 290, 291, 361
 - , irrigation, 224, 229
 - , net, 224, 229, 245, 316
 - , power production, 224, 225, 229
- Biostasis, 32
- Black box, 22, 382, 411
- Boards, Water, 64, 87
- Boundaries, 349, 368, 369
- Boundary conditions, 337
- Bounds, 341–350
- Brainstorming, 75–79
- Branch, 330
- Broken line, 224
- Buffer, 283
- Canal Danube–Oder–Labe, 262, 411
- Catalogue, 384
- Carry-over, 255
- c.d.f. (*see* Distribution function, cumulative)
- Chain, 319
 - , Markov(ian), 145–148, 153–156, 295–297, 304–308, 313, 345
 - , –, imbedded, 306, 307

- Chance-constraints, 252, 253, 260, 261, 351–360
 Chanel, exponential, simple, 308–310
 –, communication, 373
 –, noiseless, 373
 Character, 391
 Circuit, Hamiltonian, 320
 Circulation, 342, 346, 347
 Classification, Kendall, 304–308
 CMEA, 413
 COBOL, 204, 205
 Coding, 373, 389
 Coefficient, correlation, 140, 141
 –, –, linear, 112
 –, –, rank, 112
 –, kurtosis, 92
 –, redundancy, 377
 –, regression, 115–130, 345
 –, skewness, 92, 95–105
 –, variance, 92, 95–105
 Communication, 54, 378–380
 –, test, 383
 Compactness, information language, 384–386
 Compatibility, data, 255
 Complexity, 34
 Computer, analog, 192, 193, 419
 –, center, 213–215
 –, digital, 17, 192, 194, 249, 390, 419
 –, hardware, 82, 192–198
 –, memory, inner, 271
 –, software, 82, 85, 203, 382, 388, 394–396
 –, system, 192
 Connector, 201
 Constraints, 217–221, 223, 227
 –, flood control, 351–353
 –, maximum release, 352, 354
 –, minimum release, 352, 354
 –, recreation pool, 263
 –, water supply, 351–353
 Conservation, 43, 44
 Consumption, 269
 Control, automatic, 81–87
 –, computer, 194
 –, list, 79
 Convergence, 166, 167
 Convolution, 180–181
 Cooperation, international, 390
 Copying equipment, 389
 Correctness tests, 271
 Correlation, 74, 108–117, 135–141
 –, analysis, 135–141
 –, indices, 116
 –, spurious, 74
 Cost-benefit analysis, 27, 64
 –, –, ratio, 395
 Costs, allocation, 65, 66
 –, capital, 277, 361, 398
 –, direct, 395
 –, indirect, 395
 –, initial, 57, 316, 415
 –, inventory, holding, 278, 280, 284
 –, investment, 224, 231
 –, minimum, 24, 254, 398
 –, OMR, 361
 –, operation, 224, 231, 316
 –, penalty, 282
 Costs, value, 349, 369
 Covariance, 110–112
 CPA (*see* Critical path analysis)
 CPM (*see* Critical path method)
 CPU (central processing unit) 195–197
 Criterion (-ia), 58, 83, 121–130, 232
 –, construction, 58
 –, costs, 57
 –, development, 59
 –, economic effectiveness, 58
 –, environmental, 58
 –, multipurpose, 20
 –, optimization, 58
 –, system, 58
 Critical path, 324–326
 –, –, analysis, 317, 320, 322–328
 –, –, method, 47, 317, 324–328
 Cross-correlation, 154, 155, 255
 Curse, dimensionality, 247, 248
 Cybernetics, 15, 19, 21–23, 81–83, 415
 Cycle, 319, 330, 336, 401
 –, elementary, 319
 –, hydrological, 412
 Data, acquisition, 372, 381, 387
 –, base, 387, 390
 –, hydrological, 192, 254, 400, 413
 –, input, 71, 192, 250, 254–256, 268, 400
 –, organization, 381
 –, output, 268

- Data, processing, 130, 192, 216, 253, 372
- , structure, 391
- Debugging, program, 210–213, 253, 264
- Decision, analysis, 57–64, 257, 273, 414
- , making, 25, 27, 57, 81, 273, 276, 277, 419
- , situation, 27
- Decoding, 373
- Decomposition, system, 402, 416
- Deficits, 44, 256, 263, 316, 346
- Defining, problem, 254
- Delivery, time lag, 279, 287
- Demand, 280, 282, 288, 292, 360, 401
- Demand-supply integration
(*see* Supply-demand integration)
- Demands, water, 77, 338
- Dependence, 108
- , complex, 116–117
- , linear, 111–116
- Design, 79, 159, 261, 262
- , optimum, 23
- Deviation standard, 92, 95–105, 274
- Diagnostic analysis, 48, 71
- Dialectics, 16
- Digraph (*see* Graph, directed)
- Discharge, minimum, 254
- Discipline, queuing, 303–305
- Discount factor, 232
- Dissemination, information, 378, 387
- , –, selective, 387–391
- Distribution function, convoluted, 354
- , –, cumulative, 89–130, 132, 274, 353
- , probability, binomial, 315
- , –, Chi-square, 120–130
- , –, Erlangian, 305, 307, 310
- , –, exponential, 102, 304–307, 310
- , –, F , 119–130
- , –, Fréchet, 105
- , –, Gamma, 99
- , –, Gauss-Gibrat, 99
- , –, Goodrich, 102
- , –, Gumbel, 103, 357
- , –, log-normal, 98–99
- , –, multivariable, 109
- , –, normal, 94, 316
- , –, normalizing, 98
- , –, Pearson, 102, 298, 315, 316
- , –, sample, 105–108
- Distribution probability, Student, 119–130
- , theoretical, 89–107
- , –, Weibull, 99
- Diversion channel, 340
- , water, 255, 330
- Documentation, program, 213
- Draft, 403
- Dynamic programming, 56, 217, 222, 233–248, 415
- , –, discrete differential, 247, 248, 415
- , –, incremental, 248
- , –, stochastic, 247–248
- Dynamics, system, 261
- DYNAMO, 204
- Economic life, 232, 251, 415
- Economics, 13, 31
- Edge, graph, 318–320
- Effectiveness, economic, 15, 66
- , operational, 394
- Efficiency, economic, 394
- Element(s), 16, 38–40, 54, 55, 257, 262
- Elimination, 47
- Energy, dump, 256, 262
- , firm, 256, 262, 361
- Engineering, 13
- , systems, 23–25
- Entropy, 372–377
- , relative, 377
- Environment, 259
- , essential, 258
- , system, 16, 54, 258, 259, 381
- Environmental conservation, 254
- Equation continuity, 252, 253, 355
- , Euler, 187
- , –, functional, 181
- Equivalent deterministic, 353
- Ergodicity, random process, 133–135
- Estimate, interval, 117–130
- , optimistic, 326
- , parameter, 117–130
- , pessimistic, 326
- Estimators, 117–124
- Evaluation, alternatives, 57, 60
- , –, decision analysis, 57–64
- , –, economic, 64–67
- , –, simple, 60
- , –, weighted, 60

- Evaluation, model, 272, 273
- Event, random, 87–89
- Exceedance probability, 355
- Expansion Heaviside, 177–180
- Expectation, 160
- Experiment, 69, 87, 382, 417
- , simulation model, 254, 275
- Expert estimation, 75–77
- Expressiveness, information, 384–386, 391–392
- Extrapolation, nonlinear, 76
- Extremum, functional, 185

- Factor, plant capacity, 367
- Failure, system, 29
- Feedback, 30
- Field, 391
- FIFO, 303, 306
- File, 391
- , document, 378, 384
- , organization, 387
- Fitting, curve, 96–98
- Flood control, 43, 52, 236, 253, 255, 259, 260, 262, 361, 401, 406, 410, 414
- , –, storage, 236, 253, 401
- , damage, 368
- Flow, acceptable minimum, 44, 269, 273, 406
- , annual, 299, 300
- , gauged, 251
- , generation, synthetic, 149–156, 251, 255, 400
- , log-normally distributed, 150
- , low, augmentation, 43, 49, 259, 402–403
- , minimum, augmentation, 340, 346, 347
- , optimal, 338
- , pattern, 331, 333
- , stochastic, 227, 228
- Flowchart, 199, 200, 202, 211, 215, 381
- Formula, Bayes, 89
- Formulation, problem, 55, 68
- , task, 54
- FORTRAN, 204–206, 264, 265
- Frequency, relative, 108
- Function, autocorrelation, 133–141
- , benefit, 224, 229
- , correlation, 139–142
- , covariance, 133–141
- , Dirac, 169–171
- , distance, 183
- Function, harmonic, 164–167
- , loss, 256, 361, 368, 415
- , non-linear, 224, 225
- , periodic, 163, 168
- , polyharmonic, 167, 168
- , transfer, 160–162
- , trend, 72
- Functional, 182–188

- Gauging station(s), 54, 254, 269, 270, 400
- , –, system, 154, 254
- General Water Plan (GWP), 37, 40, 43, 44, 70, 77, 252, 273, 344, 356, 398, 406, 408–411
- Generation, hypotheses, 68
- Goal, constrained, 66
- Gompertz curve, 76
- Go-no-go, 230
- Goodness-of-fit, 154
- Graph, edge-valuated, 320, 321
- , Euler, 319
- , complete, 318
- , connected, 318
- , directed, 147, 318, 320–322
- , node-valuated, 320, 321
- , null, 318
- , out-of-kilter, 349, 370
- , planar, 318
- , simple, 318
- , valuated, 320
- Graphic devices, 372, 378
- Groundwater, 31, 413
- Group tension, 75
- , working, 78–81

- Hamiltonian path, 328
- Head, average, 367
- Heuristics, 67–69
- Hierarchical classification, 384, 387
- Hierarchy, systems, 39
- Homeostatic ultrastability, 418
- Homeostasis, 32
- Homogenization, data, 255
- Homographs, 386
- Homomorphism, 21
- Hydroelectric power, 22, 361, 367
- , –, generation, 43, 49, 52, 401, 406
- , –, plant, 222, 361, 367
- Hydrological conditions, 222, 274
- , interactions, 39

- Hydrological network, 39
 - , periods, 222–225
 - , potential, 410
 - , relationship, 38, 253, 258
 - , systems, 161–163, 413
 - , time series, 43
- Hydrology, 13, 413
 - , deterministic, 255
 - , stochastic, 251–252, 255
- Hypothesis(-es), non-parametric, 126
 - , null, 124–126
 - , parametric, 124
 - , testing, 124–130
- IAHR, 36
- ICI, 76
- IIASA, 27, 28, 36, 413
- Implementation, models, 276, 277
- Impulse, unit Dirac, 169, 170
- Index, file, 384
 - , precision, 393
 - , recall, 393
 - , record, 384
- Indexing, 378
 - , automatic, 387, 388, 390
- Information center, 379
 - , classification, 378
 - , generation, 378
 - , inner, 377
 - , pragmatical, 372
 - , processing, 383, 387
 - , secondary, 378, 387
 - , semantic, 372
 - , stochastic, 418
 - , storing, 383
 - , syntactic, 372
- Input, 55, 194, 201, 254–257, 373–375, 417
 - , economic, 256
 - , hydrological, 350
 - , information, 390–392
 - , model, 213
 - , Poisson, 304–306
- Intangibles, 15, 415
- Integral, convolution, 180
 - , Fourier, 166–168
- Integration, 13, 78
- Intelligence, artificial, 27
 - , synthetic, 378, 390
- Interpolation, 72
- Inventory, 278–301
 - , replenishment, 278
- Irrigation requirements, 360
 - , system, 244
- Isomorphism, 21
- IWRA, 36, 413
- Kernel, 162
- Keywords, 384–386
- KWIC (key-words-in-context), 385
- Language, information, 383–387
 - , natural, 385
 - , programming, 203, 204
 - , simulation, 264, 279
- Level, discriminative, 38, 39, 46, 54, 252, 411
 - , →, detailed, 252, 398, 406
 - , →, rough, 31, 43, 252, 261, 381, 398, 406
 - , inventory, 284–288
- LIFO, 304, 306
- Line, Euler, 319
- Linear programming, 25, 217–233, 258, 317, 328–329, 336, 341, 351, 361
 - , →, parametric, 317
- Linearization, 224, 225
- Linguistics, 372
- Linkage test, 383
- Loss function, 263, 367
- Losses, 344, 345
 - , evaporation, 265
 - , infiltration, 265
- Management, technical, 24
- Matrix, correlation, 133
 - , covariance, 133
 - , graph, 348
 - , incidence, 321, 330–337
 - , notation, 383
 - , transition, 290–292
- Mean, 92, 95–105
- Memory, computer, 194–197
 - , →, direct access, 392
 - , →, equal, 392
 - , →, sequential access, 392
- Methodology, 20, 80
- Methods, analogy, 74
 - , cybernetic, 415, 416
 - , Delphi, 75, 76

- Methods, heuristic, 17, 68, 79, 413
 -, interpolation, 72
 -, Markovian optimization, 416
 -, mathematical, 87–189
 -, matrix, 295
 -, modelling, 75
 -, moments, 91, 357
 -, Monte Carlo, 293–296, 301, 307, 311, 316
 -, optimization, 79
 -, quantiles, 357
 -, simplex, 221
 -, statistical, 15
 -, steepest ascent, 275
 -, stochastic, 326
 -, trial and error, 275
 Minicomputer, 388–389, 394–396
 Model, adaptive, 416
 -, allocation, 340
 -, chance-constrained, 251, 260, 261, 351–360
 -, credibility, 276
 -, cybernetic, 415
 -, deterministic, 282
 -, dynamic, 282
 -, economic, 278
 -, formulation, 258–260
 -, heuristic, 66
 -, inventory, 278–301
 -, -, deterministic, 278, 282
 -, -, stationary, 278
 -, -, stochastic, 278, 282–301
 -, library activities, 387
 -, linear regression, 153–156
 -, mathematical, 69, 230–232, 276, 413
 -, multipurpose, 66, 361, 401
 -, network, 337
 -, optimal programming, 217–248
 -, optimization, 216
 -, queue, 302–308
 -, screening, 225, 258, 361, 398, 406
 -, service mechanism, 304–307
 -, simulation, 216, 232, 233, 249–277, 279, 340, 344, 356, 361, 398–402
 -, -, deterministic, 251, 358, 360, 398
 -, -, dynamic, 251
 -, -, program, 264–271
 -, -, static, 251
 -, -, stochastic, 149–156, 251, 255, 274, 275, 345, 360, 398
 Model, static, 282
 -, stochastic, 282
 -, -, analytical, 361–368
 Modelling, optimal, WRS, 194
 Moment, 91–92, 132–133
 -, central, 91–92, 133
 -, general, 91–92
 Monitoring, automatic, 86
 Moving averages, 145
 Multi-modelling, 405
 Navigation, 14, 244
 Network, analysis, 317–318, 340
 Node, graph, 318–322, 331–335, 340–350, 369
 -, initial, 321
 -, starting, 349
 -, terminal, 321, 349
 Nodes, labelling, 340–344, 369
 Noise, 162
 -, white, 143, 146
 Nonambiguity, information language, 389
 Notation, Kendall (*see* Classification, Kendall)
 Nulity, graph, 320
 Number, random, 316
 Objective function, 67, 217, 221, 233–242, 250, 257, 329, 338, 340, 341, 361, 362
 -, -, compromise, 321
 -, -, linear, 218
 -, system, 46, 47
 OMR (operation, maintenance, replacement), 329
 Operation(s), actual, 344
 -, initial, 201
 -, main, 202
 -, real-time, 85, 86
 -, research, 13, 25–26, 79, 233, 249, 261, 302, 415
 -, without deficits, 44
 -, WRS, 45, 262–263
 Operational rule, 263
 Operator, linear, 161–162
 -, system, 157–159
 Optimality, principle, 235–236
 Optimization, benefits, 34
 -, model, 257, 336
 Optimization, multiobjective, 66–67, 85, 273

- Optimization, multipurpose, 67
- Order, 263
- Orientation, graph, 320
- Original, 172–176
- Out-of-kilter, 340–350
 - , number (*see* State number)
- Output, 55, 194, 201, 256–257, 373–375, 417
 - , economic, 256
 - , model, 253
- Overloading, artificial, 383
- Over-year storage, 361

- Parameter, input, 261–262, 360
 - , estimation, 105–108
 - , output, 262
 - , sampling, 250
- p.d.f. (*see* Probability density function)
- Peaking operation, 268
- Performance, information system, 393
- Period, critical, 272, 273
- PERT, 47, 317, 318, 325–328
- Philosophy, 20, 21
- Planning horizon, 232
- PL/I, 204, 205
- Policy, inventory, 278, 281, 283
 - , operational, 252, 253, 262, 270, 274, 293, 346, 360
 - , optimal, 235, 236, 241–245
 - , –, conditional, 234–236
- Pool, minimum, 263
- Power, generation, 14, 44, 49–52, 401, 406
 - , plant capacity, 228
 - , –, thermal, 252, 406
 - , –, water, 223, 226, 258
 - , production, 244, 256, 346, 360, 367
 - , system, 263
- Prediction, 70, 414
 - , error, 72
 - , interval, 72
 - , long-term, 70
 - , point, 72
 - , short-term, 70
- Predictor, 71
- Preparation, 201
- Present value, 224, 225
- Prices, shadow, 64, 65
- Principle, satisfaction, 254

- Priority, queue discipline, 306
- Probability, conceptions, 15, 16
 - , conditional, 88, 89, 364–366
 - , density function, 89–130, 132, 274, 308
 - , –, –, normal, 95
 - , stationary, 295
 - , steady state, (*see* stationary)
 - , transition, 289–301
 - , unconditional, 88, 89
- Problem, complex, 27
 - , information, 378
 - , large-scale, 22
 - , transportation, 221, 317, 328
- Procedure, 207–210, 250
- Process, continuous, 252–254
 - , decision-making, 254
 - , optimization, 350
 - , Poisson, 305
- Processes, adaptive, 417
 - , aperiodic, 163
 - , dynamic, 233
 - , harmonic, 163–168
 - , heuristic, 68
 - , inventory, 282
 - , learning, 418
 - , Markov(ian), 145–149, 239, 295–297, 304–308, 417
 - , non-Markovian, 417
 - , non-stationary, 133–273
 - , periodic, 163–167
 - , polyharmonic, 163–164
 - , queue, 302
 - , random, 130–156
 - , semi-Markovian, 307
 - , sequential, 317
 - , stationary, 133
 - , transient, 163–165
- Processing, 201
- Prognostics, 70–77, 262
- Program, bivalued, 230
 - , computer, 207–210, 253, 264–271
 - , diagnostics, 210–213
 - , linear, 353
 - , user's, 271
- Programming, analog computer, 193
 - , automatic, 203–204
 - , bivalued, 231
 - , computers, 13, 192–216, 372

- Programming, heuristic, 389
 -, languages, 204–206
 -, linear, mixed-integer, 230–233
 -, machine language, 203
 -, mathematical, 67, 82–84
 -, nonlinear, 230, 336
 -, optimal, 217
 P-system, inventory, 286–288
 Pumped storage plant, 256, 268
- Q-system, inventory policy, 283–285
 Quantiles, 357
 Queue, 302–316
- RAMPS, 318
 Realization, 131–135, 274
 Record, 391
 -, flows, 398
 Recovery, system, 395
 Recreation, 51, 52, 256, 368
 -, activities, 407
 -, benefits, 361
 -, constraints, 236
 -, pool, 236, 407
 -, water related, 43, 49
 Reduction function, 263
 Redundance, information, 377, 395
 Regression, 74, 115–130, 345
 Regulation, automatic, 84
 -, river flow, 236–238, 263,
 346, 358, 401, 409
 Relation(ship), 38–40, 46, 54, 381
 -, external, 16
 -, functional, 31
 -, internal, 16
 -, probability, 108–109
 -, quantity–quality, 413
 -, serial, 300
 -, stochastic, 261
 -, structural, 31
 Release, minimum, 262, 265
 Relevance, information, 389, 393
 Reliability, 25, 51, 256, 263, 273,
 299–301, 353–359, 409, 414
 -, flow, 299
 -, occurrence based, 28, 267, 353, 398
 -, quantity based, 28, 267
 -, time based, 28, 267, 353
 -, water supply, 398, 409
- Reorder cycle, 285, 286
 Replacement, 317
 Replenishment, 280, 283
 -, intervals, 282
 Representation, graphical, 46, 47
 -, matrix, 47
 -, schematic, 46
 Research, applied, 13, 24
 -, scientific, 16, 79, 81, 413
 Reservoir cascades, 31
 -, design, 130
 -, function, 265
 -, infinite, 315, 316
 -, multipurpose, 351, 352, 410
 -, parameter, 269, 270
 -, release, 227
 -, storage, 227, 255, 273, 312
 -, -, analysis, 293
 -, water, 340, 398, 404
 Response, nonlinear, 263
 -, system, 261
 Retrieval, information, 378, 380, 384–390
 -, retrospective, 388, 389
 -, system, 387
 Ripple's mass diagram, 255, 405
 Risk, 28, 34, 273, 315
 -, acceptable, 273
 -, failure, 28, 413
 River network, 330–331
 Rule, linear decision, 352–354, 360
 -, operational, 345
 -, space, 268
- Safety stock, 282–301
 Sampling, random, 275
 -, systematic, 275
 Satisfaction, 66
 Scheduling, input/output, 317
 -, strategy, 275–277
 Schedules, Bernoulli, 374
 -, finite, 374
 Searching, 392
 s.d.f. (*see* Spectral density function)
 Sensitivity analysis, 272
 -, tests, 276
 Server, 303–308
 Service mechanism, 304–307
 -, rate, 308–310
 Signal tracing, 383

- Significance, statistical, 121–130
- Simplification, degree, 277
 - , system, 46, 47
- Simulation, 249–277
 - , dynamic, 261
 - , flood control, 253
 - , parameters, 253
 - , stochastic, 271
 - , system, 49
 - , –, queuing, 311–312
 - , trial and error, 263
- SIM WRS, 250, 265–271, 411
- Sink, 350
- Solution, feasible, 342
 - , optimal, 342, 343
 - , trivial, 342
- Source, 350
 - , code, 211–213
- Space interpolation, 255
- Spectral analysis, 141–145
 - , density function, 141–147
- Spectrum, 169–170
- Stabilization, 417
- Stage, 234–240
- State feasible, 234, 235
 - , interval, 364, 366
 - , number, 343, 344, 370
 - , stationary, 298
 - , steady, 298
 - , system, 234, 235
- Statement, 207–210
- Stationarity, 135, 303
- Statistics, mathematical, 13, 73, 117–129
- Stock, 278–210
- Storage, active, 56, 228, 253, 262, 265–271, 273, 292, 346–348, 358, 388
 - , –, within year, 361
 - , actual, 242–244
 - , capacity, 256
 - , computer, 194–197
 - , dead, 56, 262, 274
 - , flood control, 262, 273, 274
 - , infinite, 298
 - , initial, 345, 347
 - , reservoir, 50–52, 222–226, 230, 237–241, 262, 265, 270, 297, 312–316, 351–355, 364–368, 409
 - , total, 56, 274, 351, 352
 - , volume, 56, 330, 351, 364, 367
- Streamflow (*see* Flow)
- Structure, addressed fields, 391–392
 - , analysis, 27, 45, 48
 - , branching, 392
 - , chain, 392
 - , fixed fields, 391–392
 - , invariant, 391–392
 - , list, 392
 - , random, 392
 - , repeated fields, 391, 392
 - , sequential, 392
 - , system, 16, 254, 277
 - , topological, 336
- Sub-optimum, 254
- Subsystem, 38–44, 54–55, 259, 402, 409, 410, 416
- Supersystem, 38, 44
- Supply-demand integration, 14, 412
- Surrogate-worth trade-off, 67
- Synonyms, 386
- Synthesis, system, 79, 379–381
- System(s), abstract, 20
 - , adaptive, 83–86, 416–419
 - , analysis, 13, 24–29, 254, 256, 259, 380–382, 396, 398
 - , –, applied, 27–28
 - , approach, 13–16, 23, 30–33, 372, 379, 406, 411–419
 - , behaviour, 21, 156–161, 416
 - , centralized, 394
 - , classification, 32, 39
 - , closed, 32
 - , communication, 373, 378–380
 - , complex, 35
 - , conceptual, 21
 - , concrete, 20
 - , control, 21, 22, 26–27, 81–86
 - , –, automatic, 81–86
 - , –, optimal, 82
 - , cybernetic, 380, 418–419
 - , decentralized, 394
 - , definition, 27, 45–56, 381
 - , diagnosis, 383
 - , distributed, 394
 - , dynamic, 40, 159–161, 286, 415
 - , economic, 23, 36
 - , engineering, 26, 30, 36
 - , information, 22, 26–27, 372–396
 - , integrated, 394
 - , inventory, 278

- System(s), irrigation, 39
 - , isolated, 32
 - , large-scale, 13, 23, 24, 35, 40
 - , learning, 417–418
 - , management, information, 378
 - , modelling, 412
 - , multidimensional, 415
 - , multipurpose, WRS, 39, 44, 57, 416, 418
 - , non-linear, 83, 415
 - , non-Markovian, 305–307
 - , open, 32
 - , parameters, 255
 - , ponds, 30
 - , power plants, 39
 - , purposeful, 38–39
 - , queuing, 303
 - , –, Markovian, 303
 - , real, 26
 - , science, 19–37, 70
 - , single-purpose, 39, 56, 57
 - , stochastic, 286
 - , technical, 23
 - , transfer, 158
 - , ultrastable, 417
 - , unreliable, 310–311
- Tables, decision, 202
- Tagged, descriptors, 385
- Target, energy, 256
 - , firm power, 367
 - , power production, 228
 - , storage volume, 368
 - , water supply, 366
- Task, 192, 198
- Team creative, 78–81, 414
 - , research, 414
- Terminal, 200
- Terminology, 20
- Test, compatibility, 382
 - , continuity, 382
 - , external, 49
 - , hypotheses, 124
 - , inner, 382
 - , internal, 49
 - , outer, 382
 - , program correctness, 271
 - , sensitivity, 272
 - , significance, 124
- Theory, communication, 22
 - , –, automatic, 82–84
 - , decision, 413
 - , game, 390, 413
 - , general systems, 19–21
 - , graph, 26, 317–339
 - , information, 373
 - , inventory, 278
 - , network, 87–129, 317–339
 - , probability, 13, 73, 87–129
 - , prognostic, 71, 72
 - , queuing, 292, 302–312
 - , random processes, 130–133
 - , regulation, 82
 - , reliability, 414
 - , systems, 24, 70, 87
 - , –, general, 19–21, 32
- Theaurus, 385–388
- Time, arrival, 314
 - , lag, 74, 136–138, 144–145, 160, 284, 285, 393
 - , finishing, 322–324
 - , interarrival, 314
 - , interval, 286, 315, 316
 - , node, 320
 - , reserve, 323
 - , series, 152–156, 254
 - , service, 304, 314
 - , starting, 322–324
 - , step, 253
 - , terminal, 324
 - , waiting, 304–307
- Traffic intensity, 308–310
- Transbasin diversion, 44, 358, 404, 410
 - , transport, 263
- Transformation, Fourier, 163–170
 - , Laplace, 171–180
 - , –, Wagner, 174, 176–181
 - , linear, 174
 - , log-normal, 345
 - , orthogonal, 155, 156
 - , similarity theorem, 175
 - , test, 383
 - , variables, 48
 - , Z, 181–189
- Transforms, Laplace, 172–176
 - , –, convolution, 175, 176
- Tree, 320, 330
- Triangle, Fuller, 59–63

- Unambiguity, information language, 384–386
 Uncertainty, 273, 376
 UNDP, 340
 Universal Decimal Classification, 384
 Unit impulse, 169–170
 Uniterms, 386
 Utility, 66
- Validation, model, 271–272
 Validity, simulation, 272
 Value, modal, 345
 Variable, continuous, 89
 –, discrete, 89
 –, random, 89–91, 129, 297
 –, standardized, 95
 Variance, 92
 –, analysis, 118–121
 Variation calculus, 181–182
 –, functional, 183
 –, problem, 185–189
 Verification, hypotheses, 68
 –, model, 271, 272
 –, simulation, 272
 Vertex, graph, 318–320
 Vistula, River, 340, 344–346
- Water Act, 44
 –, balance, 255
 –, conservation, 14, 419
 –, engineering constructions, 250
 –, structures, 254
 –, management, 13, 38, 388, 390, 412–416, 419
 –, power generation, 268
 water, quality, 43, 78, 254, 259, 275, 401, 406, 413–415
 –, –, management, 34, 38–40, 408, 413–416
 –, requirements, 228, 401–409
 –, resources, 38, 44–49, 57, 255, 262, 361, 412, 414
 –, –, balance, 255
 –, –, engineers, 316, 419
 –, –, management, 38–86, 234
 –, –, potential, 402
 –, –, research, 276
 –, –, system (WRS), 38–86, 253–256, 290, 312–316, 318, 337–338, 390, 397–411
 –, supply, 13, 236, 253–259, 262, 263, 274, 340, 361, 366, 406
 –, –, demand, 255
 –, –, firm, 255
 –, –, industrial, 43, 49, 52, 345, 347, 398, 406
 –, –, municipal, 43, 49, 52, 77, 244, 345, 347, 353, 398, 404, 406, 414
 –, –, network, 336
 –, –, public, 355
 –, –, system, 39
 –, turbine capacity, 256
 –, users, 15
 –, waste dilution, 401
 –, withdrawal, 56, 269, 331
 Waterway, inland, 411
 WRS (*see* Water resource(s) system)
- Year-book, 32
 Yield, 261
 Yield-storage relationship, 276