

INDEX

- Abrasion, 412
- Accumulation in flood plains, 47
- Accuracy of statistical characteristics, 143 ff
 - - the characteristics of flood regimes, 304
 - - the storage capacity, 231
 - - within-year release control, 239 ff
- Analysis, decision, 380 ff
 - of cascades of reservoirs, 276 ff
 - - flood-control reservoirs, 297 ff
- Andreianov's method, 217, 237, 239-240, 269
- Aspects, socio-economic, 406
- Auto-correlation, 83
- Automation of monthly flow balance, 30

- Balance deficit, 217
- Balancing, progressive, 61
- Bank abrasion, 412
 - slides, 412
- Biochemical oxygen demand (BOD₅), 420-421
- Bottom outlets, 326
- Brovkovich's probability paper, 136-137
- Buffer release control, 261
 - storage reservoir, 257, 265

- Capacity, controlled, 311
 - , flood control, 187, 311, 325
 - , surcharge, 187, 324
 - , uncontrolled, 311
- Cascade of power plants, 262, 278 ff
 - - reservoirs, 46, 275 ff, 312
- Character, representative, 91
- Characteristics of a reservoir, 70
 - , statistical, 96, 105, 143, 145, 225 ff, 269
- Chegodayev's formula, 97, 101

- Classification of reservoirs, 41 ff, 46, 48 ff
- Coefficient of economic efficiency, 369
 - - the yield, 51
- Compensation, 263
 - , over-year, 267
 - regime, 264, 267
 - Component, over-year, 194 ff, 225, 269, 294
 - , within-year (seasonal), 194 ff, 208 ff, 215
- Composition of probability curves, 213
- Conservation reservoirs, 23, 52
- Control, compensation, 263
 - , daily, 51, 246 ff
 - for occasional withdrawal, 52
 - in a cascade of reservoirs, 53
 - in a system of reservoirs, 53
 - , long-term release, 54
 - of sudden discharges, 52
 - , over-year, 51, 191 ff, 233, 339
 - , short-term release, 52
 - , weekly, 51, 257 ff
 - , within-year (seasonal), 51, 234 ff, 339
- Cooperation of a system of reservoirs, 354
 - - reservoirs, 284
- Correlation, 83, 167
 - coefficient, 85
- Cost distribution, 384 ff, 387
- Costs, investment, 369, 385
 - , joint, 384
 - , OMR, 369 ff, 385
 - , special, 385
 - , transferred, 369, 385
- Criteria for decision analysis, 380
- Curve, anti-failure, 283
 - , rule, 283, 318 ff, 331 ff, 353
- Curves, auxiliary, 64, 67
 - , exceedance, 64, 66, 97, 103, 128, 144, 170, 192, 198, 244, 288

- Curves, fitted theoretical, 237 ff
- , mass, 67 ff, 94, 191, 234, 258, 266, 277
- , probability, 213 ff, 236, 269
- , relation, 64
- , summation, 72 ff, 170, 249, 250, 254, 289
- , time (chronological), 64–65, 170
- Cycle, annual, 241
- of the reservoirs, 50
- – – –, daily, 50, 259
- – – –, over-year, 50, 283, 339
- – – –, seasonal (within-year), 50, 283, 290
- – – –, weekly, 50, 259
- Data-bank, 31
- , hydrological, 29 ff, 31, 61, 171, 297 ff
- , input, 171
- Decomposition in the sub-systems 345
- Deficit of water, 185, 268, 272, 358
- Demands on drinking water, 175, 179 ff
- – water for agriculture, 177
- – – – fish and poultry farming, 178
- – – – hydro-power production, 177
- – – – industry, 176
- – – – navigation, 178
- Density of random process, 149
- – – –, spectral, 156 ff, 303
- Depth-area curve, 70
- Depth-release curve, 308
- Depth-volume curve, 71, 251, 308
- Design dry year, 177
- low-flow period, 196, 239
- period, 95
- reliability of a reservoir, 185 ff, 193, 285, 338
- water demands, 173
- Determining new water resources, 179
- Development of water reservoirs, 20 ff
- – – management calculations, 32 ff
- Deviations of relative active storage capacity, 231
- – – yield, 230
- Discharge conditions, complicated, 334, 336
- forecast, 320
- from the interbasin, 265
- , maintained minimum, 171
- maxima, annual, 299
- , maximum flood, 298 ff
- , non-damaging, 301–302, 305, 314
- Discharge regime, 282
- regulation, 282
- series, synthetic (chronological), 217, 238, 267, 276
- , wasted, 288
- Distribution, double exponential, 118
- , sampling, 148
- Drainage water, 363
- Duration of the reservoir emptying, 232
- Effectiveness, economic, 368 ff
- , intangible, 369
- of re-pumping, 260
- of reservoirs, 343 ff, 368 ff
- of the optimal option, economic, 376
- Effects, economic, 342
- of operation rules, 337
- of system solution, 353
- , secondary, 379
- Environment 343, 407 ff, 424
- , human, 407, 409
- of small reservoirs, 367
- Errors of maximum discharges, 304
- – the storage volume, 240
- Estimation of exceedance probability curve parameters 128 ff
- – probability distribution parameters, 148
- , statistical, 319
- European Charter on Water, 407
- Evaporation, 181, 242
- Exceedance probability curves, 269 ff
- Excess, 108, 144
- outflow, 173
- Factors, economic, 392
- Failures in water supply, 272, 338
- Failure year, 221
- Filling of the reservoir, first, 294
- Fish farming, 419
- Floating of timber, 261
- Flood control, 185, 262, 295 ff, 315
- – capacity, 187, 295, 311, 325
- – effect, 295, 314 ff, 405
- – – of the active storage capacity, 315 ff
- – function, 295 ff, 305, 364
- – – of small reservoirs, 364
- – release, 295, 311 ff

- Flood-control reservoirs, 22, 295 ff
 - - systems, 312, 358
- Flood discharges, 298 ff
 - regime, 303
 - routing, 326
 - volumes, 300 ff, 315
 - wave, 304
- Forecast data, inaccurate, 322
 - of discharges, 265, 271, 320
 - - the quality of withdrawn water, 180
 - - the spring runoff, 56
- Fragment method, 37, 165 ff, 172
- Frequency, cumulative, 104
 - - relative, 104
 - relative, 104
- Fuller triangle, 382
- Function, autocorrelation, 151 ff
 - , correlation, 151 ff, 155, 200 ff
 - , distribution, 102-103, 149
 - of reservoirs, evaluation, 341
 - - -, monitoring, 341
 - , recreational, 287
 - , transfer response, 158
- Goodness-of-fit (between probability distributions), 146
- Graphs to determine the over-year component (Gugli's, Nacházek's, Pleshkov's), 200 ff
- Ground water, 362, 364
- Henry's line, 112
- Hydrofund, 31
- Hydrology in Czechoslovakia, 29 ff
- Hydro-power plants, base-load, 279
 - - -, peak-load, 177, 250-251, 255, 259, 279
 - - -, pumped-storage, 177, 255, 259
 - - -, run-of-the-river, 177
 - - reservoirs, 23
- Ice conditions, 415
 - cover, 184
- IIASA, 174
- Impacts of reservoirs, biological and chemical, 416 ff
 - - - construction on man, 422 ff
 - - -, negative, 408
 - - -, physical, 409 ff
- Inflow, constant, 169
 - , controlled, 169
 - , deterministic, 169
 - , flood, 169
 - from the interbasin, 277
 - , natural, 171
 - , stochastic, 169
 - to a reservoir, 168 ff, 276
- Interbasin, 265, 277
- Intervention, human, 57
- Investment costs (derived, direct, indirect), 369
- Investments, capital, 368, 369
- Kritsky's and Menkel's method, 196 ff
 - - - -, second, 198
- Law of maximum value, 118
 - - proportional effect, 113
- Leakage, 184
- Liapichov's method, 238, 240
- Load diagram, 249
- Losses, economic, 358, 404
 - , evaporation, 242
- LPI method, 384 ff
- Markov chain, 82, 160, 279
 - processes, 81 ff
- Matrix of reservoir purposes, 58
- Mean square error, 83
- Method Monte Carlo, 36, 355
- Method of central and satellite stations, 167
 - - comparative (relative) effectiveness, 369 ff
 - - continuous functions, 159
 - - decision analysis, 380 ff
 - - fragments, 37, 165 ff, 172
 - - linear regression model, 160, 163
 - - non-continuous functions, 159
 - - orthogonal transformation, 168
 - - total (absolute) effectiveness, 373 ff
- Methods, analytical, 74
 - , graphical, 62, 308
 - , mathematical, 74
 - of filtration, 158
 - , probability, 80, 239
 - , statistical, 80

- Model, economico-mathematical, 349
 - of a flood regime, 303 ff
 -, regression, 303
 Modelling annual flow sequences, 159 ff
 - flow series, 159 ff
 - in a system of stations, 166 ff
 - monthly flow sequences, 162 ff
 Module coefficient, 94, 109
 Modulus, 143
 Moment, central, 106
 -, general, 106
 -, initial, 106
 Moran's method, 205 ff

 Network of canals, 262
 Noise, white, 153, 303

 Occurrence period, 300
 OMR (operation, maintenance and repair) costs, 369 ff, 385
 Operating schedules, 318 ff, 347
 Operation, day-to-day, 330 ff, 339
 - for river flow regulation, 271 ff
 - rules, 322
 -, two-stage, 337
 Optimization of a cascade, 278 ff
 - - multi-purpose systems, 356 ff
 - - reservoir storage capacity, 374
 Outflow, excess, 173
 - from a reservoir, 173
 Over-year release control, ideal, 233

 Parameters, statistical, 105
 Peak-load, 249 ff
 Performance of the reservoir, 38 ff, 54
 - - water storage reservoir, 39 ff
 Period, high-flow, 332, 337
 -, low-flow (dry), 196, 211, 237, 266, 280, 316, 332
 -, wet, 267, 294
 Polder, 43
 Policy, environmental, 424
 Ponds, 43, 362
 - of Bohemia, 21
 Power of the wind, 261
 - system, 248
 Precipitation series, 303
 Probability curves, 213 ff, 236, 241
 - density, 103, 149

 Probability density, standardized, 111, 138
 - distribution, binomial, 124, 129, 134, 136, 138
 - -, empirical, 146
 - -, exponential, 123, 133, 299
 - - -, Goodrich, 123, 137, 302
 - -, extreme, 116
 - -, Fisher, 138, 148
 - -, Galton log-normal, 114
 - -, Gauss-Gibrat log-normal, 113, 138
 - -, Gumbel, 118, 132, 137, 138
 - -, Johnson log-normal, 114, 138
 - -, Kritsky-Menkel's three parameter, 122
 - -, log-normal, 112, 131, 136, 299
 - -, normal (Gauss-Laplace), 110, 136, 138
 - -, Pearson, 119
 - - - of the first type, 119, 138
 - - - of the third type, 120, 138, 144, 159, 299
 - -, Poisson, 126, 138
 - -, Snedecor, 138, 148
 - -, Student, 138, 148
 - -, theoretical, 109 ff, 146
 - -, Ven-Te-Chow log-normal, 114, 138
 - -, Weibull, 116, 138
 - -, χ^2 , 138, 148
 Probability exceedance, 134, 300
 Probability paper, 133 ff, 210
 Prognosis, demographic, 179

 Random phenomena, 80, 101
 - process, 80, 101-102, 148 ff
 - -, ergodic, 151
 - -, non-stationary, 150
 - -, stationary, 150
 - sequence, 102, 148 ff, 155
 - variable, 80, 101-102, 105
 Records, hydrological, 91
 Recreation reservoirs, 43, 367
 Regime, groundwater, 410
 -, hydrological, 409
 -, stationary hydrological, 195
 Relationship, curvilinear, 100
 -, linear correlation, 99
 Release, compensation, 267
 Release control, buffer, 261
 - -, daily, 246 ff
 - - for irrigation, 256, 262
 - - in a cascade of reservoirs, 275 ff

- Release control in a system of reservoirs, 281 ff
 - - in the period of first filling, 292 ff
 - -, non-periodical, 246, 261–262
 - -, over-year, 191 ff, 248, 290, 293
 - -, periodical, 246
 - -, short-term, 246 ff
 - - with various water supply reliabilities, 290 ff
 - -, within-year (seasonal), 234 ff, 248, 293, 318
- Release from a reservoir, 173, 305 ff
- Reliability, duration (time)-based, 219, 394 ff
 - indices, 392 ff
 - , occurrence-based, 219, 394 ff
 - of augmented discharges for navigation, 402
 - - flood control, 309 ff, 319, 389
 - - water for hydro-power plants, 402
 - - water supply, 183 ff, 217 ff, 285, 389, 395
 - - - - for households and industry, 401
 - - - - for irrigation, 399
 - , quantity-based, 219, 394 ff
 - , rate of, 296
- Reproduction recovery of reservoir, 378
- Requirements of public water supply, 175
- Reservoir, balancing, 52, 249, 251–252, 279, 283
 - , buffer-storage, 257, 261, 265, 271, 273, 283
 - capacity, 311
 - , conservation, 48, 52
 - design, 28
 - , distributing (distribution), 52, 253 ff
 - , downstream, 250, 276
 - , dry, 43
 - , excavated, 42
 - , flood-control, 49, 262, 297 ff, 361
 - , highest upstream, 275
 - , hilltop, 46
 - , impounding, 43–44, 275, 367
 - , lateral, 42, 43, 286, 367
 - , man-made, 42
 - , natural, 41
 - of a pumped-storage power plant, 42, 260
 - operation, 329 ff, 341
- Reservoir parameters, 181
 - release schedule, 173
 - , seasonal, 284, 353
 - , storage, 52
 - , through-flow, 42
 - , tributary lateral, 44–45
 - , underground, 47
 - , upper, 260
 - , upstream, 276
 - with river flow regulation, 263
- Reservoirs, agricultural, 23, 262
 - , cascade of, 275 ff
 - , cooperation of, 284, 361
 - , fish farming, 367
 - for floating timber, 22, 261
 - for minig purposes, 22
 - for recreation purposes, 25, 367
 - , hydro-power, 279
 - in Czechoslovakia, 21, 24
 - in the world, 26
 - , multi-purpose, 384
 - , shallow, 415
 - , small, 362 ff
 - , system of, 281 ff, 361
 - , tropical, 420
 - , water supply, 285
 - with over-year release control, 228
 - with power plants, 242
- Retaining dams, 411
- River flow regulation (compensation control), 51, 263 ff, 283, 356
 - - -, over-year, 269 ff
- River training, 305
- Rule curves, 331 ff
- Rules for release control, 330 ff
- Sampling distributions, 148
- Sanitary measures, 417
- Seepage, 183
- Seismic effects, 415
- Selection of a design period, 95
- Sequence structure, internal, 196
- Series, chronological, 61, 170
 - , hydrological real, 145, 239, 292
 - , natural, 61, 74
 - , pseudo-chronological, 101, 170
 - , synthetic (modelled), 61, 101, 267, 333
- Siltating of a reservoir, 188, 411

- Simulation, 61, 218 ff, 265, 288
- Skewness, 108, 144
- Slides, 412
- Sludge-settling ponds, 54
- Solution, digital, 309
 - , graphical, 75, 258, 266, 308
 - , graphical-numerical, 251, 309
 - of conservation reservoirs, 34 ff
 - of flood control effect, 32
 - , successively balancing, 74
- Spillway, gated, 311, 325–326
 - , ungated (free), 311, 325–326
- Standard deviation of a series, 83, 143
 - errors, 145
- Standards of design reliability, 186, 389
- Storage capacity, 173, 222 ff
 - –, active, 187, 315
 - –, dead, 187
 - –, total, 187
 - function of reservoirs, 89 ff
- Storage-yield curve, 79
- Stratification in reservoirs, 414
- Surcharge capacity, 187, 324
- System, flood-control, 312
 - , multi-purpose, 356
 - of impounding reservoirs, 47, 354
 - – reservoirs, 47, 281 ff, 354
 - – – for public water supply, 282 ff
 - – river points, 268
 - solution, 353
 - with water diversion, 286 ff
- Systems, water-management, 343

- Tailing dams, 54
- Temperature regime, 414
 - stratification, direct, 414
 - –, indirect, 414
- Test, Kolmogorov–Smitnov, 147
 - of goodness of fit, 146
 - operations, 292
 - , χ^2 , 146
- Time factor of forecast, 272
 - –, standard, 370
- Transformation effect of the surcharge capacity, 325
 - – – reservoirs, 360
- , logarithmic, 100
- of flood waves in small reservoirs, 365

- Urban's method, 306 ff
- Utilization of a reservoir, comprehensive, 58

- Variability of over-year component, 226
- Variable, random, 80, 101–102, 105
 - , standardized, 111
- Variation, 107, 143, 229

- Water demand, 173 ff, 247, 340
 - diversion, 170 ff, 286 ff, 312
 - losses, 77, 173, 181 ff, 272, 277
 - – by evaporation, 78
- Water management, 7, 19, 85
 - – balance, 89
 - – calculations, 32
- Water Management Plan, 89, 309
- Water management plan for reservoirs, 242–243
- Water-management systems, 343 ff
 - – –, analysis, 345
 - – –, definition, 345
 - – – for flood control, 358
 - – –, irrigation, 348
 - – –, multi-purpose, 348, 357
 - – –, power and irrigation, 346
 - – –, water supply, 351
 - – year, 235, 333
- Water quality, 413, 417
 - recreation, 178
 - sports, 178
 - storage within the watershed, 48
 - supply, public, 175 ff, 179 ff
 - – tank, 246 ff
 - year, 96
- Weather conditions, 413
- Winter regime, 414
- Withdrawal diagram, weekly, 257
 - from a reservoir, 173 ff
 - reliabilities, various, 291
 - site, 273
- Wolf's numbers, relative, 154

- Year, calendar, 96
 - , water, 96
- , water-management, 235

- Záruba's method, 308