

References

In the following, all references that are mentioned in this work are given regardless of whether these are even personal communications or quotes from other references. In the latter case, it is made explicit in the text that the author has not had access to the respective source. For better traceability purposes of the corresponding information, however, these are also given here.

- Aboul-Kassim TAT, Simoneit BRT (2001a) Interaction mechanisms between organic pollutants and solid phase systems. In: Aboul-Kassim TAT and Simoneit BRT (eds) Pollutant-solid phase interactions: mechanisms, chemistry and modeling. Springer, Berlin The handbook of environmental chemistry (Volume 5 Part E), pp 107-167
- Aboul-Kassim TAT, Simoneit BRT (2001b) Sorption/desorption of organic pollutants from complex mixtures: modeling, kinetics, experimental techniques and transport parameters. In: Aboul-Kassim TAT and Simoneit BRT (eds) Pollutant-solid phase interactions: mechanisms, chemistry and modeling. Springer, Berlin The handbook of environmental chemistry (Volume 5 Part E), pp 169-242
- Addiscott T, Smith J, Bradbury N (1995) Critical evaluation of models and their parameters. *Journal of environmental quality* 24:803-807
- Addiscott TM (1993) Simulation modelling and soil behaviour. *Geoderma* 60:15-40
- Addiscott TM (1998) Modelling concepts and their relation to the scale of the problem. *Nutrient Cycling in Agroecosystems* 50:239-245
- Agency for Toxic Substances and Disease Registry (1999) Toxicological Profile for Lead. U.S. Public Health Service, U.S. Department of Health and Human Services, Atlanta, GA
- Agency for Toxic Substances and Disease Registry (2000a) Toxicological Profile for Chromium. U.S. Public Health Service, U.S. Department of Health and Human Services, Atlanta, GA

- Agency for Toxic Substances and Disease Registry (2000b) Toxicological Profile for Arsenic. U.S. Public Health Service, U.S. Department of Health and Human Services, Atlanta, GA
- Agency for Toxic Substances and Disease Registry (2003) Toxicological Profile Information Sheet. U.S. Public Health Service, U.S. Department of Health and Human Services, Atlanta, GA, available at: <http://www.atsdr.cdc.gov/toxpro2.html>
- Alloway BJ, Steinnes E (1999) Anthropogenic additions of cadmium to soils. In: McLaughlin MJ and Singh BR (eds) Cadmium in soils and plants. Kluwer, Dordrecht Developments in plant and soil sciences, vol 85, pp 97-123
- Alloway BJ, Ayres DC, Förstner U (1996) Schadstoffe in der Umwelt: chemische Grundlagen zur Beurteilung von Luft-, Wasser- und Bodenverschmutzungen. Spektrum Akademischer Verlag, Heidelberg
- Anonym (2002) ZMP-Marktbilanz: Getreide, Ölsaaten, Futtermittel 2002: Deutschland, Europäische Union, Weltmarkt. Zentrale Markt- und Preisberichtsstelle für Erzeugnisse der Land-, Forst- und Ernährungswirtschaft (ZMP), Bonn
- Anonym (2003) ZMP-Marktbilanz: Eier und Geflügel 2003: Deutschland, Europäische Union, Weltmarkt. Zentrale Markt- und Preisberichtsstelle für Erzeugnisse der Land-, Forst- und Ernährungswirtschaft (ZMP), Bonn
- Anonym (2004) Ökomarkt-Jahrbuch: Verkaufspreise im ökologischen Landbau, Jahre 2002/2003. Zentrale Markt- und Preisberichtsstelle für Erzeugnisse der Land-, Forst- und Ernährungswirtschaft (ZMP), Bonn
- Anonymous (1971) Das Umweltprogramm der Bundesregierung. Bundestags-Drucksache VI/2710
- Anonymous (1996) Report on the welfare of pigs kept outdoors. Farm Animal Welfare Council, London
- Anonymous (1999a) Understanding variation in partition coefficient, K_d , values - Volume I: The K_d Model, Methods of Measurement, and Application of Chemical Reaction Codes. Office of Radiation and Indoor Air Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency; Office of Environmental Restoration, U.S. Department of Energy, Herndon, VA, USA
- Anonymous (1999b) Understanding variation in partition coefficient, K_d , values - Volume II: Review of Geochemistry and Available K_d Values for Cadmium, Cesium, Chromium, Lead, Plutonium, Radon, Strontium, Thorium, Tritium (^3H), and Uranium. Office of Radiation and Indoor Air Office of Solid Waste and Emergency Response, U.S. Environmental Protection Agency; Office of Environmental Restoration, U.S. Department of Energy, Herndon, VA, USA

- Anonymous (2000) Assessment of dietary intake of dioxins and related PCBs by the population of EU - Member States - 7 June 2000. Directorate General for Health and Consumer Protection, Brussels Reports on tasks for scientific cooperation
- Anonymous (2002) Contaminants in soil: Collation of toxicological data and intake values for humans. Chromium. Environment Agency, Department for Environment, Food and Rural Affairs and the Environment Agency, Bristol
- Anonymous (2004) Poultry egg production in the South East. National Farmers' Union, available at: http://www.nfu.org.uk/stellentdev/groups/public/documents/regional_article/poultry-eggproduc_ia412f4576-1.hcsp
- Arnold JG, Allen PM, Bernhardt G (1993) A comprehensive surface-groundwater flow model. *Journal of Hydrology* 142:47-69
- Azar C, Sterner T (1996) Discounting and distributional considerations in the context of global warming. *Ecological economics* 19:169-184
- Bach M, Huber A, Frede H-G (2001) Input pathways and river load of pesticides in Germany - a national scale modeling assessment. *Water Science and Technology* 43:261-268
- Bachmann TM, Droste-Franke B, Friedrich R (2004) Assessing the Sustainability of Heavy Metal Emissions in Europe. In: International Conference on Probabilistic Safety Assessment and Management (PSAM) 7 - European Safety and Reliability Conference (ESREL) '04, Berlin, Germany. Springer, pp 2558-2563
- Baker JI, Hites RA (2000) Is Combustion the Major Source of Polychlorinated Dibenzo-p -dioxins and Dibenzofurans to the Environment? A Mass Balance Investigation. *Environmental Science & Technology* 34:2879-2886
- Baker JR, Mihelcic JR, Shea E (2000) Estimating Koc for persistent organic pollutants: limitations of correlations with Kow. *Chemosphere* 41:813-817
- Baker JR, Mihelcic JR, Sabljic A (2001) Reliable QSAR for estimating Koc for persistent organic pollutants: correlation with molecular connectivity indices. *Chemosphere* 45:213-221
- Barbante C, Veysseyre A, Ferrari C, Van De Velde K, Morel C, Capodaglio G, Cescon P, Scarponi G, Boutron C (2001) Greenland Snow Evidence of Large Scale Atmospheric Contamination for Platinum, Palladium, and Rhodium. *Environmental Science & Technology* 35:835 -839
- Barbante C, Schwikowski M, Döring T, Gäggeler HW, Schotterer U, Tobler L, Van de Velde K, Ferrari C, Cozzi G, Turetta A, Rosman K, Bolshov M, Capodaglio G, Cescon P, Boutron C (2004) Historical Record of European Emissions of Heavy Metals to the Atmosphere Since the 1650s from Alpine Snow/Ice Cores Drilled near Monte Rosa. *Environmental Science & Technology* 38:4085-4090

- Barra R, Vighi M, Maffioli G, Di Guardo A, Ferrario P (2000) Coupling SoilFug Model and GIS for Predicting Pesticide Pollution of Surface Water at Watershed Level. *Environmental Science & Technology* 34:4425-4433
- Bartlett RJ (1999) Characterizing Soil Redox Behaviour. In: Sparks DL (ed) *Soil physical chemistry*. CRC Press, Boca Raton, Fla., pp 371-397
- Batjes NH (1996) Documentation to ISRIC-WISE global data set of derived soil properties on a 1/2° by 1/2° grid (version 1.0). International Soil Reference and Information Centre (ISRIC), Wageningen, The Netherlands, pp 13
- Baumgartner A, Liebscher H-J (1990) *General hydrology, quantitative hydrology (in German)*. Gebrüder Borntraeger, Stuttgart
- Baxter M, Lewis J (2002) Total and inorganic arsenic concentrations in 1999 UK total diet study. Central Science Laboratory, Sand Hutton, York, pp 24
- Beck A, Scheringer M, Hungerbühler K (2000) Fate modelling within LCA - the case of textile chemicals. *The International Journal of Life Cycle Assessment* 5:335-344
- Beck MB, Chen J (2000) Assuring the quality of models designed for predictive tasks. In: Saltelli A, Chan K and Scott EM (eds) *Sensitivity analysis*. John Wiley & Sons, Chichester Wiley series in probability and statistics, pp 401-420
- Becker A (1995) Problems and progress in macroscale hydrological modelling. In: Feddes RA (ed) *Space and time scale variability and interdependencies in hydrological processes*. Cambridge Univ. Press, Cambridge International hydrology series, pp 135-143
- Becker K, Müssig-Zufika M, Hoffmann K, Krause C, Meyer E, Nöllke P, Schulz C, Seiwert M (1997) *Umwelt-Survey 1990/92, Band V: Trinkwasser*. Umweltbundesamt, Institut für Wasser-, Boden- und Luftthygiene, Berlin
- Beitz W, Küttner K-H (1995) *Dubbel - Taschenbuch für den Maschinenbau*. Springer, Berlin
- Bennett DH, McKone TE, Matthies M, Kastenbergh WE (1998) General Formulation of Characteristic Travel Distance for Semivolatile Organic Chemicals in a Multimedia Environment. *Environmental Science & Technology* 32:4023-4030
- Bennett DH, Margni MD, McKone TE, Jolliet O (2002) Intake Fraction for Multimedia Pollutants: A Tool for Life Cycle Analysis and Comparative Risk Assessment. *Risk Analysis* 22:903-916
- Berdowski JJM, Baas J, Bloos JPJ, Visschedijk AJH, Zandvend PYJ (1997) *The European Atmospheric Emission Inventory of Heavy Metals and Persistent Organic Pollutants for 1990*. Umweltbundesamt; TNO Institut für Umwelt, Energie und Verfahrensinnovation, Berlin, Apeldoorn

- Berende PLM (1990) Grondopname door melkkoeien. Internal Report No. 312. Institute for Livestock Feeding and Nutrition Research, Lelystad
- Bergkvist B, Folkesson L, Berggren D (1989) Fluxes of Cu, Zn, Pb, Cr, and Ni in temperate forest ecosystems. *Water, Air, and Soil Pollution* 47:217-286
- Bernigau W, Becker K, Hoffmann K, Krause C, Friedrich C, Schulz C, Seifert B (2000) Umwelt-Survey 1990/92, Band X: Blei - Zusammenhangsanalyse. Umweltbundesamt, Institut für Wasser-, Boden- und Lufthygiene, Berlin
- Berrow MJ, Burridge JC (1991) Uptake, Distribution, and Effects of Metal Compounds on Plants. In: Merian E (ed) *Metals and their compounds in the environment: occurrence, analysis, and biological relevance*. VCH, Weinheim, pp 399-410
- Beven K (1991) Modeling preferential flow: an uncertain future? In: Gish TJ and Shirmohammadi A (eds) *Preferential flow*. Proceedings of the national symposium held at Chicago, Illinois 16-17 December 1991. American Society of Agricultural Engineers, St. Joseph, Michigan, pp 1-11
- Bey I, Jacob DJ, Yantosca RM, Logan JA, Field BD, Fiore AM, Li Q, Liu HY, Mickley LJ, Schultz MG (2001) Global modeling of tropospheric chemistry with assimilated meteorology: Model description and evaluation. *Journal of Geophysical Research* 106:23073-23096
- Bingham FT, Sposito G, Strong JE (1986) The effect of sulfate on the availability of cadmium. *Soil Science* 141:172-177
- Bintein S, Devillers J (1996a) Evaluating the environmental fate of lindane in France. *Chemosphere* 32:2427-2440
- Bintein S, Devillers J (1996b) Evaluating the environmental fate of atrazine in France. *Chemosphere* 32:2441-2456
- Blanchard PE, Lerch RN (2000) Watershed Vulnerability to Losses of Agricultural Chemicals: Interactions of Chemistry, Hydrology, and Land-Use. *Environmental Science & Technology* 34:3315-3322
- Bleeker I, Fischer AB, Tilkes F, Eikmann T (1999) PCB-Konzentrationen im menschlichen Blut. *Umweltmedizin in Forschung und Praxis* 4:84-96
- Bliefert C (1997) *Umweltchemie*, 2 edn. Wiley-VCH, Weinheim
- Blöschl G (1996) *Scale and Scaling in Hydrology* Institut für Hydraulik, Gewässerkunde und Wasserwirtschaft. Technische Universität Wien, Wien, pp 346
- Bodnar AB, Maddalena RL, McKone TE (2002) The Contribution of Locally Grown Foods in Cumulative Exposure Assessments *Journal of Exposure Analysis & Environmental Epidemiology*. Environmental Health Sciences, School of Public Health, University of California; Indoor Environment Department, Lawrence Berkeley National Laboratory, Berkeley, CA

- Boening DW (2000) Ecological effects, transport, and fate of mercury: a general review. *Chemosphere* 40:1335-1351
- Bogen KT, Spear RC (1987) Integrating uncertainty and interindividual variability in environmental risk assessment. *Risk Analysis* 7:427-436
- Bolt GH, van Riemsdijk WH (1987) Surface chemical processes in soil. In: Stumm W (ed) *Aquatic surface chemistry: chemical processes at the particle-water interface*. Wiley, New York Environmental science and technology, pp 127-164
- Borkovec M, Rusch U, Westall JC (1998) Modeling of competitive ion binding at heterogeneous materials with affinity distributions. In: Jenne EA (ed) *Adsorption of metals by geomedia: variables, mechanisms, and model applications*. Academic Press, San Diego, pp 467-482
- Bowen JE (1987) Physiology of genotyping differences in zinc and copper uptake in rice and tomato. *Plant and soil* 99:115-125
- Brandes LJ, den Hollander H, van de Meent D (1996) SimpleBox 2.0: a nested multimedia fate model for evaluating the environmental fate of chemicals. National Institute of Public Health and the Environment (RIVM), Bilthoven, the Netherlands
- Brännvall M-L, Bindler R, Renberg I, Emteryd O, Bartnicki J, Billström K (1999) The Medieval Metal Industry Was the Cradle of Modern Large-Scale Atmospheric Lead Pollution in Northern Europe. *Environmental Science & Technology* 33:4391-4395
- Bredehoeft JD, Konikow LF (1993) Ground-water models: validate or invalidate. *groundwater* 31:178-179
- Breivik K, Wania F (2003) Expanding the Applicability of Multimedia Fate Models to Polar Organic Chemicals. *Environmental Science & Technology* 37:4934-4943
- Briggs GG, Bromilow RH, Evans AA (1982) Relationships Between Lipophilicity and Root Uptake and Translocation of Non-ionized Chemicals by Barley. *Pesticide science* 13:495-504
- Brode RW, Wang J (1992) *Users's Guide for the Industrial Source Complex (ISC2) Dispersion Models (Volumes I-III)*. U.S. Environmental Protection Agency, Research Triangle Park, NC
- Bromilow RH, Chamberlain K (1995) Principles governing uptake and transport of chemicals. In: Trapp S and Mc Farlane JC (eds) *Plant contamination: modeling and simulation of organic chemical processes*. Lewis, Boca Raton, pp 37-68
- Brown SK, Sim MR, Abramson MJ, Gray CN (1994) Concentrations of Volatile Organic Compounds in Indoor Air - A Review. *Indoor Air* 4:123-134

- Büchert A, Cederberg T, Dyke P, Fiedler H, Fürst P, Hanberg A, Hosseinpour J, Hutzinger O, Kuenen JG, Malisch R, Needham LL, Olie K (2001) Dioxin Contamination in Food. *Environmental Science & Pollution Research* 8:84-88
- Buckley-Golder DH, Coleman P, Davies M, King K, Petersen A, Watterson J, Woodfield M, Fiedler H, Hanberg A (1999) *Compilation of EU Dioxin Exposure and Health Data*. AEA Technology plc, Abingdon, UK
- Burke TA, Doull J, McKone T, Paustenbach D, Scheuplein R, Udo de Haes HA, Young JS (1996) Human health impact assessment In life cycle assessment: Analysis by an expert panel. International Life Sciences Institute (ILSI), Health and Environmental Sciences Institute, Life Cycle Assessment Technical Committee, Washington, DC
- Burmester DE, Anderson PD (1994) Principles of good practice for the use of Monte Carlo techniques in human health and ecological risk assessments. *Risk Analysis* 14:477-481
- Buse A, Norris D, Harmens H, Büker P, Ashenden T, Mills G (2003) Heavy metals in European mosses: 2000/2001 survey. Centre for Ecology & Hydrology and The United Nations Economic Commission for Europe International Cooperative Programme on effects of Air Pollution on Natural Vegetation and Crops (UNECE ICP Vegetation), Bangor, pp 45
- Campolongo F, Kleijnen J, Andres T (2000a) Screening methods. In: Saltelli A, Chan K and Scott EM (eds) *Sensitivity analysis*. John Wiley & Sons, Chichester Wiley series in probability and statistics, pp 65-80
- Campolongo F, Saltelli A, Sørensen T, Tarantola S (2000b) Hitchhiker's guide to sensitivity analysis. In: Saltelli A, Chan K and Scott EM (eds) *Sensitivity analysis*. John Wiley & Sons, Chichester Wiley series in probability and statistics, pp 15-47
- Caswell H (1976) The validation problem. In: Patten BC (ed) *Systems Analysis and Simulation in Ecology*. Academic, New York, vol IV, pp 313-325
- Cataldo DA, Garland TR, E WR (1983) Cadmium uptake kinetics in intact soybean plants. *Plant physiology* 73:844-848
- Central Intelligence Agency (CIA) (2003) *The World Factbook*. Central Intelligence Agency, available at: <http://www.odci.gov/cia/publications/factbook/index.html>
- Chaney RL, Ryan JA (1994) Risk based standards for arsenic, lead, and cadmium in urban soils: summary of information and methods developed to estimate standards for Cd, Pb, and As in urban soils. DEHEMA, Frankfurt am Main
- Chaney RL, Ryan JA, Li Y-M, Brown SL (1999) Soil cadmium as a threat to human health. In: McLaughlin MJ and Singh BR (eds) *Cadmium in soils and*

- plants. Kluwer, Dordrecht Developments in plant and soil sciences, vol 85, pp 219-256
- Chang AC, Page AL, Warneke JE (1987) Long-term sludge application on cadmium and zinc accumulation in Swiss chard and radish. *Journal of environmental quality* 16:217-221
- Chang S-C, Matzner E (2000) The effect of beech stemflow on spatial patterns of soil solution chemistry and seepage fluxes in a mixed beech/oak stand. *Hydrological Processes* 14:135-144
- Chapman PM (2001) How toxic is toxic? (Editorial). *Marine Pollution Bulletin* 42:1279-1280
- Charles R, Jolliet O (2003) Processes governing fate of pesticides in plant. unpublished manuscript
- Chiou CT, McGroddy SE, Kile DE (1998) Partition Characteristics of Polycyclic Aromatic Hydrocarbons on Soils and Sediments. *Environmental Science & Technology* 32:264-269
- Choudhury H, Cogliano J, Hertzberg R, Mukerjee D, Rice G, Teuschler L, Doyle E, Woo Y, Schoeny R (2000) Supplementary Guidance for Conducting Health Risk Assessment of Chemical Mixtures. Risk Assessment Forum, Washington, DC
- Chung N, Alexander M (1998) Differences in Sequestration and Bioavailability of Organic Compounds Aged in Dissimilar Soils. *Environmental Science & Technology* 32:855-860
- Church TM, Véron A, Patterson CC, Settle D, Erel Y, Maring HR, Flegal AR (1990) Trace elements in the north atlantic troposphere: shipboard results of precipitation and aerosols. *Global biogeochemical cycles* 4:431-443
- Cleveland WA, et al. (1984) *Britannica Atlas*. Encyclopaedia Britannica, Chicago
- Colman SM (1981) Rock-weathering rates as a function of time. *Quaternary research* 15:250-264
- Councill TB, Duckenfield KU, Landa ER, Callender E (2004) Tire-Wear Particles as a Source of Zinc to the Environment. *Environmental Science & Technology*
- Council of the European Union (1996a) Council Directive 96/61/EC of 24 September 1996 concerning integrated pollution prevention and control. *Official Journal of the European Communities* L 257:0026-0040
- Council of the European Union (1996b) Council Directive 96/62/EC of 27 September 1996 on ambient air quality assessment and management. *Official Journal of the European Communities* L 296:0055-0063
- Cousins IT, Mackay D (2001) Strategies for including vegetation compartments in multimedia models. *Chemosphere* 44:643-654

- Cowan CE, Versteeg DJ, Larson RJ, Klopper-Sams PJ (1995a) Integrated approach for environmental assessment of new and existing chemicals. *Regulatory Toxicology and Pharmacology* 21:3-31
- Cowan CE, Mackay D, Feijtel TCJ, van de Meent D, di Guardo A, Davies J, Mackay N (1995b) The multi-media fate model: a vital tool for predicting the fate of chemicals. In: workshop organized by the Society of Environmental Toxicology and Chemistry (SETAC), Leuven, Belgium and Denver, Colorado. SETAC press, pp 78
- Cox DC, Baybutt P (1981) Methods for uncertainty analysis: a comparative survey. *Risk Analysis* 1:251-258
- Crettaz P (2000) From toxic releases to damages on human health: a method for life cycle impact assessment, with a case study on domestic rainwater use Laboratory of Ecosystem Management. Ecole Polytechnique Fédérale de Lausanne (EPFL), Switzerland, Lausanne
- Crettaz P, Pennington DW, Rhomberg L, Brand K, Jolliet O (2002) Assessing Human Health in Life Cycle Assessment using ED10 s and DALYs: Part 1 - Cancer effects. *Risk Analysis* 22:931-946
- Crump KS (1995) Calculation of benchmark doses from continuous data. *Risk Analysis* 15:79-89
- Crump KS (1998) Investigation of the potential impact of benchmark dose and pharmacokinetic modeling in noncancer risk assessment. II. Investigation of impact on MRLs for methylmercury, manganese, cadmium, perchloroethylene, chloroform, and metallic mercury vapor. Agency for Toxic Substances and Disease Registry (ATSDR)
- Cutler JM, Rains DW (1974) Characterization of cadmium uptake by plant tissue. *Plant physiology* 54:67-71
- Daly GL, Wania F (2004) Simulating the Influence of Snow on the Fate of Organic Compounds. *Environmental Science & Technology*
- Daly HE, Cobb JB (1989) For the common good: Redirecting the economy toward community, the environment, and a sustainable future. Beacon Press, Boston
- Davies T (1998) The Pollution Control System is Broken. *Risk Analysis* 18:365-366
- de Roo APJ (1993) Modelling surface runoff and soil erosion in catchments using geographical information systems: validity and applicability of the "ANSWERS" model in two catchments in the loess area of South Limburg (The Netherlands) and one in Devon (UK) Faculteit Ruimtelijke Wetenschappen. Rijksuniversiteit Utrecht, Utrecht, pp 295
- de Vries W (1999) Approaches and Criteria to Calculate Critical Loads of Heavy Metals for Soils and Surface Waters. In: Gregor H-D, Mohaupt-Jahr B and

- Hönerbach F (eds) Workshop on Effects-based Approaches for Heavy Metals, Schwerin, 12. bis 15. Oktober 1999. Proceedings, in UBA-Texte 87/99. Umweltbundesamt, Berlin, pp 33-41
- de Vries W, Bakker DJ (1998) Manual for calculating critical loads of heavy metals for terrestrial ecosystems. Guidelines for critical limits, calculation methods and input data. DLO Winand Staring Centre, Wageningen, The Netherlands
- de Vries W, Bakker DJ, Sverdrup HU (1998a) Manual for calculating critical loads of heavy metals for aquatic ecosystems. Guidelines for critical limits, calculation methods and input data. DLO Winand Staring Centre, Wageningen, The Netherlands
- de Vries W, Bakker DJ, Sverdrup HU, Paces T, Tipping E (1998b) Effect-based approaches to assess the risk of heavy metal inputs to soils - overview methods and models. In: UN-ECE CLRTAP TF Mapping (ed) Proceedings of the Workshop on Critical Limits and Effect Based Approaches for Heavy Metals and Persistent Organic Pollutants. Federal Environmental Agency, Berlin Texte 98,5, pp I-125-I-224
- de Vries W, Schütze G, Lofts S, Tipping E, Meili M, Römken PFAM, Groenenberg JE (2004) Calculation of critical loads for cadmium, lead and mercury: Background document to a Mapping Manual on Critical Loads of cadmium, lead and mercury. Alterra, Wageningen
- del Re AAM, Trevisan M (1995) Selection criteria of xenobiotic leaching models in soil. *European Journal of Agronomy* 4:465-472
- Derwent RG, Nodop K (1986) Long-range Transport and Deposition of Acidic Nitrogen Species in North-west Europe. *Nature* 324:356-358
- Derwent RG, Dollard GJ, Metcalfe SE (1988) On the Nitrogen Budget for the United Kingdom and North-west Europe. *Q.J.R. Meteorol. Soc.* 114:1127-1152
- Desmet PJJ, Govers G (1996) A GIS procedure for automatically calculating the USLE LS factor on topographically complex landscape units. *Journal of soil and water conservation* 51:427-433
- Deutsche Gesellschaft für Ernährung e.V. (2000) Ernährungsbericht. hrsg. von der Deutschen Gesellschaft für Ernährung im Auftrag des Bundesministers für Jugend, Familie und Gesundheit und des Bundesministeriums für Ernährung, Landwirtschaft und Forsten, Frankfurt, M, pp 394
- Deutscher Verband Tiernahrung (2003) Rohstoffverbrauch zur Mischfutterherstellung. Deutscher Verband Tiernahrung e.V. (DVT), found at: <http://www.dvtiernahrung.de/>
- Deutsches Nationalkomitee für das internationale Hydrologische Programm (IHP) der UNESCO und das Operationelle Hydrologische Programm

- (OHP) der WMO (1998) International Glossary of Hydrology: Version: Englisch/Deutsch IHP/OHP-Berichte. Bundesanstalt für Gewässerkunde - IHP/OHP-Sekretariat, Koblenz, vol 12, pp 243
- Devillers J, Bintein S, Karcher W (1995) CHEMFRANCE: a regional level III fugacity model applied to France. *Chemosphere* 30:457-476
- Di Guardo A, Calamari D, Zanin G, Consalter A, Mackay D (1994) A fugacity model of pesticide runoff to surface water: development and validation. *Chemosphere* 28:511-531
- Diamond M, Mackay D, Welbourn PM (1992) Models of multimedia partitioning of multi-species chemicals: The fugacity/aquivalence approach. *Chemosphere* 25:1907-1921
- Diamond ML, Priemer DA, Law NL (2001) Developing a multimedia model of chemical dynamics in an urban area. *Chemosphere* 44:1655-1667
- DIN EN ISO (14042:2000) Umweltmanagement - Ökobilanz - Wirkungsabschätzung
- Döll P, Lehner B (2002) Validation of a new global 30-min drainage direction map. *Journal of Hydrology* 258:214-231
- Döll P, Lehner B, Kaspar F (2002) Global modeling of groundwater recharge. In: Schmitz GH (ed) Proceedings of Third International Conference on Water Resources and the Environment Research, Technical University of Dresden, Germany, vol I, pp 27-31
- Döll P, Kaspar F, Lehner B (2003) A global hydrological model for deriving water availability indicators: model tuning and validation. *Journal of Hydrology* 270:105-134
- Draper NR, Smith H (1966) Applied regression analysis. Wiley, New York
- Drever JI (1997a) Weathering processes. In: Saether OM and de Caritat P (eds) Geochemical processes, weathering and groundwater recharge in catchments. Balkema, Rotterdam, pp 3-19
- Drever JI (1997b) Catchment mass balance. In: Saether OM and de Caritat P (eds) Geochemical processes, weathering and groundwater recharge in catchments. Balkema, Rotterdam, pp 241-261
- Drever JI, Clow DW (1995) Weathering rates in catchments. In: White AF and Brantley SL (eds) Chemical weathering rates of silicate minerals. Mineralogical Society of America, Washington, DC Reviews in mineralogy, vol 31, pp 463-484
- Droppo IG, Walling DE, Ongley ED (1998) Suspended sediment structure: implications for sediment and contaminant transport modelling. In: Summer W, Klaghofer E and Zhang W (eds) Modelling Soil Erosion, Sediment Transport and Closely Related Hydrological Processes. IAHS Press, Wallingford, UK Proceedings and Reports (Red books), vol 249, pp 437-444

- Droste-Franke B (2005) Quantifizierung von Umweltschäden als Beitrag zu Umweltökonomischen Gesamtrechnungen. Institut für Energiewirtschaft und Rationelle Energieanwendung. Stuttgart, Universität Stuttgart, Stuttgart pp. 232; available at: <http://elib.uni-stuttgart.de/opus/volltexte/2005/2204/>
- Droste-Franke B, Friedrich R (2003) Air pollution. In: European Commission (ed) An applied integrated environmental impact assessment framework for the European Union (GREENSENSE). European Commission, DG Research, EESD, Brussels
- Droste-Franke B, Bachmann TM, Friedrich R (2003) Toxic substances. In: European Commission (ed) An applied integrated environmental impact assessment framework for the European Union (GREENSENSE). European Commission, DG Research, EESD, Brussels
- Edwards S (2004) Personal communication on free-range keeping of pigs. University of Newcastle, School of Agriculture, Food and Rural Development, Newcastle upon Tyne
- Efroymsen RA, Will ME, Suter II GW, Wooten AC (1997) Toxicological Benchmarks for Screening Contaminants of Potential Concern for Effects on Terrestrial Plants: 1997 Revision. U.S. Department of Energy
- Eggleston JR, Rojstaczer SA (2000) Can We Predict Subsurface Mass Transport? *Environmental Science & Technology* 34:4010-4017
- Eisenhart C (1968) Expression of the uncertainties of final results: clear statements of the uncertainties of reported values are needed for their critical evaluation. *Science* 160:1201-1204
- Eitzer BD, Hites RA (1989) Polychlorinated dibenzo-p-dioxins and dibenzofurans in the ambient atmosphere of Bloomington, Indiana. *Environmental Science & Technology* 23:1389-1395
- EROS Data Center (1996) HYDRO1k geographic database developed from the USGS' 30 arc-second digital elevation model (DEM) of the world (GTOPO30). U.S. Geological Survey (USGS) in cooperation with UNEP/GRID Sioux Falls, available at: <http://edcdaac.usgs.gov/gtopo30/hydro/>
- EROS Data Center, University of Nebraska-Lincoln, Joint Research Centre of the European Commission (2000) Global land cover characteristics data base (version 2.0). U.S. Geological Survey (USGS) in cooperation with UNEP/GRID Sioux Falls, available at: <http://lpdaac.usgs.gov/glcc/glcc.asp>
- Eschenbach A, Wienberg R, Mahro B (1998) Fate and Stability of Nonextractable Residues of [¹⁴C]PAH in Contaminated Soils under Environmental Stress Conditions. *Environmental Science & Technology* 32:2585 -2590

- Escher BI, Hermens JLM (2002) Modes of Action in Ecotoxicology: Their Role in Body Burdens, Species Sensitivity, QSARs, and Mixture Effects. *Environmental Science & Technology* 36:4201 -4217
- ESPREME (2004) Personal communication within the EC-funded ESPREME project on total air emissions in Europe in 2000
- Essink-Bot M-L (1998) DALYs in Europe. In: Joint ECE-WHO Meeting on Health Statistics, Rome, Italy. World Health Organization, Office for Europe
- Euromonitor (1992) European Marketing Data and Statistics 1992. Euromonitor Plc.
- European Centre for Ecotoxicology and Toxicology of Chemicals (1994) Assessment of Non-Occupational Exposure to Chemicals. ECETOC, Brussels
- European Centre for Ecotoxicology and Toxicology of Chemicals (1999) GREAT-ER 1.0. ECETOC, Brussels
- European Commission (1995) Externalities of Fuel Cycles - ExternE Project. European Commission DG XII, Science Research and Development, JOULE, Brussels - Luxembourg
- European Commission (1996a) EUSES, the European Union System for the Evaluation of Substances. National Institute of Public Health and the Environment (RIVM), the Netherlands. Available from the European Chemicals Bureau (EC/JRC), Ispra, Italy, Ispra, Italy
- European Commission (1996b) Technical guidance document in support of Commission directive 93/67/EEC on risk assessment for new notified substances and Commission regulation (EC) no 1488/94 on risk assessment for existing substances (Part I). Office for Official Publications of the European Communities, Luxembourg
- European Commission (1998) The European Soil Data Base (Version 1.0). Joint Research Center, European Soil Bureau, Ispra
- European Commission (1999a) Externalities of Fuel Cycles - ExternE Project. Vol. 7 - Methodology (2nd edition). European Commission DG XII, Science Research and Development, JOULE, Brussels - Luxembourg
- European Commission (1999b) Externalities of Fuel Cycles - ExternE Project. Vol. 10 - National Implementation. European Commission DG XII, Science Research and Development, JOULE, Brussels - Luxembourg
- European Commission (2000a) Communication from the Commission on the precautionary principle. In: European Commission (ed). Commission of the European Communities, Brussels
- European Commission (2000b) Ambient air pollution by As, Cd and Ni compounds - Position Paper. Office for Official Publications of the European Communities, Luxembourg, pp 361

- European Commission (2001a) Strategy for a future chemicals policy - white paper. Commission of the European Communities, Brussels
- European Commission (2001b) Fact Sheet on dioxin in feed and food. European Commission, Brussels
- European Commission (2002) Communication from the Commission on impact assessment. In: European Commission (ed). Commission of the European Communities, Brussels
- European Commission (2003a) Technical guidance document in support of Commission directive 93/67/EEC on risk assessment for new notified substances and Commission regulation (EC) no 1488/94 on risk assessment for existing substances and Directive 98/8/EC of the European Parliament and of the Council concerning the placing of biocidal products on the market (Part I), 2 edn. European Chemicals Bureau (ECB), Joint Research Centre (JRC), Ispra (VA), Italy
- European Commission (2003b) Technical guidance document in support of Commission directive 93/67/EEC on risk assessment for new notified substances and Commission regulation (EC) no 1488/94 on risk assessment for existing substances and Directive 98/8/EC of the European Parliament and of the Council concerning the placing of biocidal products on the market (Part II), 2 edn. European Chemicals Bureau (ECB), Joint Research Centre (JRC), Ispra (VA), Italy
- European Commission (2003c) Technical guidance document in support of Commission directive 93/67/EEC on risk assessment for new notified substances and Commission regulation (EC) no 1488/94 on risk assessment for existing substances and Directive 98/8/EC of the European Parliament and of the Council concerning the placing of biocidal products on the market, 2 edn. European Chemicals Bureau (ECB), Joint Research Centre (JRC), Ispra (VA), Italy
- European Commission (2003d) An applied integrated environmental impact assessment framework for the European Union (GREENSENSE). European Commission, DG Research, EESD, Brussels
- European Commission (2003e) Eurostat - NewCronos - Theme 1 (General Statistics) - European Regional Statistics. Office for Official Publications of the European Communities, Luxembourg, CD-ROM
- European Commission (2003f) Communication from the Commission to the Council, the European Parliament and the European Economic and Social Committee - A European Environment and Health Strategy. Commission of the European Communities, Brussels
- European Commission (2003g) Communication from the Commission to the Council, the European Parliament, the Economic and Social Committee

- and the Committee of the Regions - Towards a Thematic Strategy for Soil Protection. In: European Commission (ed). Commission of the European Communities, Brussels
- European Commission (2004) New Elements for the Assessment of External Costs from Energy Technologies (NewExt). European Commission, DG Research, Technological Development and Demonstration (RTD), Brussels
- European Environment Agency (2000) CORINE land cover database
- European Environment Agency Data Service (1998) European rivers and catchments database (ERICA). European Environment Agency Data Service, available at: <http://dataservice.eea.eu.int/dataservice/metadetails.asp?id=235>
- Evans JS, Wolff SK, Phonboon K, Levy JI, Smith KR (2002) Exposure efficiency: an idea whose time has come? *Chemosphere* 49:1075-1091
- Ewers U, Schlipkötter H-W (1991) Intake, distribution, and excretion of metals and metal compounds in humans and animals. In: Merian E (ed) *Metals and their compounds in the environment: occurrence, analysis, and biological relevance*. VCH, Weinheim, pp 571-583
- Ewers U, Wilhelm M (1995) Metalle/Cadmium. In: Wichmann H-E, Schlipkötter H-W and Fülgraff G (eds) *Handbuch der Umweltmedizin*. ecomed, Landsberg/Lech, vol 18. Erg. Lfg. 3/2000, pp 25
- Fekete BM, Vörösmarty CJ, Lammers RB (2001) Scaling gridded networks for macro-scale hydrology: Development and analysis and control of error. *Water resources research* 37:1955-1967
- Fenner K, Scheringer M, Hungerbühler K (2000) Persistence of Parent Compounds and Transformation Products in a Level IV Multimedia Model. *Environmental Science & Technology* 34:3809-3817
- Ferrario JB, Byrne CJ, Cleverly DH (2000) 2,3,7,8-Dibenzo-p-dioxins in Mined Clay Products from the United States: Evidence for Possible Natural Origin. *Environmental Science & Technology* 34:4524-4532
- Fiedler H (2003) Dioxins and Furans (PCDD/PCDF). In: Fiedler H (ed) *The handbook of environmental chemistry Vol 3: Anthropogenic Compounds Part O: Persistent organic pollutants*. Springer, Berlin, pp 123-201
- Fiedler H, Hutzinger O, Welsch-Pausch K, Schmiedinger A (2000) Evaluation of the Occurrence of PCDD/PCDF and POPs in Wastes and Their Potential to Enter the Foodchain. Final Report. University of Bayreuth (Ecological Chemistry and Geochemistry) and European Commission, Bayreuth, pp 121
- Finkel AM (1990) *Confronting uncertainty in risk management: a guide for decision-makers*. Center for Risk Management, Resources for the Future, Washington, DC, pp 68

- Finlayson BL, McMahon TA (1995) Understanding river hydrology. In: Singh VP (ed) Environmental hydrology. Kluwer Academic Publishers, Dordrecht Water Science and Technology Library, vol 15, pp 107-135
- Finley B, Paustenbach D (1994) The benefits of probabilistic exposure assessment: three case studies involving contaminated air, water, and soil. *Risk Analysis* 14:53-73
- Fitzgerald WF (1994) Global Biogeochemical Cycling of Mercury. Presented at the DOE/FDA/EPA Workshop on Methylmercury and Human Health, Bethesda, MD
- Flury M (1996) Experimental evidence of transport of pesticides through field soils - a review. *Journal of environmental quality* 25:25-45
- Food and Agriculture Organization of the United Nations - Statistics Division (2002a) Food Balance Sheets, available at: <http://apps.fao.org/>
- Food and Agriculture Organization of the United Nations - Statistics Division (2002b) Agriculture Data: Livestock Primary, available at: <http://faostat.fao.org/faostat/collections?subset=agriculture>
- Food and Agriculture Organization of the United Nations - Statistics Division (2003) Agriculture Data: Crops Primary, available at: <http://faostat.fao.org/faostat/collections?subset=agriculture>
- French CL, Maxwell WH, Peters WD, Rice GE, Bullock OR, Vasu AB, Hetes R, Colli A, Nelson C, Lyons BF (1998) Study of Hazardous Air Pollutant Emissions from Electric Utility Steam Generating Units - Final Report to Congress. U.S. Environmental Protection Agency: Emission Standards Division/Air Quality Strategies and Standards Division; Office of Air Quality Planning and Standards
- Friedrich R, Bickel P (2001a) Environmental External Costs of Transport. Springer-Verlag, Berlin Heidelberg New York, pp 326
- Friedrich R, Bickel P (2001b) Estimation of External Costs Using the Impact-Pathway-Approach. Results from the ExternE project series. *TA-Datenbank-Nachrichten* 10:74-82
- Gaughhofer J, Bianchi V (1991) Chromium. In: Merian E (ed) Metals and their compounds in the environment: occurrence, analysis, and biological, relevance. VCH, Weinheim, pp 853-878
- Gawel JE, Trick CG, Morel FMM (2001) Phytochelatins Are Bioindicators of Atmospheric Metal Exposure via Direct Foliar Uptake in Trees near Sudbury, Ontario, Canada. *Environmental Science & Technology* 35:2108-2113
- Gebel T (1999) Metalle/Arsen. In: Wichmann H-E, Schlipkötter H-W and Füllgraff G (eds) *Handbuch der Umweltmedizin*. ecomed, Landsberg/Lech, vol 22. Erg. Lfg. 7/2001, pp 26

- Georgopoulos PG, Walia A, Roy A, Lioy PJ (1997) Integrated Exposure and Dose Modeling and Analysis System. 1. Formulation and Testing of Microenvironmental and Pharmacokinetic Components. *Environmental Science & Technology* 31:17-27
- Geßl (2004) Personal communication on free-range keeping of farm animals. Freiland, Vienna
- Gish TJ, Shirmohammadi A (1991) Preferential flow. Proceedings of the national symposium held at Chicago, Illinois 16-17 December 1991. American Society of Agricultural Engineers, St. Joseph, Michigan
- Gisi U (1990) *Bodenökologie*. Thieme, Stuttgart
- Godleski JJ, Verrier RL, Koutrakis P, Catalano P (2000) Mechanisms of Morbidity and Mortality from Exposure to Ambient Air Particles. Health Effects Institute, Cambridge MA, pp 105
- Goedkoop M, Hofstetter P, Müller-Wenk R, Spriemsma R (1998) The Eco-Indicator 98 Explained. *The International Journal of Life Cycle Assessment* 3:352-360
- Gold LS, Zeiger E (1997) Handbook of carcinogenic potency and genotoxicity databases. CRC press, Boca Raton, pp 754
- Golubev GN (1982) Soil erosion and agriculture in the world: an assessment and hydrological implications. In: Walling DE (ed) Recent developments in the explanation and prediction of erosion and sediment yield : proceedings of a symposium held during the First Scientific General Assembly of the International Association of Hydrological Sciences (IAHS) at Exeter, UK, 19-30 July 1982. International Association of Hydrological Sciences, Washington, DC IAHS-AISH publication, vol 137, pp 261-268
- Gordon T, Nadziejko C, Chen LC, Schlesinger R (2000) Effects of Concentrated Ambient Particles in Rats and Hamsters: An Exploratory Study. Health Effects Institute, Cambridge MA, pp 43
- Green ML, DePinto JV, Sweet C, Hornbuckle KC (2000) Regional Spatial and Temporal Interpolation of Atmospheric PCBs: Interpretation of Lake Michigan Mass Balance Data. *Environmental Science & Technology* 34:1833-1841
- Greger M (1999) Metal Availability and Bioconcentration in Plants. In: Prasad MNV and Hagemeyer J (eds) Heavy metal stress in plants: from molecules to ecosystems. Springer, Berlin, Heidelberg, pp 1-27
- Gressmann A, Bickel P (1997) Der Wert eines verlorenen Lebensjahres. In: Friedrich R and Krewitt W (eds) Umwelt- und Gesundheitsschäden durch die Stromerzeugung. Springer, Berlin, pp 55-60
- Guerzoni S, Chester R (1996) The impact of desert dust across the Mediterranean. *Environmental science and technology library - no 11*. Kluwer Academic, Dordrecht, pp 389

- Guinée J, Heijungs R, van Oers L, van de Meent D, Vermeire T, Rikken M (1996) LCA impact assessment of toxic releases: generic modelling of fate, exposure and effect for ecosystems and human beings with data for about 100 chemicals. Ministerie van Volkshuisvesting, Ruimtelijke Ordening en Milieubeheer, Centrale Directie Voorlichting en Externe Betrekkingen, Den Haag
- Gustafsson Ö, Haghseta F, Chan C, MacFarlane J, Gschwend PM (1997) Quantification of the Dilute Sedimentary Soot Phase: Implications for PAH Speciation and Bioavailability. *Environmental Science & Technology* 31:203-209
- Haab TC, McConnell KE (2002) *Valuing Environmental and Natural Resources - The Econometrics of Non-Market Valuation*. Edward Elgar, Cheltenham, UK
- Håkanson L (1984) Aquatic contamination and ecological risk: an attempt to a conceptual framework. *Water Research* 18:1107-1118
- Hamby DM (1994) A review of techniques for parameter sensitivity analysis of environmental models. *Environmental monitoring and assessment* 32:135-154
- Hammit JK (2000) *Valuing Mortality Risk: Theory and Practice*. *Environmental Science & Technology* 34:1396-1400
- Hansen M, DeFries R, Townshend JRG, Sohlberg R (1998) 1 km Land Cover Classification Derived from AVHRR. The Global Land Cover Facility, University of Maryland, College Park, Maryland, available at: <http://glcf.umiacs.umd.edu/data/landcover/data.shtml>
- Harrison SN (2001a) Inorganic contaminants in food. In: Watson DH (ed) *Food chemical safety 1: Contaminants*. CRC Press, Boca Raton, pp 148-168
- Harrison SN (2001b) Environmental organic contaminants in food. In: Watson DH (ed) *Food chemical safety 1: Contaminants*. CRC Press, Boca Raton, pp 169-192
- Hartmann E, Bischoff W-A, Kaupenjohann M (2004) *Untersuchung von Klärschlamm auf ausgewählte Schadstoffe und ihr Verhalten bei der landwirtschaftlichen Klärschlammverwertung*. Umweltbundesamt, Berlin
- Harvey C (1994) The reasonableness of non-constant discounting. *Journal of Public Economics* 53:31-51
- Hasselrot B, Grennfelt P (1987) Deposition of air pollutants in a wind exposed forest edge. *Water, Air, and Soil Pollution* 34:135-143
- Hattermer-Frey HA, Travis CC, Land ML (1990) Benzene: Environmental partitioning and human exposure. *Advances in Environmental Research* 53:221-232

- Hauschild M, Potting J (2003) Spatial differentiation in life cycle impact assessment - the EDIP2000 methodology. Department of Manufacturing Engineering and Management, Technical University of Denmark, Lyngby
- Heijungs R (1995) Harmonization of methods for impact assessment. *Environmental Science & Pollution Research* 2:217-224
- Heijungs R (2000) Dynabox : A dynamic multi-media fate model with applications to heavy metals. In: van der Voet E, Guinée JB and Udo de Haes HA (eds) *Heavy metals: a problem solved? - Methods and models to evaluate policy strategies for heavy metals*. Kluwer Acad. Publ., Dordrecht, pp 65-76
- Heijungs R, Suh S (2002) *The computational structure of Life Cycle Assessment*. Kluwer, Dordrecht
- Helling CS, Gish TJ (1991) Physical and chemical processes affecting preferential flow. In: Gish TJ and Shirmohammadi A (eds) *Preferential flow. Proceedings of the national symposium held at Chicago, Illinois 16-17 December 1991*. American Society of Agricultural Engineers, St. Joseph, Michigan, pp 77-86
- Hellweg S (2000) *Time- and Site-Dependent Life Cycle-Assessment of Thermal Waste Treatment Processes* Chemical Engineering Department. ETH Zürich, Zürich
- Hellweg S, Hofstetter T, Hungerbühler K (2003) Discounting and the Environment - Should Current Impacts be Weighted Differently than Impacts Harming Future Generations? *The International Journal of Life Cycle Assessment* 8:8-18
- Helmke PA (1999) Chemistry of cadmium in soil solution. In: McLaughlin MJ and Singh BR (eds) *Cadmium in soils and plants*. Kluwer, Dordrecht *Developments in plant and soil sciences*, vol 85, pp 39-64
- Hennings V (1994) *Methodendokumentation Bodenkunde*. E. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart
- Henrion M, Fischhoff B (1986) Assessing uncertainty in physical constants. *Am. J. Phys.* 54:791-798
- Hering JG, Morel FMM (1990) The kinetics of trace metal complexation: implications for metal reactivity in natural waters. In: Stumm W (ed) *Aquatic chemical kinetics: reaction rates of processes in natural waters*. Wiley, New York, pp 145-171
- Hertl M, Merk HF (1999) *Metalle/Chrom*. In: Wichmann H-E, Schlipkötter H-W and Fülgraff G (eds) *Handbuch der Umweltmedizin*. ecomed, Landsberg/Lech, vol 3. Erg. Lfg. 1/1994, pp 8
- Hertwich EG (1999) *Toxic Equivalency: Addressing Human Health Effects in Life Cycle Impact Assessment* Energy and Resources Group. University of California, Berkeley

- Hertwich EG (2001) Intermittent Rainfall in Dynamic Multimedia Fate Modeling. *Environmental Science & Technology* 35:936-940
- Hertwich EG, McKone TE, Pease W (1999) Parameter Uncertainty and Variability In Evaluative Fate and Exposure Models. *Risk Analysis* 19:1193-1204
- Hertwich EG, McKone TE, Pease WS (2000) A systematic uncertainty analysis of an evaluative fate and exposure model. *Risk Analysis* 20:439-454
- Hertwich EG, Mateles SF, Pease WS, McKone TE (2001) Human Toxicity Potentials for Life-Cycle-Assessment and Toxics: Release inventory risk screening. *Environmental toxicology and chemistry* 20:928-939
- Hertwich EG, Jolliet O, Pennington DW, Hauschild M, Schulze C, Krewitt W, Huijbregts MAJ (2002) Fate and exposure assessment in the Life Cycle Impact Assessment of Toxic Chemicals. In: Udo de Haes HA, Finnveden G, Goedkoop M, Hauschild M, Hertwich EG, Hofstetter P, Jolliet O, Klöpffer W, Krewitt W, Lindeijer E, Müller-Wenk R, Olsen SI, Pennigton DW, Potting J and Steen B (eds) *Life-cycle impact assessment: striving towards best practice*. Society of Environmental Toxicology and Chemistry (SETAC), Pensacola, Florida, pp 101-122
- Hettelingh J-P, Slootweg J, Posch M, Dutchak S, I.Ilyin (2002) Preliminary Modelling and Mapping of Critical Loads for Cadmium and Lead. Corrdination Center for Effects (CCE) at the National Institute of Public Health and the Environment (RIVM) and EMEP-Meteorological Synthesizing Centre - East, Bilthoven, the Netherlands
- Hoffman FO, Hammonds JS (1994) Propagation of uncertainty in risk assessments: the need to distinguish between uncertainty due to lack of knowledge and uncertainty due to variability. *Risk Analysis* 14:707-712
- Hofstetter P (1998) Perspectives in life cycle impact assessment: a structured approach to combine models of the technosphere, ecosphere, and valuesphere. Kluwer Academic Publishers, Boston
- Hofstetter P, Hammitt JK (2001) Human Health Metrics for Environmental Decision Support Tools: Lessons from Health Economics and Decision Analysis. U.S.Environmental Protection Agency, Office of Research and Development, National Risk Management Research Laboratory, Cincinnati, Ohio, pp 59
- Hohl R (1985) *Die Entwicklungsgeschichte der Erde*. Verlag für Kunst und Wissenschaft, Leipzig, pp 703
- Hoosbeek MR, Bryant RB (1992) Towards the quantitative modeling of pedogenesis - a review. *Geoderma* 55:183-210
- Hopke PK, Borak TB, Doull J, Cleaver JE, Eckerman KF, Gundersen LCS, Harley NH, Hess CT, Kinner NE, Kopecky KJ, McKone TE, Sextro RG, Simon SL (2000) Health Risks Due to Radon in Drinking Water. *Environmental Science & Technology* 34:921-926

- Horstmann M, McLachlan MS (1998) Atmospheric deposition of semivolatile organic compounds to two forest canopies. *Atmospheric environment* 32:1799-1809
- Huijbregts MAJ (1999) Priority Assessment of Toxic Substances in the frame of LCA - Development and application of the multi-media fate, exposure and effect model USES-LCA. Interfaculty Department of Environmental Science, Faculty of Environmental Sciences, University of Amsterdam, Amsterdam
- Huijbregts MAJ (2000) Priority Assessment of Toxic Substances in the frame of LCA - Time horizon dependency in toxicity potentials calculated with the multi-media fate, exposure and effects model USES-LCA. Institute of Biodiversity and Ecosystem Dynamics, University of Amsterdam, Amsterdam
- Huijbregts MAJ, Thissen U, Jager T, van de Meent D, Ragas AMJ (2000a) Priority assessment of toxic substances in life cycle assessment. Part II: assessing parameter uncertainty and human variability in the calculation of toxicity potentials. *Chemosphere* 41:575-588
- Huijbregts MAJ, Thissen U, Guinée JB, Jager T, Kalf D, van de Meent D, Ragas AMJ, Wegener Sleswijk A, Reijnders L (2000b) Priority assessment of toxic substances in life cycle assessment. Part I: Calculation of toxicity potentials for 181 substances with the nested multi-media fate, exposure and effects model USES-LCA. *Chemosphere* 41:541-573
- Huijbregts MAJ, Guinée JB, Reijnders L (2001) Priority assessment of toxic substances in life cycle assessment. Part III: Export of potential impact over time and space. *Chemosphere* 44:59-65
- Huijbregts MAJ, Lundi S, McKone TE, van de Meent D (2003) Geographical scenario uncertainty in generic fate and exposure factors of toxic pollutants for life-cycle impact assessment. *Chemosphere* 51:501-508
- Hunsaker CT, Graham RL, Glenn WSI, O'Neill RV, Barnhouse LW, Gardner RH (1990) Assessing ecological risk on a regional scale. *Environmental management* 14:325-332
- Hunt A (2001) Monetary valuation of noise effects. Draft Final Report prepared for the EC UNITE Project, subcontracted to IER, Germany. Metroeconomica Ltd., Bath (UK), pp 27
- Hunt A, Markandya A (2001) Chapter 8 - Economic valuation, sustainability indicators and alternative assessment techniques. In: Friedrich R and Bickel P (eds) *Environmental External Costs of Transport*. Springer-Verlag, Berlin Heidelberg New York, pp 87-120
- Hurley F, Miller B (2001) Chapter 5 - Health Effects: Exposure-Response Functions. In: Friedrich R and Bickel P (eds) *Environmental External Costs of Transport*. Springer-Verlag, Berlin Heidelberg New York, pp 35-58

- Hurley F, Miller B (2004) Life tables for different discount rates: Summary description of Methods and Results (Draft). Institute for Occupational Medicine (IOM), Edinburgh, pp 6
- Ilyin I, Ryaboshapko A, Afinogenova O, Berg T, Hjellbrekke A-G (2001) Evaluation of transboundary transport of heavy metals in 1999. Trend analysis. Meteorological Synthesizing Centre - East, Chemical Co-ordinating Centre, Moscow, Russia
- International Atomic Energy Agency (1989) Evaluating the reliability of predictions using environmental transfer models. International Atomic Energy Agency (IAEA), Vienna
- International Atomic Energy Agency (2001) Generic models for use in assessing the impact of discharges of radioactive substances to the environment. International Atomic Energy Agency (IAEA), Vienna
- International Council of Chemical Associations (1998) Position on Persistent Organic Pollutants (POPs)
- International Programme on Chemical Safety (1999) Principles for the Assessment of Risks to Human Health from Exposure to Chemicals. Environmental Health Criteria 210
- Irwin RJ, van Mouwerik M, Stevens L, Seese MD, Basham W (1998) Environmental Contaminants Encyclopedia: Chromium VI (hexavalent chromium) entry. National Park Service, Water Resources Division, Fort Collins, Colorado, pp 43
- Ivens W, Tank AK, Kauppi P, Alcamo J (1989) Atmospheric deposition of sulphur, nitrogen and basic cations onto European forests: observations and model calculations. In: Kämäri J, Brakke DF, Jenkins A, Norton SA and Wright RF (eds) Regional Acidification Models. Springer, Berlin, pp 103-111
- Jaenicke R (1998) Atmospheric aerosol size distribution. In: Harrison RM and van Grieken R (eds) Atmospheric particles. John Wiley & Sons, Chichester IUPAC series on analytical and physical chemistry of environmental systems, vol 5, pp 1-28
- Jarvis NJ, Villholth KG, Ulén B (1999) Modelling particle mobilization and leaching in macroporous soil. *European Journal of Soil Science* 50:621-632
- Jenne EA (1998a) Adsorption of metals by geomeedia: data analysis, modeling, controlling factors, and related issues. In: Jenne EA (ed) Adsorption of metals by geomeedia: variables, mechanisms, and model applications. Academic Press, San Diego, pp 1-73
- Jenne EA (1998b) Adsorption of metals by geomeedia: variables, mechanisms, and model applications. Academic Press, San Diego, pp 583

- Joint Research Centre of the European Commission (2003) Integrated Pollution Prevention and Control (IPPC): Draft Reference Document on Best Available Techniques for Large Combustion Plants. Institute for Prospective Technological Studies, Joint Research Centre of the European Commission, Seville, Spain, pp 539
- Jolliet O, Margni M, Charles R, Humbert S, Payet J, Rebitzer G, Rosenbaum R (2003) IMPACT 2002+: A New Life Cycle Impact Assessment Methodology. *The International Journal of Life Cycle Assessment* 8:324-330
- Jonas R, Heinemann K (1985) Studies on the dry deposition of aerosol particles on vegetation and plane surfaces. *Journal of Aerosol Science* 16:463-471
- Jørgensen SE, Bendoricchio G (2001) *Fundamentals of Ecological Modelling*. Elsevier, Amsterdam
- Jury WA, Russo D, Streile G, El Abd H (1990) Evaluation of volatilization by organic chemicals residing below the soil surface. *Water resources research* 26:13-20
- Kabata-Pendias A, Pendias H (1992) *Trace elements in soils and plants*, 2 edn. CRC Pr., Boca Raton
- Kabata-Pendias A, Pendias H (2001) *Trace elements in soils and plants*, 3 edn. CRC Pr., Boca Raton
- Karimi-Lotfabad S, Pickard MA, Gray MR (1998) Fate and Stability of Nonextractable Residues of [14 C]PAH in Contaminated Soils under Environmental Stress Conditions. *Environmental Science & Technology* 30:1145-1151
- Kaupp H, Towara J, McLachlan MS (1994) Distribution of polychlorinated dibenzo-p -dioxins and dibenzofurans in atmospheric particulate matter with respect to particle size. *Atmospheric environment* 28:585-593
- Keller S-P (2005) *Assessing Human Effect Factors for Cancer in Life Cycle Impact Assessment (LCIA)*. Diploma thesis. Laboratory of Ecosystem Management. Ecole Polytechnique Fédérale de Lausanne (EPFL), Switzerland, Lausanne, pp 30
- Kirkby MJ, Imeson AC, Bergkamp G, Cammeraat LH (1996) Scaling up processes and models from the field plot to the watershed and regional areas. *Journal of soil and water conservation* 51:391-396
- Kleeberg H-B (1992) Diskussionsergebnisse. In: Kleeberg H-B (ed) *Regionalisierung in der Hydrologie*. VCH, Weinheim Mitteilung der Senatskommission für Wasserforschung, pp 419-429
- Klepper O, den Hollander HA (1999) A comparison of spatially explicit and box models for the fate of chemicals in water, air and soil in Europe. *Ecological Modelling* 116:183-202

- Korte F (1992) Lehrbuch der Ökologischen Chemie - Grundlagen und Konzepte für die ökologische Beurteilung von Chemikalien. Georg-Thieme, Stuttgart
- Korzun VI, Sokolov AA, Bodyko MI (1974) Atlas of the world water balance (in Russian). Gidrometeorologiceskoe izdatel stvo, Moscow, Leningrad
- Krewitt W, Mayerhofer P, Trukenmüller A, Friedrich R (1998) Application of the Impact Pathway Analysis in the Context of LCA. *The International Journal of Life Cycle Assessment* 3:86-94
- Krewitt W, Trukenmüller A, Bachmann TM, Heck T (2001) Country-specific Damage Factors for Air Pollutants: A Step Towards Site Dependent Life Cycle Impact Assessment. *The International Journal of Life Cycle Assessment* 6:199-210
- Krewitt W, Pennington DW, Olsen SI, Crettaz P, Jolliet O (2002) Indicators for human toxicity in Life-Cycle Impact Assessment. In: Udo de Haes HA, Finnveden G, Goedkoop M, Hauschild M, Hertwich EG, Hofstetter P, Jolliet O, Klöpffer W, Krewitt W, Lindeijer E, Müller-Wenk R, Olsen SI, Pennington DW, Potting J and Steen B (eds) *Life-cycle impact assessment: striving towards best practice*. Society of Environmental Toxicology and Chemistry (SETAC), Pensacola, Florida, pp 123-148
- Kroes R (1996) Toxicity testing and human health. In: van Leeuwen CJ and Hermens JLM (eds) *Risk Assessment of Chemicals: An Introduction*. Kluwer Acad. Publ., Dordrecht, pp 147-174
- Länderarbeitsgemeinschaft Wasser (LAWA) (1993) Richtlinie für die Gebietsbezeichnung und die Verschlüsselung von Fließgewässern
- Lasaga AC (1995) Fundamental approaches in describing mineral dissolution and precipitation rates. In: White AF and Brantley SL (eds) *Chemical weathering rates of silicate minerals*. Mineralogical Society of America, Washington, DC *Reviews in mineralogy*, vol 31, pp 12-86
- Lee DS (2003) Personal communication on parameters for heavy metals and organics. Manchester Metropolitan University, Manchester
- Lehner B, Döll P (2001) A global wetlands, lakes and reservoirs data set. Center for Environmental Systems Research, University of Kassel, Germany, Kassel
- Leip A, Lammel G (2004) Indicators for persistence and long-range transport potential as derived from multicompartment chemistry-transport modelling. *Environmental Pollution* 128:205-221
- Léonhard A (1991) Arsenic. In: Merian E (ed) *Metals and their compounds in the environment: occurrence, analysis, and biological, relevance*. VCH, Weinheim, pp 751-774

- Lick W, McNeil J (2001) Effects of sediment bulk properties on erosion rates. *The Science of the Total Environment* 266:41-48
- Lide DR (2002) CRC handbook of chemistry and physics: a ready-reference book of chemical and physical data, 83 edn. CRC Press, Boca Raton
- Linares Llamas P (2003) Biodiversity. In: European Commission (ed) An applied integrated environmental impact assessment framework for the European Union (GREENSENSE). European Commission, DG Research, EESD, Brussels
- Lindberg SE (1989) Behavior of Cd, Mn, and Pb in forest-canopy throughfall. In: Pacyna JM and Ottar B (eds) Control and fate of atmospheric trace metals. Proceedings of the NATO Advanced Research Workshop on Fate and Control of Toxic Metals in the Atmosphere 12-16 September 1988. Kluwer, Dordrecht NATO advanced study institutes series: C, vol 268, pp 233-257
- Lindqvist O, Rodhe H (1985) Atmospheric Mercury - a review. *Tellus* 37B:136-159
- Lopez AD, Salomon JA, Ahmad OB, Murray CJL, Mafat D (2001a) Life Tables for 191 Countries: Data, Methods, Results. World Health Organization
- Lopez AD, Ahmad OB, Guillot M, Inoue M, Ferguson BD, Salomon JA (2001b) Life Tables for 191 Countries for 2000: Data, Methods, Results. Harvard Burden of Disease Unit, Cambridge
- Lovett GM, Reiners WA, Olson RK (1982) Cloud Droplet Deposition in Subalpine Balsam Fir Forests: Hydrological and Chemical Inputs. *SCIENCE* 218:1303-1304
- Lumsdon DG, Evans LJ (1995) Predicting chemical speciation and computer simulation. In: Ure AM and Davidson CM (eds) Chemical speciation in the environment. Blackie Academic & Professional, London, pp 86-134
- Luthy RG, Aiken GR, Brusseau ML, Cunningham SD, Gschwend PM, Pignatello JJ, Reinhard M, Traina SJ, Weber (Jr.) WJ, Westall JC (1997) Sequestration of Hydrophobic Organic Contaminants by Geosorbents. *Environmental Science & Technology* 31:3341-3347
- Luxmoore RJ (1991) On preferential flow and its measurement. In: Gish TJ and Shirmohammadi A (eds) Preferential flow. Proceedings of the national symposium held at Chicago, Illinois 16-17 December 1991. American Society of Agricultural Engineers, St. Joseph, Michigan, pp 113-121
- Mackay D (1979) Finding fugacity feasible. *Environmental Science & Technology* 13:1218-1223
- Mackay D (1985) Air/water exchange coefficients. In: Neely WB and Blau GE (eds) Environmental exposure from chemicals. Volume I. CRC Press, Boca Raton, Florida, pp 91-108

- Mackay D (1991) *Multimedia Environmental Models: The Fugacity Approach*. Lewis Publishers, Chelsea, Michigan
- Mackay D (2001) *Multimedia Environmental Models: The Fugacity Approach*, 2 edn. Lewis Publishers, Boca Raton
- Mackay D, Diamond M (1989) Application of the QWASI (quantitative water air sediment interaction) fugacity model to the dynamics of organic and inorganic chemicals in lakes. *Chemosphere* 18:1343-1365
- Mackay D, Southwood JM (1992) Modelling the Fate of Organochlorine Chemicals in Pulp Mill Effluents. *Water Pollution Research Journal of Canada* 27:509-537
- Mackay D, Hickie B (2000) Mass balance model of source apportionment, transport and fate of PAHs in Lac Saint Louis, Quebec. *Chemosphere* 41:681-692
- Mackay D, Paterson S, Shiu WY (1992) Generic Models for Evaluating the Regional Fate of Chemicals. *Chemosphere* 24:695-717
- Mackay D, di Guardo A, Paterson S, Cowan E (1996a) Evaluating the environmental fate of a variety of types of chemicals using the EQC model. *Environmental toxicology and chemistry* 15:1627-1637
- Mackay D, di Guardo A, Paterson S, Kicsi G, Cowan E (1996b) Assessing the Fate of New and Existing Chemicals: A Five-stage Process. *Environmental toxicology and chemistry* 15:1618-1626
- MacLeod M (2002) Personal communication on the BETR North-America model. Lawrence Berkeley National Laboratory, Berkeley
- MacLeod M, Woodfine DG, Mackay D, McKone TE, Bennett DH, Maddalena R (2001) BETR North America: A regionally segmented multimedia contaminant fate model for North America. *Environmental Science & Pollution Research* 8:156-163
- MacLeod M, Bennett DH, Perem M, Maddalena RL, McKone TE, Mackay D (2004) Dependence of intake fraction on release location in a multi-media framework: A case study of four contaminants in North America. *Journal of Industrial Ecology* 8:89-102
- Maddalena R, Bennett DH, McKone TE, Lyon BF, Efroymsen RA, Jones DS, Eyth A, Lee M, McVey ME, Burch D, Cleland J, Jones B (2002) Evaluation of TRIM.FaTE. Volume I: Approach and Initial Findings. Office of Air Quality, Planning and Standards, Research Triangle Park, NC
- Margni M (2002) Personal communication on feedback fractions. École Polytechnique Fédérale de Lausanne, Lausanne
- Margni M (2003) Source to Intake Modeling in Life Cycle Impact Assessment Section Science et Ingénierie de l'Environnement. Swiss Federal Institute of Technology (EPFL), Lausanne, pp. 138 p

- Margni M, Pennington DW, Bennett DH, Jolliet O (2004) Cyclic Exchanges and Level of Coupling between Environmental Media: Intermedia Feedback in Multimedia Fate Models. *Environmental Science & Technology* 38:5450 - 5457
- Markandya A, Hunt A, Ortiz RA, Desaignes B, Bounmy K, Ami D, Masson S, Rabl A, Santoni L, Salomon M-A, Alberini A, Scarpa R, Krupnick A (2004) Mortality Risk Valuation. Draft final report prepared for the EC NewExt Project. University of Bath and others, Bath and others, pp 101
- Märker B, Urhahn T, Ballschmiter K (2000) Regionale Verteilungsmodelle für Chemikalien im Vergleich. Akademie für Technikfolgenabschätzung in Baden-Württemberg, Stuttgart, pp 118
- Markert B (1998) Distribution and biogeochemistry of inorganic chemicals in the environment. In: Schüürmann G and Markert B (eds) *Ecotoxicology: ecological fundamentals, chemical exposure, and biological effects*. Wiley, New York, NY *Environmental science and technology*, pp 165-222
- Martínez García MJ, Moreno-Grau S, Martínez García JJ, Moreno J, Bayo J, Guillén Pérez JJ, Moreno-Clavel J (1999) Distribution of the Metals Lead, Cadmium, Copper, and Zinc in the Top Soil of Cartagena, Spain. *Water, Air, and Soil Pollution* 131:329-347
- Mason P (2002) Personal communication on the meaning of 'contingent' in 'contingent valuation'. University of Bath, Bath
- McBride MB (1994) *Environmental chemistry of soils*. Oxford University Press, New York
- McColl S, Hicks J, Craig L, Shortreed J (2000) *Environmental health risk management: a primer for Canadians*. Institute for Risk Research, University of Waterloo, Waterloo, Ontario, Canada
- McCutcheon SC, Martin JL, Barnwell (Jr.) TO (1993) Water quality. In: Maidment DR (ed) *Handbook of hydrology*. McGraw-Hill, New York, NY, pp 11.1-11.73
- McKone TE (1993a) CalTOX, A Multimedia Total-Exposure Model for Hazardous-Wastes Sites, Part I: Executive Summary. Lawrence Livermore National Laboratory, Livermore, CA
- McKone TE (1993b) CalTOX, A Multimedia Total-Exposure Model for Hazardous-Wastes Sites, Part II: The Dynamic Multimedia Transport and Transformation Model. Lawrence Livermore National Laboratory, Livermore, CA
- McKone TE (2003) Personal communication on CalTOX scientific documentation. Lawrence Berkeley National Laboratory, Berkeley
- McKone TE, Ryan PB (1989) Human exposures to chemicals through the food chains: an uncertainty analysis. *Environmental Science & Technology* 23:1154-1163

- McKone TE, Hertwich EG (2001) The Human Toxicity Potential and a Strategy for Evaluating Model Performance in Life Cycle Impact Assessment. *The International Journal of Life Cycle Assessment* 6:106-109
- McKone TE, Enoch KG (2002) CalTOX, A Multimedia Total-Exposure Model Spreadsheet User's Guide Version 4.0 (Beta). Ernest Orlando Lawrence Berkeley National Laboratory, Berkeley, CA
- McKone TE, Bennett DH (2003) Chemical-Specific Representation of Air-Soil Exchange and Soil Penetration in Regional Multimedia Models. *Environmental Science & Technology* 37:3123-3132
- McLachlan MS (1994) Model of the fate of hydrophobic contaminants in cows. *Environmental Science & Technology* 28:2407-2414
- McLachlan MS (1996) Bioaccumulation of hydrophobic chemicals in agricultural food chains. *Environmental Science & Technology* 30:252-259
- McLachlan MS (1997) A simple model to predict accumulation of PCDD/Fs in an agricultural food chain. *Chemosphere* 34:1263-1276
- McLachlan MS, Horstmann M (1998) Forests as Filters of Airborne Organic Pollutants: A Model. *Environmental Science & Technology* 32:413-420
- McLachlan MS, Horstmann M, Hinkel M (1996) Polychlorinated dibenzo-p -dioxins and dibenzofurans in sewage sludge: sources and fate following sludge application to land. *The Science of the Total Environment* 185:109-123
- McLachlan MS, Czub G, Wania F (2002) The Influence of Vertical Sorbed Phase Transport on the Fate of Organic Chemicals in Surface Soils. *Environmental Science & Technology* 36:4860-4867
- Mehra RK, Tripathi RD (2000) Phytochelatins and Metal Tolerance. In: Agrawal SB and Agrawal M (eds) *Environmental Pollution and Plant Responses*. Lewis Publ., Boca Raton, Fla., pp 367-382
- Mekel OCL, Fehr R (2000) Probabilistische Expositionsabschätzung (Teil III): Berücksichtigung von Variabilität und Unsicherheit in quantitativen Risikoabschätzungen (QRA). *Umweltwissenschaften und Schadstoff -Forschung* 12:42-50
- Menz (2004) Personal communication on the composition of fodder in Germany. Zentrale Markt- und Preisberichtsstelle für Erzeugnisse der Land-, Forst- und Ernährungswirtschaft (ZMP), Bonn
- Mersch-Sundermann V (1996) Wirkungen von Kohlenwasserstoffen in Säugetieren - zwischen Spekulation und Erkenntnis. In: Straub H-P (ed) *Belastung von Säugetieren mit Umweltschadstoffen: Analytik, Ergebnisse und Konsequenzen*. Landesanstalt für Umweltschutz Baden-Württemberg, Karlsruhe Ökologisches Wirkungskataster Baden-Württemberg 1, pp 65-78

- Mileson B, Faustman E, Olin S, Ryan PB, Ferenc S, Burke T (1999) A Framework for Cumulative Risk Assessment. In: Cumulative Risk Assessment workshop. International Life Sciences Institute, pp 55
- Miller BG (2001) Annex 1 - Life-table methods for predicting and quantifying long-term impacts on mortality. In: World Health Organization (ed) Quantification of the Health Effects of Exposure to Air Pollution. Report of a WHO Working Group (meeting at Bilthoven, Netherlands the 20-22 November 2000). WHO Regional Office for Europe, Copenhagen, pp 20-28
- Milliman JD, Meade RH (1983) World-wide delivery of river sediment to the oceans. *The Journal of Geology* 91:1-21
- Milliman JD, Syvitski JPM (1992) Geomorphic/tectonic control of sediment discharge to the ocean: the importance of small mountainous rivers. *The Journal of Geology* 100:525-54
- Moore ID, Turner AK, Wilson JP, Jenson SK, Band LE (1993) GIS and land-surface-subsurface process modeling. In: Goodchild MF, Parks BO and Steyaert LT (eds) *Environmental modeling with GIS*. Oxford University Press, New York, pp 196-230
- Morel FMM, Hering JG (1993) *Principles and applications of aquatic chemistry*. Wiley, New York
- Morgan JJ, Stumm W (1991) Chemical Processes in the Environment, Relevance of Chemical Speciation. In: Merian E (ed) *Metals and their compounds in the environment: occurrence, analysis, and biological, relevance*. VCH, Weinheim, pp 67-103
- Morgan MG, Henrion M (1990) *Uncertainty: a guide to dealing with uncertainty in quantitative risk and policy analysis*. Cambridge Univ. Press, Cambridge
- Morgan RPC (1999) *Soil erosion and conservation (German translation)*. Enke, Stuttgart
- Mosbaek H, Tjell JC, Hovmand MF (1989) Atmospheric lead input to agricultural crops in Denmark. *Chemosphere* 19:1787-1799
- Mosley MP, McKerchar AI (1993) Streamflow. In: Maidment DR (ed) *Handbook of hydrology*. McGraw-Hill, New York, NY, pp 8.1-8.39
- Mücke W (6/1995) Chemische Stoffe in der Umwelt - Praktische Anwendung toxikologischer Erkenntnisse im Umwelthygienerecht. In: Vogl J (ed) *Handbuch des Umweltschutzes*. Ecomed, Landsberg am Lech
- Mulkey LA, Donigian (Jr.) AS, Allison TL, Raju CS (1993) *Evaluation of Source Term Initial Conditions for Modeling Leachate Migration from Landfills*. U.S. Environmental Protection Agency, Environmental Research Laboratory, Athens, Georgia
- Müller-Wenk R, Hofstetter P (2003) *Monetarisierung verkehrslärmbedingter Gesundheitsschäden*. Bundesamt für Umwelt, Wald und Landschaft, Bern, pp 93

- Muñoz O, Vélez D, Montoro R (1999) Optimization of the solubilization, extraction and determination of inorganic arsenic [As(III) + As(V)] in seafood products by acid digestion, solvent extraction and hydride generation atomic absorption spectrometry. *The Analyst* 124:601-607
- Munthe J, Palm A (2003) MEPOP - Atmospheric Cycling of Mercury and Persistent Organic Pollutants. EUROTRAC-2 Subproject Final Report. International Scientific Secretariat (ISS), GSF - National Research Center for Environment and Health, Munich, Germany, pp 102
- Murray CJL (1994) Quantifying the burden of disease: the technical basis for disability-adjusted life years. *Bulletin of the World Health Organization* 72:429-445
- Murray CJL, Lopez AD (1996a) The global burden of disease: a comprehensive assessment of mortality and disability from diseases, injuries, and risk factors in 1990 and projected to 2020. World Health Organization, Harvard School of Public Health, Cambridge, Massachusetts
- Murray CJL, Lopez AD (1996b) Global health statistics: a compendium of incidence, prevalence, and mortality estimates for over 200 conditions. Harvard University on behalf of the World Health Organization and the World Bank, Cambridge, Massachusetts
- Murray CJL, Lopez AD, Jamison DT (1994) The global burden of disease in 1990: summary results, sensitivity analysis and future directions. *Bulletin of the World Health Organization* 72:495-509
- Neal C, Robson AJ, Christophersen N (1997) Towards coupling hydrological, soil and weathering processes within a modelling perspective. In: Saether OM and de Caritat P (eds) *Geochemical processes, weathering and groundwater recharge in catchments*. Balkema, Rotterdam, pp 329-380
- New M, Hulme M, Jones P (1999) Representing Twentieth-Century Space-Time Climate Variability. Part I: Development of a 1961-90 Mean Monthly Terrestrial Climatology. *Journal of Climate* 12:829-856
- Nicholas AP, Walling DE (1996) The significance of particle aggregation in the overbank deposition of suspended sediment on river floodplains. *Journal of Hydrology* 186:275-293
- Nichols P, Hauschild M, Potting J, White P (1996) Part V: Impact assessment of non toxic pollution in life cycle assessment. In: Udo de Haes HA (ed) *Towards a methodology for life cycle impact assessment*. Society of Environmental Toxicology and Chemistry - Europe, Brussels, pp 63-73
- Nigge K-M (2000) Life Cycle Assessment of natural gas vehicles - Development and application of site-dependent impact indicators. Springer, Berlin
- Nigge K-M (2001) Generic Spatial Classes for Human Health Impacts. Part I: Methodology. *The International Journal of Life Cycle Assessment* 6:257-264

- Noack AG, Grant CD, Chittleborough DJ (2000) Colloid Movement through Stable Soils of Low Cation-Exchange Capacity. *Environmental Science & Technology* 34:2490-2497
- Nord E (2002) My goodness - and yours: a history, and some possible futures, of DALY meanings and valuation procedures. In: Murray CJL, Salomon JA, Mathers CD and Lopez AD (eds) Summary measures of population health: concepts, ethics, measurement and applications. World Health Organisation, Geneva, pp 139-146
- Norgaard RB, Howarth RB (1991) Sustainability and discounting the future. In: Costanza R (ed) Ecological economics: the science and management of sustainability. Columbia University Press, New York, pp 88-101
- North Atlantic Treaty Organization/Committee on the Challenges of Modern Society (1988) International toxicity equivalency factors (I-TEF) method of risk assessment for complex mixtures of dioxins and related compounds. North Atlantic Treaty Organization, Brussels
- Nriagu JO (1978) Lead in soils, sediments and major rock types. In: Nriagu JO (ed) The biogeochemistry of lead in the environment. Elsevier/North-Holland Biomedical Press, Amsterdam, Netherlands *Topics in environmental health*, vol 1A, pp 15-72
- Nriagu JO (1989) A global assessment of natural sources of atmospheric trace metals. *Nature* 338:47-49
- Oh J-E, Choi J-S, Chang Y-S (2001) Gas/particle partitioning of polychlorinated dibenzo-p-dioxins and dibenzofurans in atmosphere; evaluation of predicting models. *Atmospheric environment* 35:4125-4134
- Olivie-Lauquet G, Gruau G, Dia A, Riou C, Jaffrezic A, Henin O (2001) Release of Trace Elements in Wetlands: Role of Seasonal Variability. *Water Research* 35:943-952
- Olsen SI, Møller Christensen F, Hauschild M, Pedersen F, Larsen HF, Tørsløv J (2001) Life cycle impact assessment and risk assessment of chemicals - a methodological comparison. *Environmental Impact Assessment Review* 21:385-404
- Olson BH, Panigrahi AK (1991) Bacteria, fungi, and blue-green algae. In: Merian E (ed) Metals and their compounds in the environment: occurrence, analysis, and biological, relevance. VCH, Weinheim, pp 419-448
- Oreskes N, Shrader-Frechette K, Belitz K (1994) Verification, Validation, and Confirmation of Numerical Models in the Earth Sciences. *Science* 263
- Organisation for Economic Co-operation and Development (1999) Environmental Exposure Assessment Strategies for Existing Industrial Chemicals in OECD Member Countries. Environment Directorate of the OECD, Paris

- Otto WH, Carper WR, Larive CK (2001) Measurement of Cadmium(II) and Calcium(II) Complexation by Fulvic Acids Using ^{113}Cd NMR. *Environmental Science & Technology* 35:1463-1468
- Owens JW (1997a) Life-Cycle Assessment: Constraints on Moving from Inventory to Impact Assessment. *Journal of Industrial Ecology* 1:37-49
- Owens JW (1997b) Life-Cycle assessment in relation to risk assessment: an evolving perspective. *Risk analysis* 17:359-365
- Owens JW (2001) Chemical toxicity indicators for human health: Case study for classification of chronic non-cancer chemical hazards in life cycle assessment. *Environmental toxicology and chemistry* 21:207-225
- Pacyna JM (1987) Atmospheric emissions of arsenic, cadmium, lead and mercury from high temperature processes in power generation and industry. In: Hutchinson TC and Meema KM (eds) *Lead, mercury, cadmium and arsenic in the environment*. Wiley, Chichester SCOPE 31, pp 69-87
- Parliament and Council of the European Union (2000) Directive 2000/60/EC of the European Parliament and of the Council of 23 October 2000 establishing a framework for Community action in the field of water policy. *Official Journal of the European Communities L* 327:0001-0073
- Paterson S, Mackay D, Mc Farlane C (1994) A Model of Organic Chemical Uptake by Plants from Soil and the Atmosphere. *Environmental Science & Technology* 28:2259-2266
- Pearce DW, Turner RK (1990) *Economics of natural resources and the environment*. The Johns Hopkins University Press, Baltimore
- Pearce DW, Moran D (2001) *The value of biological diversity*. Organisation for Economic Co-operation and Development, Paris
- Pekar M, Pavlova N, Gusev A, Shatalov V, Vulikh N, Ioannisian D, Dutchak S, Berg T, Hjellbrekke A-G (1999) Long-Range Transport of Selected Persistent Organic Pollutants - Development of Transport Models for Polychlorinated Biphenyls, Benzo[a]pyrene, Dioxins/Furans and Lindane. Meteorological Synthesizing Centre - East, Moscow, Russia
- Pelichet T (2003) Development of a spatial multimedia chemical fate and human exposure model for Europe, with a focus on air advection Laboratory of Ecosystem Management. Ecole Polytechnique Fédérale de Lausanne (EPFL), Switzerland, Lausanne, pp 75
- Pennington DW, Crettaz P, Tauxe A, Rhomberg L, Brand K, Jolliet O (2002) Assessing Human Health in Life Cycle Assessment using ED10 s and DALYs: Part 2 - Noncancer effects. *Risk Analysis* 22:947-963
- Pennington DW, Margni M, Ammann C, Jolliet O (2005) Multimedia Fate and Human Intake Modeling: Spatial versus Nonspatial Insights for Chemical Emissions in Western Europe. *Environmental Science and Technology* 39:1119-1128

- Peterson PJ, Alloway BJ (1979) Cadmium in soils and vegetation. In: Webb M (ed) *The chemistry, biochemistry, and biology of cadmium*. Elsevier/North-Holland Biomedical Press, Amsterdam, Netherlands *Topics in environmental health*, vol 2, pp 45-92
- Pope CA, Thun MJ, Namboodri MM, et al. (1995) Particulate air pollution as a predictor of mortality in a prospective study of US adults. *Am. J. Resp. Critical Care Med.* 151:669-674
- Popper KR (1968) *The logic of scientific discovery*, 4 edn. Hutchinson, London
- Potting J, Hauschild M (1997) Predicted Environmental Impact and Expected Occurrence of Actual Environmental Impact - Part II: Spatial Differentiation in Life-Cycle Assessment via the Site-Dependent Characterisation of Environmental Impact from Emissions. *The International Journal of Life Cycle Assessment* 2:209-216
- Potting J, Schöpp W, Blok K, Hauschild M (1998) Site-dependent life-cycle impact assessment of acidification. *Journal of Industrial Ecology* 2:63-87
- Powell JC, Pearce DW, Craighill AL (1997) Approaches to valuation in LCA impact assessment. *The International Journal of Life Cycle Assessment* 2:11-15
- Prevedouros K, MacLeod M, Jones KC, Sweetman AJ (2004) Modelling the fate of persistent organic pollutants in Europe: parameterisation of a gridded distribution model. *Environmental Pollution* 128:251-261
- Price PS, Shu SH, Harrington JR, Keenan RE (1996) Uncertainty and Variation in Indirect Exposure assessments: An Analysis of Exposure to Tetrachlorodibenzo-*p*-dioxin from a Beef Consumption Pathway. *Risk Analysis* 16:263-277
- Purohit V, Basu AK (2000) Mutagenicity of Nitroaromatic Compounds. *Chemical Research in Toxicology* 13
- Puxbaum H (1991) Metal compounds in the atmosphere. In: Merian E (ed) *Metals and their compounds in the environment: occurrence, analysis, and biological, relevance*. VCH, Weinheim, pp 257-286
- Rabl A (1996) Discounting of Long Term Costs: What Would Future Generations Prefer Us to Do? *Ecological Economics* 17:137-145
- Rabl A, Spadaro JV (1999) Damages and costs of air pollution: an analysis of uncertainties. *Environment International* 25:29-46
- Rabl A, Spadaro JV, McGavran PD (1998) Health risks of air pollution from incinerators: a perspective. *Waste Management & Research* 16:365-388
- Ragas AMJ, Etienne RS, Willemsen FH, van de Meent D (1999) Assessing model uncertainty for environmental decision making: a case study of the coherence of independently derived environmental quality objectives for air and water. *Environmental toxicology and chemistry* 18:186-1867

- Rantio T, Paasivirta J (1996) Modelled and observed fate of chlorocymenes. *Chemosphere* 33:453-466
- Rat von Sachverständigen für Umweltfragen (2004) Sondergutachten "Meeresumweltschutz für Nord- und Ostsee". Rat von Sachverständigen für Umweltfragen (SRU), Berlin, pp 462
- Rawls WJ, Ahuja LR, Brakensiek DL, Shirmohammadi A (1993) Infiltration and soil water movement. In: Maidment DR (ed) *Handbook of hydrology*. McGraw-Hill, New York, NY, pp 5.1-5.51
- Rea AW, Lindberg SE, Keeler GJ (2001) Dry deposition and foliar leaching of mercury and selected trace elements in deciduous forest throughfall. *Atmospheric environment* 35:3453-3462
- Reimann C, de Caritat P (1998) *Chemical elements in the environment: factsheets for the geochemist and environmental scientist*. Springer-Verlag, Berlin
- Reimann C, Siewers U, Tarvainen T, Bityukova L, Eriksson J, Gilucis A, Gregorauskiene V, Lukashov V, Matinian NN, Pasieczna A (2000) Baltic soil survey: total concentrations of major and selected trace elements in arable soils from ten countries around the Baltic Sea. *The Science of the Total Environment* 257:155-170
- Reimann C, Siewers U, Tarvainen T, Bityukova L, Eriksson J, Gilucis A, Gregorauskiene V, Lukashov VK, Matinian NN, Pasieczna A (2003) *Agricultural soils in Northern Europe: a geochemical atlas*. Schweizerbart, Stuttgart
- Reinds GJ, Bril J, de Vries W, Groenenberg JE, Breeuwsma A (1995) Critical loads and excess loads of cadmium, copper and lead for European forest soils. DLO Winand Staring Centre & Haren (Gr.) DLO Institute for Agrobiological and Soil Fertility Research, Wageningen, The Netherlands, pp 91
- Renard KG, Foster GR, Weesies GA, McCool DK, Yoder DC (1997) *Predicting soil erosion by water: a guide to conservation planning with the revised universal soil loss equation (RUSLE)*. Agricultural Research Service, Washington, D. C.
- Rennings K (1994) *Indikatoren für eine dauerhaft-umweltgerechte Entwicklung*. Metzler-Poeschel, Stuttgart
- Rennings K (1997) *Ökonomische Bewertung von externen Effekten der Stromerzeugung*. In: Friedrich R and Krewitt W (eds) *Umwelt- und Gesundheitsschäden durch die Stromerzeugung*. Springer, Berlin, pp 37-67
- Rentz O, Martel C (1998) *Analyse der Schwermetallströme in Steinkohlefeuerungen - Einfluß der Kohlesorte und des Lastzustandes*. Deutsch-Französisches Institut für Umweltforschung (DFIU) der Universität Karlsruhe (TH), Karlsruhe, pp 254

- Richards D, Rowe WD (1999) Decision-making with heterogeneous sources of information. *Risk Analysis* 19:69-81
- Richter O, Diekkrüger B, Nörtersheuser P (1996) Environmental Fate Modelling of Pesticides. VCH, Weinheim
- Rickard DT, Nriagu JO (1978) Aqueous environmental chemistry of lead. In: Nriagu JO (ed) *The biogeochemistry of lead in the environment*. Elsevier/North-Holland Biomedical Press, Amsterdam, Netherlands *Topics in environmental health*, vol 1A, pp 219-284
- Riederer M (1995) Partitioning and transport of organic chemicals between the atmospheric environment and leaves. In: Trapp S and Mc Farlane JC (eds) *Plant contamination: modeling and simulation of organic chemical processes*. Lewis, Boca Raton, pp 153-190
- Ritchie GSP, Sposito G (1995) Speciation in soils. In: Ure AM and Davidson CM (eds) *Chemical speciation in the environment*. Blackie Academic & Professional, London, pp 201-233
- Robarge WP (1999) Precipitation/Dissolution Reactions in Soils. In: Sparks DL (ed) *Soil physical chemistry*. CRC Press, Boca Raton, Fla., pp 193-238
- Robinson S (1999) Simulation Verification, Validation and Confidence: A Tutorial. *TRANSACTIONS of the Society for Computer Simulation International* 16:63-69
- Rodhe A, Killingtveit Å (1997) Catchment hydrology. In: Saether OM and de Caritat P (eds) *Geochemical processes, weathering and groundwater recharge in catchments*. Balkema, Rotterdam, pp 77-107
- Römbke J, Moltmann JF (1996) *Applied ecotoxicology*. Lewis Publ., Boca Raton
- Rossetti di Valdalbero D (2004) Quantification and tentative internalisation of energy external costs in the European Union. In: *International Conference on Probabilistic Safety Assessment and Management (PSAM) 7 - European Safety and Reliability Conference (ESREL) '04*, Berlin, Germany. Springer, pp 2301-2307
- Rowe WD (1994) Understanding uncertainty. *Risk Analysis* 14:743-750
- Ryaboshapko A, Ilyin I, Gusev A, Afinogenova O (1998) Mercury in the atmosphere of Europe: concentrations, deposition patterns, transboundary fluxes. Meteorological Synthesizing Centre - East, Moscow, Russia
- Rykiel (Jr.) EJ (1996) Testing ecological models: the meaning of validation. *Ecological Modelling* 90:229-244
- Saltelli A (2000) What is sensitivity analysis? In: Saltelli A, Chan K and Scott EM (eds) *Sensitivity analysis*. John Wiley & Sons, Chichester Wiley series in probability and statistics, pp 3-13
- Samara C, Voutsas D (2005) Size distribution of airborne particulate matter and associated heavy metals in the roadside environment. *Chemosphere* 59:1197-1206

- Saouter E, van Hoof G, Feijtel TCJ, Owens JW (2002) The Effect of Compact Formulations on the Environmental Profile of Northern European Granular Laundry Detergents. Part II: Life Cycle Assessment. *The International Journal of Life Cycle Assessment* 7:27-38
- Sargent RG (1984) Simulation model validation. In: Ören TI, Zeigler BP and Elzas MS (eds) *Simulation and model based methodologies: an integrative view*. Proceedings of the NATO Advanced Study Institute on Simulation and Model-Based Methodologies; an Integrative View, held at Ottawa, Ontario/Canada, July 26 - August 6, 1982. Springer, Berlin NATO ASI series: Series F, Computer and systems sciences; Vol 10
- Sauerbeck D (1989) Der Transfer von Schwermetallen in die Pflanze. In: Behrens D and Wiesner J (eds) *Beurteilung von Schwermetallkontaminationen im Boden*. Dechema, Frankfurt, pp 281-316
- Sauerbeck D, Lübben S (1991) Auswirkungen von Siedlungsabfällen auf Böden, Bodenorganismen und Pflanzen: BMFT Forschungsvorhaben 0339059 *Berichte aus der ökologischen Forschung*. Forschungszentrum Jülich - Zentralbibliothek, Jülich, vol 6, pp 416
- Sauvé S (2002) Speciation of metals in soils. In: Allen HE (ed) *Bioavailability of Metals in Terrestrial Ecosystems: Importance of Partitioning for Bioavailability to Invertebrates, Microbes and Plants*. Society for Environmental Toxicology and Chemistry, Pensacola, Fla., pp 7-37
- Sauvé S, Hendershot W, Allen HE (2000) Solid-Solution Partitioning of Metals in Contaminated Soils: Dependence on pH, Total Metal Burden, and Organic Matter. *Environmental Science & Technology* 34:1125-1131
- Scheffer F, Schachtschabel P (1989) *Textbook of soil science* (in German), 12 edn. Enke, Stuttgart
- Scheidleder A, Grath J, Winkler G, Stärk U, Koreimann C, Gmeiner C, Nixon S, Casillas J, Graves P, Leonard J, Elvira M (1999) Groundwater quality and quantity in Europe. European Environment Agency, Copenhagen, pp 123
- Schelling TC (2000) Intergenerational and international discounting. *Risk Analysis* 20:771-778
- Scheringer M, Wania F (2003) Multimedia Models of Global Transport and Fate of Persistent Organic Pollutants. In: Fiedler H (ed) *The handbook of environmental chemistry Vol 3: Anthropogenic Compounds Part O: Persistent organic pollutants*. Springer, Berlin, pp 237-269
- Scheringer M, Halder D, Hungerbühler K (2000a) Comparing the environmental performance of fluorescent whitening agents with peroxide bleaching of mechanical pulp. *Journal of Industrial Ecology* 3:77-95
- Scheringer M, Wegmann F, Fenner K, Hungerbühler K (2000b) Investigation of the Cold Condensation of Persistent Organic Pollutants with a Global Multimedia Fate Model. *Environmental Science & Technology* 34:1842-1850

- Schmid-Grob I, Thöni L, Hertz J (1993) Bestimmung der Deposition von Luftschadstoffen in der Schweiz mit Moosanalysen. Bundesamt für Umwelt, Wald und Landschaft, Bern, pp 173
- Schmitt HW, Sticher H (1991) Heavy Metal Compounds in the Soil. In: Merian E (ed) Metals and their compounds in the environment: occurrence, analysis, and biological, relevance. VCH, Weinheim, pp 311-331
- Schnitzer M (1978) Humic Substances: Chemistry and Reactions. In: Schnitzer M and Khan SU (eds) Soil organic matter. Elsevier Scientific Publ. Co., Amsterdam Developments in soil science, vol 8, pp 1-64
- Schnoor JL (1996) Environmental Modeling: Fate and Transport of Pollutants in Water, Air, and Soil. John Wiley & Sons, Inc., New York
- Schultz R (1987) Vergleichende Betrachtung des Schwermetallhaushalts verschiedener Waldökosysteme Norddeutschlands Forschungszentrum Waldökosysteme-Waldsterben. Kassel, Gesamthochschule, Göttingen Berichte des Forschungszentrums Waldökosysteme, Waldsterben Reihe A (32), pp 217
- Schulz (2004) Personal communication on pig keeping. Zentralverband der Deutschen Schweineproduktion e.V. (ZDS), Bonn
- Schumm SA (1977) The fluvial system. Wiley, New York
- Schütte (2003) Personal communication on tillage practices and homogenized soil depth. University of Hohenheim, Stuttgart
- Schütze G (1999) Critical Loads für terrestrische Ökosysteme - Critical Loads für Schwermetalle und persistente organische Verbindungen. In: Nagel H-D and Gregor H-D (eds) Ökologische Belastungsgrenzen: Critical Loads & Levels - Ein internationales Konzept für die Luftreinhaltepolitik. Springer Verlag, Berlin, pp 110-124
- Schütze G, Nagel H-D (1998) Kriterien für die Erarbeitung von Immissionsminderungszielen zum Schutz der Böden und Abschätzung der langfristigen räumlichen Auswirkungen anthropogener Stoffeinträge auf die Bodenfunktionen. Umweltbundesamt, Berlin, pp 251
- Schwartz S (2000) Quality Assurance of Exposure Models for Environmental Risk Assessment of Substances Department of Mathematics and Computer Science. University of Osnabrück, Osnabrück, pp 186
- Schwartz S, Berding V, Trapp S, Matthies M (1998) EU Risk Assessment Guidelines Part I: Quality Criteria for Environmental Risk Assessment Software - Using the Example of EUSES. Environmental Science & Pollution Research 5:217-222
- Schwarz A, Kaupenjohann M (2000) Grundwasserbelastungen durch in Böden eingetragene Schadstoffe unter besonderer Berücksichtigung des schnellen Flusses in bevorzugten Fließbahnen - Abschlussbericht des Arbeitskreises

- “Schneller Stofftransport in Böden” im Fachausschuss “Bodenschutz, Boden- und Grundwasserverunreinigungen” des ATV-DVWK. Institut für Bodenkunde und Standortlehre, Universität Hohenheim, Hohenheim
- Schwarzenbach RP, Gschwend PM, Imboden DM (1993) Environmental organic chemistry. Wiley, New York
- Schwarzinger M, Stouthard ME, Burström K, Nord E (2003) Cross-national agreement on disability weights: the European Disability Weights Project. Population Health Metrics 1
- Scott EM, Saltelli A, Sørensen T (2000) Practical experience in applying sensitivity and uncertainty analysis. In: Saltelli A, Chan K and Scott EM (eds) Sensitivity analysis. John Wiley & Sons, Chichester Wiley series in probability and statistics, pp 267-274
- Scudlark JR, Rice KC, Conko KM, Bricker OP, Church TM (2005) Transmission of Atmospherically Derived Trace Elements Through an Undeveloped, Forested Maryland Watershed. Water, Air, and Soil Pollution 163:53-79
- Searl A (2002) List of recommended dose response functions and threshold values for toxic substances. Institute for Occupational Medicine (IOM), Internal paper for the GreenSense project, Edinburgh
- Searl A (2004) Personal communication on latency times. Institute for Occupational Medicine (IOM), Edinburgh
- Seinfeld JH (1986) Atmospheric chemistry and physics of air pollution. John Wiley & Sons, New York
- Seiwert M, Becker K, Friedrich C, Helm D, Hoffmann K, Krause C, Nöllke P, Schulz C, Seifert B (1999) Umwelt-Survey 1990/92, Band VIII: Arsen - Zusammenhangsanalyse. Umweltbundesamt, Institut für Wasser-, Boden- und Lufthygiene, Berlin
- Selim HM, Amacher MC (2001) Sorption and release of heavy metals in soils: nonlinear kinetics. In: Selim HM and Sparks DL (eds) Heavy metals release in soils. Lewis publishers, Boca Raton, pp 1-29
- Seth R, Mackay D, Muncke J (1999) Estimating the Organic Carbon Partition Coefficient and Its Variability for Hydrophobic Chemicals. Environmental Science & Technology 33:2390-2394
- Severinsen M, Jager T (1998) Modelling the influence of terrestrial vegetation on the environmental fate of xenobiotics. Chemosphere 37:41-62
- Severinsen M, Andersen MB, Chen F, Nyholm N (1996) A Regional Chemical Fate and Exposure Model Suitable for Denmark and its coastal Sea. Chemosphere 32:2159-2175
- Sharpe S, Mackay D (2000) A Framework for Evaluating Bioaccumulation in Food Webs. Environmental Science & Technology 34:2373-2379

- Shen HW, Julien PY (1993) Erosion and sediment transport. In: Maidment DR (ed) Handbook of hydrology. McGraw-Hill, New York, NY, pp 12.1-12.61
- Shrader-Frechette K (2000) Duties to future generations, proxy consent, intra- and intergenerational equity: the case of nuclear waste. *Risk Analysis* 20:833-837
- Shuttleworth WJ (1993) Evaporation. In: Maidment DR (ed) Handbook of hydrology. McGraw-Hill, New York, NY, pp 4.1-4.53
- Simonich SL, Hites RA (1994) Importance of vegetation in removing polycyclic aromatic hydrocarbons from the atmosphere. *Nature* 370:49-51
- Simpson D, Eliassen A (1997) Control strategies for ozone and acid deposition - an iterative approach. Norwegian Meteorological Institute, EMEP
- Simpson D, Olendrzynski K, Semb A, Støren E, Unger S (1997) Photochemical oxidant modelling in Europe: multi-annual modelling and source-receptor relationships. Norwegian Meteorological Institute, EMEP MSC-W
- Smedley PL, Kinniburgh DG (2002) A review of the source, behaviour and distribution of arsenic in natural waters. *Applied Geochemistry* 17:517-568
- Smedley PL, Kinniburgh DG (2003) Source and behaviour of arsenic in natural waters. In: World Health Organisation (ed) United Nations Synthesis Report on Arsenic in Drinking Water - draft
- Spadaro JV, Rabl A (1999) Estimates of real damage from air pollution: site dependence and simple impact indices for LCA. *The International Journal of Life Cycle Assessment* 4:229-243
- Spadaro JV, Rabl A (2004) Pathway Analysis for Population-Total Health Impacts of Toxic Metal Emissions. *Risk Analysis*
- Speir TW, August JA, C.W. F (1992) Assessment of the feasibility of using CCA treated sawdust as soil amendments. I. Plant growth and element uptake. *Plant and soil* 142:235-248
- Stagnitti F, Parlange J-Y, Steenhuis TS, Boll J, Pivetz B, Barry DA (1995) Transport of moisture and solutes in the unsaturated zone by preferential flow. In: Singh VP (ed) Environmental hydrology. Kluwer Academic Publishers, Dordrecht Water Science and Technology Library, vol 15, pp 193-224
- Stanners D, Bourdeau P (1995) Europe's Environment - The Dobris Assessment. European Environment Agency, Copenhagen
- Statistisches Bundesamt (various volumes) Länderbericht Statistik des Auslands. Metzler-Poeschel, Stuttgart
- Steenhuis TS, Parlange J-Y (1991) Preferential flow in structured and sandy soils. In: Gish TJ and Shirmohammadi A (eds) Preferential flow. Proceedings of the national symposium held at Chicago, Illinois 16-17 December 1991. American Society of Agricultural Engineers, St. Joseph, Michigan, pp 12-21

- Steinberg C, Brüggemann R, Hartmann A, Heller W, Kirchner M, Lienert D, Müller K, Pestlin G, Scheunert I, Seiler K-P, Ernst D, Spieser OH, Klein J (6/1995) Ökotoxikologische Testverfahren. In: Vogl J (ed) Handbuch des Umweltschutzes. Ecomed, Landsberg am Lech
- Stern R, Thomsen E, Furst A (1984) Cr(VI) and other metallic mutagens in fly ash and welding fumes. *Toxicological and Environmental Chemistry* 8:95-108
- Stoeppler M (1991) Cadmium. In: Merian E (ed) *Metals and their compounds in the environment: occurrence, analysis, and biological, relevance*. VCH, Weinheim, pp 803-851
- Stoeppler M (1992) Cadmium. In: Stoeppler M (ed) *Hazardous metals in the environment*. Elsevier, Amsterdam *Techniques and instrumentation in analytical chemistry*, vol 12, pp 177-230
- Strasburger E (1991) *Lehrbuch der Botanik für Hochschulen (Textbook of botany for academy)*. Gustav Fischer, Stuttgart, pp 1030
- Stumm W, Morgan JJ (1996) *Aquatic Chemistry*, 3 edn. Wiley-Interscience, New York
- Suzuki N, Yasuda M, Sakurai T, Nakanishi J (2000) Simulation of long-term environmental dynamics of polychlorinated dibenzo-p -dioxins and polychlorinated dibenzofurans using the dynamic multimedia environmental fate model and its implication to the time trend analysis of dioxins. *Chemosphere* 40:969-976
- Temm (2004) Personal communication on swine keeping. Pig Improvement Company (PIC), Germany, Schleswig
- Tennant DR (2001) Risk analysis. In: Watson DH (ed) *Food chemical safety 1: Contaminants*. CRC Press, Boca Raton, pp 15-36
- Tidblad J, Kucera V, Mikhailov AA (1998) Statistical analysis of 8 year materials exposure and acceptable deterioration and pollution levels. Swedish Corrosion Institute, Stockholm, Sweden
- Tolle DA, Hesse DJ, Chadwell GB, Cooper JS, Evers DP (2001) Comparison of Two Equivalency Factor Approaches with Simplified Risk Assessment for LCIA of Toxicity Impact Potential. *The International Journal of Life Cycle Assessment* 6:96-105
- Tolls J, McLachlan MS (1994) Partitioning of semivolatile organic compounds between air and *Lolium multiflorum* (Welsh Ray Grass). *Environmental Science & Technology* 28:159-166
- Tompson AFB (1993) Numerical simulation of chemical migration in physically and chemically heterogeneous porous media. *Water resources research* 29:3709-3726

- Traina SJ (1999) The environmental chemistry of cadmium. In: McLaughlin MJ and Singh BR (eds) Cadmium in soils and plants. Kluwer, Dordrecht Developments in plant and soil sciences, vol 85, pp 11-37
- Trapp S (1995) Model for uptake of xenobiotics into plants. In: Trapp S and McFarlane JC (eds) Plant contamination: modeling and simulation of organic chemical processes. Lewis, Boca Raton, pp 107-151
- Trapp S (2002) Dynamic root uptake model for neutral lipophilic organics. *Environmental toxicology and chemistry* 21:203-206
- Trapp S, Matthies M (1995) Generic one-compartment model for uptake of organic chemicals by foliar vegetation. *Environmental Science & Technology* 29:2333-2338
- Trapp S, Matthies M (1998) *Chemodynamics and Environmental Modeling - an introduction*. Springer, Berlin
- Trapp S, Schwartz S (2000) Proposals to overcome limitations in the EU chemical risk assessment scheme. *Chemosphere* 41:965-971
- Trapp S, Rantio T, Paasivirta J (1994) Fate of Pulp mill effluent compounds in a Finnish watercourse. *Environmental Science & Pollution Research* 1:246-252
- Travis CC, Arms AD (1988) Bioconcentration of organics in beef, milk, and vegetation. *Environmental Science & Technology* 22:271-274
- Trudgill ST (2000) Weathering overview - measurement and modelling. In: Viles HA (ed) Recent advances in field and laboratory studies of rock weathering. Borntraeger, Berlin *Zeitschrift für Geomorphologie: Supplementband*, vol 120, pp 187-193
- Trukenmüller A (1998) Using WMI - Implementing atmospheric trajectory models with the Wind rose Model Interpreter. Institute of Energy Economics and the Rational Use of Energy, University of Stuttgart, Stuttgart, pp 59
- Trukenmüller A, Friedrich R (1995) Die Abbildung der großräumigen Verteilung, chemischen Umwandlung und Deposition von Luftschadstoffen mit dem Trajektorienmodell WTM. In: Arbeitsgruppe Luftreinhaltung der Universität Stuttgart (ed) Jahresbericht 1995 "Ausbreitung von Luftverunreinigungen". Schwäbische Druckerei, Stuttgart, pp 93-108
- Tsang C-F (1991) The modeling process and model validation. *groundwater* 29:825-831
- Tsiros IX (2001) A screening model-based study of transport fluxes and fate of airborne mercury deposited onto catchment areas. *Chemosphere* 44:99-107
- Turner DR (1995) Problems in trace metal speciation modeling. In: Tessier A and Turner DR (eds) Metal speciation and bioavailability in aquatic systems. Wiley, Chichester IUPAC series on analytical and physical chemistry of environmental systems, vol 3, pp 149-203

- Udo de Haes HA (1996) Part I: Discussion of general principles and guidelines for practical use. In: Udo de Haes HA (ed) Towards a methodology for life cycle impact assessment. Society of Environmental Toxicology and Chemistry - Europe, Brussels, pp 7-30
- Udo de Haes HA, Jolliet O, Finnveden G, Hauschild M, Krewitt W, Müller-Wenk R (1999) Best Available Practice Regarding Impact Categories and Category Indicators in Life Cycle Impact Assessment - Part I. *The International Journal of Life Cycle Assessment* 4:66-74
- Ulrich B (1991) Deposition of Acids and Metal Compounds. In: Merian E (ed) Metals and their compounds in the environment: occurrence, analysis, and biological, relevance. VCH, Weinheim, pp 369-378
- Umweltbundesamt (1999) Nährstoffbilanzierung der Flußgebiete Deutschlands. Institut für Gewässerökologie und Binnenfischerei im Forschungsverbund Berlin e.V., Berlin, pp 288
- Umweltbundesamt (2000) Emissionsinventar Wasser für die Bundesrepublik Deutschland. Fraunhofer-Institut für Systemtechnik und Innovationsforschung (ISI), Berlin, pp 130
- United Nations - Economic Commission for Europe (1998) Proceedings of the workshop on Critical Limits and Effect Based Approaches for Heavy Metals and Persistent Organic Pollutants, Bad Harzburg, Germany. Federal Environmental Agency
- United Nations - Economic Commission for Europe, Co-operative programme for monitoring and evaluation of long range transmission of air pollutants in Europe (2002) UNECE/EMEP emission database. UNECE/EMEP, available at: <http://webdab.emep.int/index.html>
- United Nations Environment Programme (2002) Global mercury assessment. Inter-Organization Programme for the sound management of chemicals, Geneva, Switzerland, pp 258
- United States - Environmental Protection Agency (1992) Guidelines for Exposure Assessment. U.S. Environmental Protection Agency, Risk Assessment Forum, Washington, DC
- United States - Environmental Protection Agency (1994) Methods for Derivation of Inhalation Reference Concentrations and Application of Inhalation Dosimetry. U.S. Environmental Protection Agency Office of Research and Development, Washington, DC
- United States - Environmental Protection Agency (1995) Use of the Benchmark Dose Approach in Health Risk Assessment. U.S. Environmental Protection Agency Office of Research and Development, Washington, DC
- United States - Environmental Protection Agency (1996a) Soil Screening Guidance: Technical Background Document and User's Guide (2nd edition).

- U.S. Environmental Protection Agency Office of Solid Waste and Emergency Response, Washington, DC
- United States - Environmental Protection Agency (1996b) Proposed Guidelines for Carcinogen Risk Assessment-Availability. U.S. Environmental Protection Agency Office of Solid Waste and Emergency Response, Washington, DC
- United States - Environmental Protection Agency (1997a) Exposure Factors Handbook (Volume 3) - Draft. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC
- United States - Environmental Protection Agency (1997b) Mercury Study Report to Congress. Volume III: Fate and transport of mercury in the environment. U.S. Environmental Protection Agency Office of Air Quality Planning and Standards and Office of Research and Development
- United States - Environmental Protection Agency (1997c) Exposure Factors Handbook (Volume 1): General Factors. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC
- United States - Environmental Protection Agency (1997d) Guiding Principles for Monte Carlo Analysis. U.S. Environmental Protection Agency, Risk Assessment Forum, Washington, DC, pp 35
- United States - Environmental Protection Agency (1998) Human Health Risk Assessment Protocol for Hazardous Waste Combustion Facilities (Peer review draft). U.S. Environmental Protection Agency Region 6 U.S. EPA Multimedia Planning and Permitting Division Office of Solid Waste, Center for Combustion Science and Engineering
- United States - Environmental Protection Agency (1999a) Total Risk Integrated Methodology. Office of Air Quality, Planning and Standards, Research Triangle Park, NC
- United States - Environmental Protection Agency (1999b) TRIM - Total Risk Integrated Methodology - Status Report. United States - Environmental Protection Agency, Office of Air and Radiation, Office of Air Quality, Planning and Standards, Research Triangle Park, NC
- United States - Environmental Protection Agency (2001) Dioxin: Scientific Highlights from Draft Reassessment (2000): 2001 Update information sheet 2. US Environmental Protection Agency - Office of Research and Development, Washington, DC, pp 7
- United States - Environmental Protection Agency (2002a) TRIM.FaTE Technical support document Volume I: Description of Module. Office of Air Quality, Planning and Standards, Research Triangle Park, NC
- United States - Environmental Protection Agency (2002b) TRIM.FaTE Technical support document Volume II: Description of Chemical Transport and

- Transformation Algorithms. Office of Air Quality, Planning and Standards, Research Triangle Park, NC
- United States - Environmental Protection Agency (2005) Integrated Risk Information System (IRIS) (accessed via internet on 21 April 2005)
- Ure AM, Davidson CM (1995) Chemical speciation in the environment. Blackie Academic & Professional, London, pp 1-5
- Ursínyová M, Hladíová V (2000a) Cadmium in the environment of Central Europe. In: Markert B and Friese K (eds) Trace elements - their distribution and effects in the environment. Elsevier, Amsterdam Trace metals in the environment, vol 4, pp 87-107
- Ursínyová M, Hladíová V (2000b) Lead in the environment of Central Europe. In: Markert B and Friese K (eds) Trace elements - their distribution and effects in the environment. Elsevier, Amsterdam Trace metals in the environment, vol 4, pp 109-134
- van de Meent D, de Bruijn JHM, de Leeuw FAAM, de Nijs ACM, Jager DT, Vermeire TG (1996) Exposure Modelling. In: van Leeuwen CJ and Hermens JLM (eds) Risk Assessment of Chemicals: An Introduction. Kluwer Acad. Publ., Dordrecht, pp 103-145
- van den Berg M, Birnbaum L, Bosveld ATC, Brunström B, Cook P, Feeley M, Giesy JP, Hanberg A, Hasegawa R, Kennedy SW, Kubiak T, Larsen JC, Rolaf van Leeuwen FX, Liem AKD, Nolt C, Peterson RE, Poellinger L, Safe S, Schrank D, Tillitt D, Tysklind M, Younes M, Waern F, Zacharewski T (1998) Toxic Equivalency Factors (TEFs) for PCBs, PCDDs, PCDFs for Humans and Wildlife. *Environmental Health Perspectives* 106:775-792
- van den Bergh JCJM, Boelens J, Bouman MN, Guinée JB, Heijungs R, Huppes G, Kandelaars PPAAH, Lexmond TM, Moolenaar SW, van Oers L, Olsthoorn X, Udo de Haes HA, Verkuijden E, van der Voet E (2000) Summary, conclusions and recommendations. In: van der Voet E, Guinée JB and Udo de Haes HA (eds) Heavy metals: a problem solved? - Methods and models to evaluate policy strategies for heavy metals. Kluwer Acad. Publ., Dordrecht, pp 211-230
- van der Knijff JM, Jones RJA, Montanarella L (2000) Soil Erosion Risk - Assessment in Europe. European Soil Bureau (ESB) and Space Applications Institute (SAI) at the Joint Research Centre (JRC) of European Commission, Ispra, Italy, pp 34
- van Eijkeren, J. (2002). Personal communication on the dynamic solution implemented in SimpleBox 2.0. Bilthoven, the Netherlands, National Institute of Public Health and the Environment (RIVM)
- van Jaarsveld JA (1990) An operational atmospheric transport model for Priority Substances; specification and instructions for use. National Institute of

- Public Health and the Environment (RIVM), Bilthoven, the Netherlands, pp 101
- van Pul WAJ, de Leeuw FAAM, van Jaarsveld JA, van der Gaag MA, Sliggers CJ (1998) The potential for long-range transboundary atmospheric transport. *Chemosphere* 37:113-141
- Veerkamp W, Wolff C (1996) Fate and Exposure Models in Relation to Risk Assessment: Developments and Validation Criteria. *Environmental Science & Pollution Research* 3:91-95
- Verdin KL (1997) A System for Topologically Coding Global Drainage Basins and Stream Networks. In: 17th Annual ESRI Users Conference, Environmental Systems Research Institute, San Diego, CA
- Vermeire TG, Jager DT, Bussian B, Devillers J, den Haan K, Hansen B, Lundberg I, Niessen H, Robertson S, Tyle H, van der Zandt PTJ (1997) European Union System for the Evaluation of Substances (EUSES). Principles and Structure. *Chemosphere* 34:1823-1836
- Versteegh JFM, van Gaalen FW, Rietveld LC, Evers EG, Aldenberg TA, Cleij P (2001) TAPWAT: Definition, structure and applications for modelling drinking-water treatment. National Institute of Public Health and the Environment (RIVM), Bilthoven, the Netherlands
- Vink RJ, Peters S (2003) Modelling point and diffuse heavy metal emissions and loads in the Elbe basin. *Hydrological Processes* 17:1307- 1328
- Vörösmarty CJ, Federer CA, Schloss A (1998) Potential evaporation functions compared on US watersheds: possible implications for global-scale water balance and terrestrial ecosystem modeling. *Journal of Hydrology* 207:147-169
- Vossiniotis G, Arabatzis G, Assimacopoulos D (1996) Dispersion modelling on a local scale in the Externe Transport Project : A description of ROAD-POL. National Technical University of Athens, Laboratory of Industry and Energy Economics, Athens
- Vuceta J, Morgan JJ (1978) Chemical modeling of trace metals in fresh waters: role of complexation and adsorption. *Environmental Science & Technology* 12:1302-1309
- Vulava VM, Kretzschmar R, Rusch U, Grolimund D, Westall JC, Borkovec M (2000) Cation Competition in a Natural Subsurface Material: Modeling of Sorption Equilibria. *Environmental Science & Technology* 34:2149-2155
- Wagenet RJ (1998) Scale issues in agroecological research chains. *Nutrient Cycling in Agroecosystems* 50:23-34
- Wagrowski DM, Hites RA (1997) Polycyclic Aromatic Hydrocarbon Accumulation in Urban, Suburban, and Rural Vegetation. *Environmental Science & Technology* 31:279-282

- Walker CH, Hopkin SP, Sibly RM, Peakall DB (2001) Principles of Ecotoxicology, 2 edn. Bell & Bain Ltd, Glasgow
- Walling DE (1983) The sediment delivery problem. *Journal of Hydrology* 65:209-37
- Walling DE, Webb BW (1983) Patterns of sediment yield. In: Gregory KJ (ed) Background to Palaeohydrology. John Wiley, Chichester International geological correlation programme, vol Project 158, pp 69-100
- Wania F (1996) Spatial Variability in Compartmental Fate Modelling - Linking Fugacity Models and GIS. *Environmental Science & Pollution Research* 3:39-46
- Wania F (2003) Assessing the Potential of Persistent Organic Chemicals for Long-Range Transport and Accumulation in Polar Regions. *Environmental Science & Technology* 37:1344-1351
- Wania F, Mackay D (1993a) Modelling the global distribution of toxaphene: a discussion of feasibility and desirability. *Chemosphere* 27:2079-2094
- Wania F, Mackay D (1993b) Global fractionation and cold condensation of low volatility organochlorine compounds in polar regions. *Ambio* 22:10-18
- Wania F, Mackay D (1995) A global distribution model for persistent organic chemicals. *The Science of the Total Environment* 160/161:211-232
- Wania F, Mackay D (1999) The evolution of mass balance models of persistent organic pollutant fate in the environment. *Environmental Pollution* 100:223-240
- Wania F, McLachlan MS (2001) Estimating the Influence of Forests on the Overall Fate of Semivolatile Organic Compounds Using a Multimedia Fate Model. *Environmental Science & Technology* 35:582-590
- Wania F, Persson J, Di Guardo A, McLachlan MS (2000) The POPCYCLING-Baltic Model - A Non-Steady State Multicompartment Mass Balance Model of the Fate of Persistent Organic Pollutants in the Baltic Sea Environment. Norwegian Institute for Air Research, NILU, Kjeller
- Watson D (2001) Introduction. In: Watson DH (ed) Food chemical safety 1: Contaminants. CRC Press, Boca Raton, pp 1-12
- Weaver RW, Melton JR, Wang D, Duble RL (1984) Uptake of arsenic and mercury from soil by bermudagrass *Cynodon dactylon*. *Environmental pollution (Series A)* 33:133-142
- Wedepohl KH (1991) The composition of the upper earth's crust and the natural cycles of selected metals. Metals in natural raw materials. Natural sources. In: Merian E (ed) Metals and their compounds in the environment: occurrence, analysis, and biological, relevance. VCH, Weinheim, pp 3-17
- Wedepohl KH (1995) The composition of the continental crust. *Geochimica et Cosmochimica Acta* 59:1217-1232

- Wegener Sleswijk A (2005) Doctoral thesis (in preparation). Leiden University, Leiden, The Netherlands
- Weigert P (1991) Metal Loads of Food of Vegetable Origin Including Mushrooms. In: Merian E (ed) Metals and their compounds in the environment: occurrence, analysis, and biological, relevance. VCH, Weinheim, pp 449-468
- Weitzmann ML (1999) "Just keep discounting, but ..." In: Portney PR and Weyant JP (eds) Discounting and intergenerational equity. Resources for the Future, Washington, DC, pp 23-29
- Welch RM, Norvell WA (1999) Mechanisms of cadmium uptake, translocation and deposition in plants. In: McLaughlin MJ and Singh BR (eds) Cadmium in soils and plants. Kluwer, Dordrecht Developments in plant and soil sciences, vol 85, pp 125-150
- Welsch-Pausch K, McLachlan MS, Umlauf G (1995) Determination of the principal pathways of polychlorinated dibenzo-p-dioxins and dibenzofurans to *Lolium multiflorum* (Welsh Ray Grass). Environmental Science & Technology 29:1090-1098
- Whelan G, Buck JW, Strenge DL, Droppo (Jr) JG, Hoopes BL (1992) Overview of the Multimedia Environmental Pollutant Assessment System (MEPAS). Hazardous Waste & Hazardous Materials 9:191-208
- Whelan G, Castleton KJ, Buck JW, Hoopes BL, Pelton MA, Strenge DL, Gelston GM, Kickert RN (1997) Concepts of a Framework for Risk Analysis In Multimedia Environmental Systems (FRAMES). Pacific Northwest National Laboratory, Richland, Washington, pp 121
- White AF, Brantley SL (1995) Chemical weathering rates of silicate minerals: an overview. In: White AF and Brantley SL (eds) Chemical weathering rates of silicate minerals. Mineralogical Society of America, Washington, DC Reviews in mineralogy, vol 31, pp 1-22
- Wickenkamp V, Duttmann R, Mosimann T (2000) A Multiscale Approach to Predicting Soil Erosion on Cropland Using Empirical and Physically Based Soil Erosion Models in a Geographic Information System. In: Schmidt J (ed) Soil erosion: application of physically based models. Springer, Berlin Environmental science, pp 109-134
- Wilhelm M, Ewers U (1999) Metalle/Blei. In: Wichmann H-E, Schlipkötter H-W and Fülgraff G (eds) Handbuch der Umweltmedizin. ecomed, Landsberg/Lech, vol 18. Erg. Lfg. 3/2000, pp 25
- Wischmeier WH, Smith DD (1978) Predicting rainfall erosion losses - a guide to conservation planning. U.S. Gov. Print. Off., Washington
- Wittig R, Ballach H-J, Brandt CJ (1985) Increase of number of acid indicators in the herb layer of the millet grass-beech forest of the Westphalian bight. Angewandte Botanik 59:219-232

- Wolt JD (1994) Soil solution chemistry: applications to environmental science and agriculture. John Wiley & Sons, New York
- Woodfine D, MacLeod M, Mackay D (2002) A regionally segmented national scale multimedia contaminant fate model for Canada with GIS data input and display. *Environmental Pollution* 119:341-355
- Woodfine DG, MacLeod M, Mackay D, Brimacombe JR (2001) Development of continental scale multimedia contaminant fate models: Integrating GIS. *Environmental Science & Pollution Research* 8:164-172
- World Health Organisation (1992a) Cadmium: environmental aspects. World Health Organization, Geneva
- World Health Organisation (1992b) Cadmium. World Health Organization, Geneva
- World Health Organisation (2000a) Hazardous chemicals in human and environmental health. Produced under the joint sponsorship of the United Nations Environment Programme, the International Labour Organisation and the World Health Organization, and within the framework of the Inter-Organization Programme for the Sound Management of Chemicals, Geneva, Switzerland
- World Health Organisation (2000b) Air quality guidelines for Europe (2nd edition). World Health Organization, Regional Office for Europe, Copenhagen, pp 273
- World Health Organisation (2002) The European health report 2002. WHO Regional Office for Europe, Copenhagen
- Zachara JM, Westall JC (1999) Chemical Modeling of the Soil Solution. In: Sparks DL (ed) Soil physical chemistry. CRC Press, Boca Raton, Fla., pp 47-95
- Zaslavsky MN (1979) Erozia Pochv (Soil erosion). Mysl Publishing House, Moscow
- Zayed A, Lytle CM, Qian J-H, Terry N (1998) Chromium accumulation, translocation and chemical speciation in vegetable crops. *Planta* 206:293-299
- Zhang Q, Crittenden JC, Shonnard D, Mihelcic JR (2003) Development and evaluation of an environmental multimedia fate model CHEMGL for the Great Lakes region. *Chemosphere* 50:1377-1397
- Zimdahl RL, Koeppe DE (1979) Uptake by plants. In: Boggess WR and Wixson BG (eds) Lead in the environment. Castle House Publ, London, pp 99-104
- Zöttl HW (1985) Heavy metal levels and cycling in forest ecosystems. *Experientia* 41:1104-1113
- Zoumis T, Schmidt A, Grigorova L, Calmano W (2001) Contaminants in sediments: remobilisation and demobilisation. *The Science of the Total Environment* 266:195-202