

Index

A

Actual impact. *See* Impact assessment, impact, actual

Aquivalence approach. *See* Environmental fate assessment

B

Background 8, 21, 220

Benchmark dose (BMD₁₀). *See* Impact assessment, benchmark dose

Bioavailability 124, 220, 237

Bioconcentration factor (BCF). *See* Exposure assessment, bioconcentration factor

Biodiversity 5

Biotransfer factor (BTF). *See* Exposure assessment, biotransfer factor

Bound residues 77, 128

Bounding estimate 213

C

Classical air pollutants 277

Compartment. *See* Environmental fate assessment, compartment

Consumption data. *See* Exposure assessment, consumption data

Consumption of food. *See* Exposure assessment, consumption

Contaminant. *See* Substance group, contaminant

Corroboration 206

See also Evaluation

Costs of Illness (COI). *See* Monetary valuation, costs of illness

D

Data validation. *See* Validation, data

Decision-rule uncertainty. *See* Uncertainty source, decision-rule

Disability Adjusted Life Years (DALY). *See* Impact assessment, Disability Adjusted Life Years

Discount factor. *See* Monetary valuation, discount factor

Discount rate. *See* Monetary valuation, discount rate

Discounting. *See* Monetary valuation, discounting

Distribution scheme. *See* Exposure assessment, receptor distribution scheme

Dose-response function. *See* Impact assessment

Dynamic. *See* Environmental fate assessment, temporal modes, dynamic

E

EcoSense 13–15, 30, 66, 156, 437

Effect 10

assessment. *See* sub-entries to Impact assessment

inhalation of particulates 331

Effective Intake Fraction. *See* Exposure assessment, effective Intake Fraction

Environmental chemical. *See* Substance group, environmental chemical

Environmental fate 1

Environmental fate assessment

equivalence approach 60

compartment 10

Mackay 10, 71

medium 9

modelling 87

multimedia 9

Predicted Environmental Concentration (PEC) 10

- Environmental fate assessment (*cont.*)
 spatial differentiation 13, 77–80, 87–91, 136
 compartments 87–91, 136, 466–467
 zones 77–80, 454–466
 temporal modes
 'time to reach steady-state' 84
 dynamic 29, 71, 84
 steady-state 29, 71, 84
 temporal resolution 30
- Environmental fate model. *See* Environmental fate assessment, modelling
- Equilibrium distribution coefficient 223, 390–394
- Evaluation 206
 comparison with independent data 212
 expert judgement 217
 probabilistic uncertainty assessment 213, 214, 216
 scenario analysis 213, 242
 sensitivity analysis 214
- Exposure
 direct 8
 external 51
 indirect 8
- Exposure assessment 433–451
 bioconcentration factor (BCF) 19, 534–537, 541
 biotransfer factor (BTF) 535–539, 541
 consumption 162
 consumption data 517
 effective Intake Fraction 165–166, 533
 exposure pathway 9, 151, 163, 433
 exposure transfer 434
 Food Balance Sheet (FBS) 517
 food supply data 517
 Human Health Risk Assessment 534–540
- Human Health Risk Assessment Protocol (HHRAP) 153–160
- Intake Fraction 163–166, 437
 dynamic computation 164, 173, 438
 ingestion 163
 inhalation 437
 modelling 9, 87
 receptor distribution scheme 516
 route of exposure 7, 151
 spatial differentiation 151, 510
 subsistence farmer 9, 22, 42, 161
 target populations 7
 time-integration 22, 29, 31, 71, 84, 166, 386
 trade 161, 227, 286, 313, 330, 448–450
 use data 517
- Exposure efficiency. *See* Exposure assessment, Intake Fraction
- Exposure model. *See* Exposure assessment, modelling
- Exposure modelling. *See* Exposure assessment, modelling
- Exposure pathway. *See* Exposure assessment, exposure pathway
- Exposure route. *See* Exposure assessment, route of exposure
- Exposure transfer. *See* Exposure assessment, exposure transfer
- Exposure-response function. *See* Impact assessment
- External benefit. *See* Externality, external benefit
- External cost. *See* Externality, external cost
- External effect. *See* Externality
- Externality 1, 187
 external benefit 187
 external cost 2, 187
 valuation 187–196

F

Fate assessment. *See* Environmental fate assessment

Food Balance Sheet (FBS). *See* Exposure assessment, Food Balance Sheet

Food supply data. *See* Exposure assessment, food supply data

H

Heavy metals. *See* Trace elements

Human Health Risk Assessment Protocol (HHRAP). *See* Exposure assessment, Human Health Risk Assessment Protocol

I

Impact 10

liability 12

Impact Assessment

mixtures

Toxic Equivalents (TEQ) 58

Impact assessment 166

benchmark dose (BMD₁₀) 167

Disability Adjusted Life Years (DALY) 169–185, 195, 229

value choices 176–183, 229

dynamic computation 173–174

effect thresholds 7, 11, 12, 21, 51, 60, 157, 166–168, 229, 281

exposure-response function 21, 60, 166, 228

impact 10

actual 12

potential 11

latency 185

Life Cycle Impact Assessment (LCIA) 11

potential impact 11

Lowest Observed Adverse Effect Level (LOAEL) 166

Margin Of Safety (MOS) 10
mixtures 58, 169, 220, 221

Toxic Equivalency Factors (TEF) 58

mortality

chronic 185

No Observed Adverse Effect Level (NOAEL) 166

Predicted No Effect Concentration (PNEC) 10

severity measure 10, 166, 169, 174–176

slope factor 167, 169

unit risk 169

Years of Life lived with a Disability (YLD) 169–185, 195

Years of Life Lost (YOLL) 169–185, 195

Impact Pathway Approach (IPA) 1, 3, 12, 30, 277

Impact. *See* Impact assessment, impact
Inactivation 75

Incomplete markets 1

Individual Time Preference (ITP). *See* Monetary valuation, time preference, individual (ITP)

Intake Fraction

effective. *See* Exposure assessment, effective Intake Fraction

Intake Fraction. *See* Exposure assessment, Intake Fraction

Intergenerationally equal, positive personal discounting. *See* Monetary valuation, discounting, intergenerationally equal, positive personal d.

Irreversible binding 75–77, 220

L

Land cover 467

Land use 467

Latency. *See* Impact assessment, latency

Life Cycle Impact Assessment (LCIA). *See* Impact assessment, Life Cycle Impact Assessment

Lowest Observed Adverse Effect Level (LOAEL). *See* Impact assessment,

- Lowest Observed Adverse Effect Level
- M
- Mackay-type environmental fate modeling. *See* Environmental fate assessment, Mackay
- Margin Of Exposure (MOE) 166
- Margin Of Safety (MOS). *See* Impact assessment, Margin Of Safety
- Mass balance
 - hydrological 141–145, 484–487
 - sediment particles 145–148, 490–509
 - substances in soil and water environmental fate model 70–71
- Medium. *See* Environmental fate assessment, medium
- Mixture toxicity. *See* Impact assessment, mixtures
- Model uncertainty. *See* Uncertainty source, model
- Monetary valuation
 - Costs of Illness (COI) 195
 - value 196
 - value per case (overview) 202–203
 - discount factor 187
 - discount rate 187
 - discounting 187–194, 202–203, 229
 - intergenerationally equal, positive personal d. 193
 - latency 197–199, 230
 - minimum 197
 - morbidity 195–201
 - mortality 195–199
 - value for 0% discounting 196
 - value for 3% discounting 199
 - value per case (overview) 202–203
 - Opportunity Cost of Capital (OCC) 188
 - time preference
 - individual (ITP) 188
 - social (STP) 188
 - value of a life year (VOLY) 194
 - value of a life year lost (VLYL) 194, 230
 - value of a statistical life (VOSL) 194
 - willingness to accept (WTA) 194
 - willingness to pay (WTP) 194
- Mortality
 - chronic. *See* Impact assessment, mortality, chronic
- Multimedia. *See* Environmental fate assessment, multimedia
- N
- No Observed Adverse Effect Level (NOAEL). *See* Impact assessment, No Observed Adverse Effect Level
- Nomenclature of Territorial Units for Statistics (NUTS) 510
- O
- Operational validation. *See* Validation, operational
- Opportunity Cost of Capital (OCC). *See* Monetary valuation, Opportunity Cost of Capital
- P
- Parameter uncertainty. *See* Uncertainty source, parameter
- Persistent Organic Pollutants (POPs). *See* Substance group, Persistent Organic Pollutants
- Persistent, Bioaccumulative and Toxic (PBT) substances. *See* Substance group, Persistent, Bioaccumulative and Toxic
- Pollutant. *See* Substance group, pollutant
- Potential impact. *See* Impact assessment, Life Cycle Impact Assessment (LCIA), potential impact
- Predicted Environmental Concentration (PEC). *See* Environmental fate assessment, Predicted Environmental Concentration

- Predicted No Effect Concentration (PNEC). *See* Impact assessment, Predicted No Effect Concentration
- Probabilistic uncertainty assessment. *See* Evaluation, probabilistic uncertainty assessment
- Q
- Quality assurance 206
See also Evaluation
- R
- Risk assessment 10
- Risk Characterisation Ratio (RCR) 10
- Risk group 451
- Root Concentration Factor (RCF) 120
- Route of exposure. *See* Exposure assessment, route of exposure
- S
- Scenario analysis. *See* Evaluation, scenario analysis
- Scenario uncertainty. *See* Uncertainty source, scenario
- Sensitivity analysis. *See* Evaluation, sensitivity analysis
- Severity measure. *See* Impact assessment, severity measure
- Slope factor. *See* Impact assessment, slope factor
- Social Time Preference (STP). *See* Monetary valuation, time preference, social (STP)
- Spatial differentiation
 environmental fate assessment 13, 77–80, 87–91, 136
 compartments 87–91, 136, 466–467
 site-dependent 13
 site-generic 13
 site-specific 13
 zones 77–80, 454–466
 exposure assessment 151, 510
- Speciation 60, 75, 221
- Steady-state. *See* Environmental fate assessment, temporal modes, steady-state
- Subsistence farmer. *See* Exposure assessment, subsistence farmer
- Substance group
 contaminant 6
 environmental chemical 6
 Persistent Organic Pollutants (POPs) 7
 Persistent, Bioaccumulative and Toxic (PBT) 7
 pollutant 6
 very Persistent and very Bioaccumulative (vPvB) 7
 xenobiotic 6
- Sustainability 29, 71, 84, 384
- T
- Thresholds. *See* Impact assessment, effect thresholds
- Time-integrated exposure. *See* Exposure assessment, time-integration
- Toxic Equivalency Factors (TEF). *See* Impact assessment, mixtures, Toxic Equivalency Factors (TEF)
- Toxic Equivalents (TEQ). *See* Impact assessment, mixtures, Toxic Equivalents (TEQ)
- Trace elements 60
- Trade. *See* Exposure assessment, trade
- Transpiration Stream Concentration Factor (TSCF) 120
- U
- Uncertainty 207
 dimensions 209
 See also Evaluation
 source. *See* Uncertainty source
- Uncertainty assessment
 probabilistic. *See* Evaluation, probabilistic uncertainty assessment
- Uncertainty source 207
 decision-rule 208

Uncertainty source (*cont.*)
 model 208
 parameter 207
 variability 207
 scenario 208
 Unit risk. *See* Impact assessment, unit risk
 Use data. *See* Exposure assessment, use data
 V
 Validation 206
 operational 210
 See also Evaluation
 Validation, data 210
 Value choice 176, 229
 Value of a life year (VOLY). *See* Monetary valuation, value of a life year
 Value of a life year lost (VLYL). *See* Monetary valuation, value of a life year lost
 Value of a statistical life (VOSL). *See* Monetary valuation, value of a statistical life
 Variability 207
 Variability. *See also* Uncertainty source, parameter
 Verification 206
 See also Evaluation
 Very Persistent and very Bioaccumulative (vPvB) substances. *See* Substance group, very Persistent and very Bioaccumulative
 W
 Weathering 220
 Willingness to accept (WTA). *See* Monetary valuation, willingness to accept
 Willingness to pay (WTP). *See* Monetary valuation, willingness to pay
 Windrose Trajectory Model (WTM) 15, 18, 66–68, 226, 230, 232–233, 421, 426

Worst-case 11, 12, 219
 cumulative 214, 219

X

Xenobiotic. *See* Substance group, xenobiotic

Y

Years of Life lived with a Disability (YLD). *See* Impact assessment, Years of Life lived with a Disability
 Years of Life Lost (YOLL). *See* Impact assessment, Years of Life Lost