

INDEX

Aberfan	27, 184
<i>Acer platanoides</i>	520
Acid mine drainage	370-373, 379, 562, 577
composition	371
control	386-395
metal mobilisation	373
neutralisation	372-373
prevention	386-391
treatment	386, 391-395
Acid neutralising capacity	156, 157, 166, 500
Acid neutralising minerals	373
Acid tars	292
Acid washing	292
Acid-consuming potential	373
Acidic mine water	388
Acidic sludges	292-293
Adits	
investigation	102, 104
subsidence	93
treatment	114, 115
Aeration - soil decontamination	346
Aerial survey	452
After-use	437, 444
design for	447
hard	422
slope design	462
soft	422
Agricultural management	548
Air stripping	355, 386
Akermonite	267
Alder (<i>Alnus</i> spp.)	505, 508, 520, 553
Alloy steels	255
Aluminium	166, 370, 371, 373
Alumino-silicates	267
Amenity land - design	462, 548, 550-552
Ammonia	286, 287, 369, 391, 632
Ammoniacal liquor	286-289, 297, 301, 582
Ammonium	374
Ammonium sulphate	292
Analysis - chemical	64-66, 359-360
Ankerite	150, 373
Anoxic limestone drains	387, 393, 395
Apatite	386
Aquifers	377
Aragonite	373
Aromatic hydrocarbons	282
Arsenic	334, 370, 584

- Asbestos 126, 130, 134, 279
- Ash 153, 508
 colliery spoil 239, 243
 from incineration treatment 334
- Audit
 environmental 131, 564
 pre-closure 35, 36, 130, 131, 565
- Bactericides 387, 389
- Barium sulphide 392
- Barrel washers 245-248
- Barriers
 soil decontamination 309, 319-333
 water pollution 380
- Basic Oxygen Steel 262
- Beech (*Fagus* spp) 508
- Belgium 20
 hard coal production 6
 land reclamation 609-612
 steel production 7
- Bell pits 84, 85
- Bentonite 323, 602
- Benzene 283, 287, 288, 290, 293
- Benzo-a-pyrene 72
- Benzoic acid 389
- Benzole 286, 293
- Berliner Blue 296
- Bessemer process 260, 262
- Bioaccumulation 399
- Biological availability 344
- Biological oxygen demand 287-288
- Biological treatment of wastes 343-349, 585, 624
 factors affecting 343
 climatic considerations 345
 nutrient amendment 346
- Bioremediation (see Biological treatment of wastes)
- Biplanar slips 192
- Birch (*Betula* spp.) 508, 511
- Bitumen emulsion 517
- Black locust 505
- Blanketing - of combusting spoil 228
- Blast furnace 257-259, 266, 276, 283, 630
- Bloomeries 255
- Blue Pilly 296
- Bog iron 284
- Boreholes 45-51, 99, 101, 198, 626
- Bracken (*Pteridium aquifolium*) 491
- Break layers 309, 328, 331-332
- Bridges - subsidence damage 95
- Broom (*Cytisus* spp.) 494, 508

- Building materials
 chemical attack 72, 73
- Buildings
 damage by slag 270
 re-use 139-141
 subsidence 94, 116
- Butane 354
- Cable percussion 46, 47
- Calcite 150, 271, 373, 370
- Calcium carbonate 391
- Calcium ferrite 269
- Calcium oxide hydration 269
- Calcium silicate 269, 277
- Calorific value 294
 of colliery spoil 162, 223, 224
- Canals 628
 subsidence damage 95
- Capping
 contaminated land 309, 328-331
 mine shafts 110-112
 to prevent acid mine drainage 390
- Carbon dioxide 220, 221, 228, 287, 318
- Carbon disulphide 293
- Carbon monoxide 220-222
- Carbon steels 255
- Carbon to nitrogen ratio 169
- Carbonate ores 256
- Carcinogens 290, 300
- Cast iron 255
- Cattle 549
- Caveat emptor* 565
- Cavitation collapse 193
- Chemical analysis 64-66, 359-360
- Chemical oxygen demand 287-288
- Chloride 287, 298, 369, 632
- Chromatography
 high performance liquid 65
 thin layer 65
- Chromium 263, 613, 626
- Clay 150, 158, 194, 352, 369, 575, 611
 capping material 328-329, 331
 permeability for capping 329
- Clay cutter 46
- Climax vegetation 173
- Clover (*Trifolium* spp.) 502, 520
- Co-metabolites 344
- Coal
 ash 153, 235
 as waste 293-294

- brown 2, 4
 - calorific value 294, 620
 - composition 153, 298, 620
 - content of spoil 162
 - electricity generation 2, 3
 - formation 2, 4
 - hard 2
 - in Europe 2, 5, 6
 - rank 218
 - recovery 235-241, 576
 - sulphur content 235
 - washing 587
- Coal carbonisation 265, 267, 282-304
 - and water pollution 374
 - by-product decontamination 344
 - by-products 284-294, 300, 582, 633
 - contamination 54, 282, 284-285, 294-304, 319, 369, 604
 - effluent 286-289, 297
 - reclamation of sites 302-304, 582-585, 601-602
 - structures 283, 284, 289, 295, 296
- Coal dust 222
- Coal gas 283, 284
- Coal gasification 283, 284
- Coal measures 368
- Coal preparation - history 234
- Coal tars 284, 286, 289-291, 299, 301, 344
 - decontamination 354, 356
- Cocksfoot (*Dactylis glomerata*) 475
- Coke 257, 259, 282, 283
 - production in Europe 6
 - waste 293-294
- Coking coals 283
- Coking works 582, 583
- Colliery features 124-128, 416, 586
- Colliery spoil 144-181
 - acid generation 151, 154-157, 166
 - and pyrite oxidation 371
 - as a cover material 497-498, 579
 - characteristics 147-165
 - characteristics and plant growth 166-178
 - chemistry 148-159
 - coal content 162, 234, 241-243, 575
 - coal recovery 137, 241-251, 576, 577
 - colonisation 546
 - combustion 575
 - combustion testing 576
 - compaction 161-163, 576, 589
 - conductivity 148, 150, 151, 168
 - liming 500, 501

- nutrient supply 158, 159, 527
- size fractions 236, 239, 240
- specific gravity 235, 237, 239, 240
- structure 160-162
- temperature 163-165
- tipping 145, 146, 185-187
- use 178, 180, 181, 588
- vegetation 155, 169, 164, 166-178, 482, 519
- washing 234-251
- weathering 148, 160-162, 498, 549
- Colliery spoil combustion 147-149, 189, 214-231
 - causes 217-219
 - explosion 216, 222
 - gases 220-221, 230
 - health and safety 229-231
 - prevention 229
 - spontaneous 149, 215, 218-219
 - testing 223-225, 576
 - treatment 226-229
- Colliery spoil heap
 - construction 145, 146, 186, 187, 207-210, 419
 - impact 147
 - maintenance 206-207
 - stability 184, 185, 188-200, 235
 - stability analysis 194-200
 - stability treatment 200-205
 - visual impact 416-418, 440, 461, 464, 586
- Colliery spoil washing 234-251
 - coarse-grained 245-246
 - feed preparation 243, 245
 - fine-grained 246, 249
 - infrastructure 250-251
 - solid-liquid separation 249-250
- Combustion (see also Colliery spoil combustion)
 - assessment 223-225
 - colliery spoil 189, 214-231, 368, 575
 - underground fires 130, 215, 368
- Combustion gases 230
- Combustion potential test 224
- Combustion testing
 - colliery spoil 223-225, 576
- Common environment policy 10
- Common reed (*Phragmites australis*) 392
- Common tern 273
- Compaction
 - colliery spoil 469-471, 489, 576, 589
 - combusting spoil 228
 - of soils 466-469, 487-489, 491
 - treatment of spoil 493

Composted refuse	500
Composting	
contaminated soils	348, 349
Computer models	
for earthworks	450
Cone of depression	383
Consolidation of spoil	487
Containers (for sampling)	63
Containment	
costs	325-327
of contamination	308, 309, 314-333
Contaminant	
migration	54, 331
solubility	298, 345
target (for treatment)	310
Contaminated land	
boreholing in	49, 51
containment	308, 309, 314-333, 602
definition	54
investigation	54-73
management	327, 328, 556
monitoring	327
standards	68-73
steelworks	129, 130
treatment	307-362
Contaminated soil	
Europe	72-73, 307
German guidelines	71-72, 634
Netherlands guidelines	68-71
United Kingdom guidelines	296
Contamination	
66-78, 131-135	
and site after-use	33
background	66, 294-295
barriers to	319-326
coal carbonisation	284, 295
colliery	126
cover systems for	327-332
during site assessment	51
dusts	277, 302
hydrophobic	354
interpretation of results	66-73
treatment	307-363
Cover systems	
for contaminated land	309, 327-332
to prevent acid mine drainage	390
Cresol	287
Crown holes	86, 120
Cultivation (deep)	493, 496

Cupola	260
Cyanide	278, 287, 291, 292, 299, 300 301, 334, 369, 374, 405, 632
sampling	63
Dams	458
Dangerous Substances Directive 76/464/EEC	
List I	397
List II	398
Darcy's Law	377
Decontamination	333-363
biological methods	343-348
costs	363
factors affecting	312
integration of techniques	355-357
monitoring	327, 362
of soils	333-363
standards	357-363
stimulus	567
thermal methods	333-338
validation	262-263
Deep cone thickeners	249
Demolition	121-141, 295, 296
contracts	138-139
methods	132-135
Denmark	18, 568
groundwater treatment	382
steel production	7
Dense medium coal recovery	245-246
Derelict land	7, 285, 422, 577, 578, 581, 587, 596
coal and steel	12, 14, 144
definition	12
in Europe	13, 14
legislation	16, 17
responsibility for	24
Design life	316
Design team	445
communication	449-451
multidisciplinary	29-30, 445-446
Desk study	34-36
and chemical analysis	64
mine workings	98, 99
of spoil tips	195-196
Detection limits	
analytical	359-360
for chemicals	65-66
Detoxification	343
Detrital minerals	148
Dewatering	
coal recovery	249-250

- lagoon tailings 241
- Diagenetic minerals 148
- Dichloroethane, 1,2- 402
- Differential subsidence 88
- Dimethylphenol 287
- Dioxins 72, 334, 363
- Direct reduced iron 259
- Direct seeding 516
- Directives (European Commission)
 - dangerous substances 396-403
 - risk assessment 135
 - waste 75/442/EEC 312-313
 - water 400
 - working practices 135
- Discharge standards 381
- Displacement subsidence 88
- Dolomite 373
- Drainage 116, 118, 453-459, 589, 612
 - construction 455
 - cut-off 381, 454
 - ditches 454, 457, 493, 589
 - flood flow 455-456
 - flows 455
 - layout 455
 - management 554-555
 - of colliery spoil 161-163, 489, 493-496
 - of decontamination treatments 348
 - of landform 453-459
 - of tips 202, 205, 207-210
 - piped 457
 - subsidence damage 96
- Drift mining 88
- Drilling fluid 49
- Drought 161-162, 487, 519
- Dual pumping (groundwater clean-up) 382
- Dual vacuum extraction (soil clean-up) 350, 383
- Dust 222, 230 277, 278, 441, 443, 613
- Dutch List (see Contaminated soil)
- Dynamic compaction 228, 470
- Earth art 431
- Earthworks 227, 415-473
 - constraints 441-443
 - design 437, 448-449
 - effects of season 442-443
 - volume calculations 449-450, 471
 - volumes of cut and fill 444, 448, 471, 588
- Earthworm cultures 580
- Ebbw Vale 417, 497
- EC Directives (see Directives)

Ecart probable moyen	246, 248
Ecological assessment	37, 38, 39, 40
Economic assessment (for reclamation)	574
Ecotones	509
Ecotypes	509
Effluents (coking works)	297
Eire	20
hard coal production	6
steel production	7
Electric arc furnace	278, 374
Electric heating (of soil)	339
Electrical conductivity (see Conductivity)	
Electrical resistivity	53
Electrolytic treatment (of acid mine drainage)	390
Electromagnetics	53
Emission limit values	396
Emission standards	285
England	
land reclamation	581-584
Environmental	
audit	131, 564
impact of landform	472
liability	303
protection (European Community)	10, 11
Erosion	161, 203, 380, 460, 515, 519, 636
control	458, 515
of tips	193
Ettringite	268
European Coal and Steel Community	9, 10
European Environmental Bureau	10
<i>Ex situ</i> biological treatment	346, 348-349
<i>Ex situ</i> decontamination	339
Expansion of slag (see Slag)	
Expansion tests for slag	274-275
Failsafe	316
Feldspar	150
Ferrocyanide	288
Ferrous sulphate liquor	288
Fertilisers	487, 488, 502, 527
<i>Festuca rubra</i>	486
Filter presses	249
Fissure flow	377
Flame ionisation detector	52, 65
Flow slides	192
Flue dusts	267, 277-278, 631
Fluidised bed combustors	241
Fluidised bed incineration	335
Fluorspar	262, 263
Flux	260, 262

- Forestry
 - short rotation 579-580
- Fossils 426
- France 19, 568
 - hard coal production 6
 - land reclamation 594-609
 - steel production 7
- Froth flotation 367
 - coal recovery 246
- Furans 72
- Gas chromatography 52, 65
- Gas works 284
- Gehlinite 267
- Geophysical testing 52, 53
 - coal content 236
 - mine workings 100
- Geosynthetic membranes 331, 497, 593
 - for containment 320-322, 331
- Geotechnical testing 51
- Germany 21, 22
 - contaminated land 71-72, 307
 - derelict land 617
 - hard coal production 6
 - industry 617, 627
 - land reclamation 617-633
 - steel production 7
- Gibbsite 373
- Goethite 373
- Gold 370
- Gorse (*Ulex* spp.) 505, 508
- Grassland management 545, 548
- Gravimetric analysis 65
- Grazing 528, 538-539, 548, 550
 - management 549
- Greece 15
 - steel production 7
- Greenbelt 578-580
- Grilling of adits 115
- Ground heave 136, 181, 278
 - and slags 268, 275
 - in tips 194
- Ground improvement 469, 470
- Ground probing radar 53
- Ground strain 90
- Groundwater
 - and mining 376
 - and rainfall 377
 - bioremediation 346
 - clean-up 382

contamination	289, 295, 297-300, 369
decontamination	633
flows	376, 377, 382
in contaminated land	328
pollution	375, 376, 381-386
pumping	382-386, 620
within tips	198
Groundwater Directive 80/68/EEC	303, 395, 403
List I	398
List II	398
Groundwater quality	303
effects of coal carbonisation	297-300
Grouting	
barriers	322-323
chemical	333
claquage	333
horizontal barriers	332
jet	333
of adits	114
of combusting spoil	225, 228
of mine workings	106-108, 113, 575
polyurethane	391
Gypsum	150, 156, 181
plaster	136
waste	621
Habitat	
diversity	438, 547
creation	509
Haul roads	207
Health and safety (see Safety)	
Heave (see Ground heave)	
Hematite	256
Himalayan balsam (<i>Equisetum</i> spp.)	491
Horses	549
Horsetail (<i>Impatiens glandulifera</i>)	491
Hot spot (of contamination)	55, 57
Hydraulic seeding	515, 516
Hydrocarbon contamination	383
Hydrochloric acid	278
Hydrofluoric acid	264
Hydrogen	222, 283
Hydrogen cyanide	300
Hydrogen peroxide	346
Hydrogen sulphide	220-221, 284, 291, 301
from slag	269
Hydroseeding	515, 516
Hydrosizers	246
Hydroxide sludges	279
Illite	148

- In situ* biological treatment of wastes 343-347
- In situ* decontamination 319-327, 340, 343-347
- Incineration 334-335
- rotary kiln 335-336
- types 335, 339
- Industrial archaeology 135, 137, 138, 425, 556
- assessment 73, 74
- iron and steel 140
- Industrial land design 435, 462
- Inspection of tips 210, 211
- Insurance 569
- Iron 254-260
- casting 260
- Europe 254, 255
- mining 635
- ore 6, 254, 256, 257, 267
- smelting 255, 257, 259
- spoil heaps 426
- Iron sulphide 291
- Iron-oxidising bacteria 151, 372, 386, 389
- Ironworks 122, 587
- Irrigation 524
- Italy 15, 18
- derelict land 612-617
- steel production 7, 612-613
- Japanese knotweed (*Fallopia japonica*) 39, 491, 493
- Jarosite 150, 156, 158
- Jet grouting 333
- Jigs 245
- Kaolinite 148
- Kinetic tests 380
- Lagoon tailings 249
- ash content 242
- size fractions 242
- Lagoons 186, 205, 208, 241, 374, 458, 598, 599
- coal content 241
- coal washing 249, 465
- coking works 297
- for wetland creation 393
- Lakes (amenity) 420, 591-594
- Land reclamation (see Reclamation)
- Land use
- standards 634
- vegetation 477, 478
- Landfill 284, 314-319, 585, 624
- costs 315-316
- design 316-319
- design life 315
- gas 100, 317, 318

	hazardous waste	314-319
	leachate	315, 317
	licensing	317, 318
Landform		415-473
	aesthetics	461
	and after-use	427
	and vegetation	481
	artificial	431
	constraints to remodelling	438-444
	definition	415
	design process	445, 447
	diversity	438
	drainage	453-459
	factors affecting	419
	integration	431
	management	463
	models	448
	naturalistic	431, 461
	pre-reclamation	435-436
	remodelling	423, 428, 427, 438, 451, 461, 464
	sculpture	431
	slope	460-463
	terraced	432, 435
	types	415, 416
	variety	437, 439, 442
Leaching		156, 340
	for soil decontamination	355
Leaching tests		360, 379
	for slag	276
Lead		134, 278, 334
Legislation (see also Directives)		
	derelict land, Europe	14
	water quality	378
	water quality, Europe	396-411
Legumes		156, 484, 486, 502, 505, 508
Lignite		2, 619
	as a soil amendment	500
Lime		274, 344, 348, 388, 391
	requirement in colliery spoil	500, 501
	to correct acidity	499, 526
Limestone		257
Limestone dust		228
Liming		271, 583
Limonite		255, 373
List I substances		397, 401, 402, 403
List II substances		397, 403
<i>Lolium perenne</i>		486
Longwall mining		81, 88, 89, 90
	subsidence	116, 118

- Loss on ignition 223
- Lupin (*Lupinus* spp.) 505, 508, 553
- Luxembourg 18
 steel production 7
- Magnesia 274
- Magnesian limestone 499
- Magnetite 245, 265
- Magnetometry 53
- Maintenance
 of sites 437
 of slopes 462
 of vegetation 482
 spoil tips 206, 207
- Management (of reclaimed land) 437, 533-559, 593-594, 580, 596, 608
 agreements 537-539
 bodies responsible 535
 containment systems 326
 contaminated land 556
 costs 608
 for species and habitat diversity 546
 grassland 545, 547-553
 monitoring and review 541
 of existing vegetation 545
 of structures 554-557
 of vegetation 516, 544-554
 planning 535, 539-541
 public/private sector 536
- Manganese 263, 370, 371
- Manure 348, 500
- Masterplan 33, 447, 493, 585
- Melilite 267
- Mercury 334
- Metal tolerance (of plants) 298
- Metal-cyanide complexes 300
- Metals
 deposition 295
 in coal 298
 in flue dust 277, 278
 in iron ore 257
 in slag 275-277
 in soils 548
 in waste residues 54
 leaching 298
 pH and solubility 370
 plant tolerance 298, 512-514
 removal from acid mine drainage 393
 sampling 63
 uptake by animals 551
 volatilisation 334

Methane	100, 128, 283, 318
Microbial inocula (for bioremediation)	346
Microclimate	463, 464, 465
Microencapsulation	341
Mine drainage	367-368
Mine gas	100, 127, 128
remedial measures	128
Mine workings	
investigation and treatment	81-120
Mineralisation of nitrogen	158, 169, 487, 505
Mines and Quarries (Tips) Act	184
Mining subsidence (see Subsidence)	
Monitoring	326
of decontamination	362
Monitoring wells	49
Montmorillonite	148
Monuments protection programmes	73
Movement joints	118
Mud runs	193
Mulching	515, 516, 519, 521, 524
Multi-roll filters	249
Multifunctionality	68
Muscovite	148
Mushroom compost	500
Mycorrhizae	178, 179, 505
Naphthalene	283, 284, 293, 374
Nature conservation	585
Netherlands	19
cover systems	328
site investigation standards	58, 62
soil clean-up	68
soil protection	315
steel production	7
Neutralisation (of acid mine drainage)	372
Neutralising capacity	166
Nickel	613
Nitric acid	264
Nitrogen	158, 166-172
cycling	169, 170, 171
in rainfall	168
Nitrogen capital	527
Nitrogen fixation	156, 487, 502, 529
Nord-Pas de Calais	164, 175, 176, 426, 605
North-Rhine Westphalia	22, 275, 631
Northern Ireland	21
Nurse crops	507-508, 553
Nutrients	
for bioremediation	346
status (soils)	486, 499, 527-528, 552

- supply 486-487
- Oak (*Quercus* spp.) 508
- Oil 126, 279, 293, 344, 369, 383, 615, 624, 626
 - for benzole washing 293
- Oil interceptors 381
- Opencast mining 4, 146, 496, 591, 619
 - in reclamation 137, 581, 584, 585, 586
 - subsidence 81, 93
- Organochlorines 402
- Oxidising agents 288, 342
- Oxygen (in steel making) 262
- Ozone 342
- Partition curve (coal recovery) 246, 248
- PCBs 72, 334, 354, 402
- Peat 500
- Penetration tests 51
- Permeability tests (soil) 51
- Persistence (in the environment) 399
- Pesticides 402
- pH
 - colliery spoil 148, 151, 156
 - groundwater 298
 - mine drainage 393
 - nutrient availability 484
 - plant growth 484
 - slag 276
- Phenols 283, 287, 290, 293, 299, 301, 344, 369, 405, 584, 632
- Phleum pratense* 486
- Phosphate 158, 167, 386
 - fertiliser 270
 - in slag 271
 - fixation 159
- Phosphorus 260
- Photogrammetry 450
- Photomontage 448
- Pickling 264
- Pickling acids 279
- Pig iron 6, 255, 257, 262
- Pig slurry 500
- Pigs 257
- Pioneer crops 507, 508, 549
- Piping (in tips) 189, 192
- Pitch 290
- Plant growth
 - colliery spoil acidity 156
 - on colliery spoil 166
- Plant species selection 507-512
- Planting methods 514

Plugging (of mine workings)	112
Polluter pays principle	11, 313, 378, 365, 592
Pollution	
air	386, 574
airborne	295
barriers to	319
of groundwater	369, 376, 381-386
of water	368, 369, 374, 376, 378
river	584
water treatment	380-395, 458
Polyacrylamide gels	507
Polyaromatic hydrocarbons	289, 290, 299, 300, 374, 584, 632
Pore pressure	189
Portugal	15
hard coal production	6
steel production	7
Potassium	158, 167
Potassium sorbate	389
Poultry manure	500, 515
Preloading	470
Probability (and site sampling)	58
Process water	366, 367
Propane	354
Proximate analysis	225
<i>Prunus avium</i>	520
<i>Pteridium aquilinum</i>	481
Public access	558
Pump and treat (decontamination)	382-386, 355
Purifier beds	291
Pyridine	287
Pyrite	150, 181, 254, 370, 371, 372
acid generation potential	379
analysis	380
Pyrite oxidation	151, 152, 154-157, 218, 370, 372, 388
effect on vegetation	500
liming	499
pollution potential	379-380
prevention	386-391
treatment	389
Quality control (analytical)	66
Quality objectives (water)	396
Quartz	148, 369
Railways (subsidence damage)	95
Rainfall intensity	197, 456
Reclamation	
coal carbonisation sites	302
costs	430, 442, 444, 464, 590, 601, 603, 604, 607
environmental impact	472
framework	562

- funding 568, 629
 - holistic approach 446
 - insurance 569
 - materials 441
 - pollution effects 381
 - proposals 74
 - stimulus 23
 - strategy 24-26, 562-570
 - team members 36, 588, 591, 596, 629
 - timing 442-443, 472
 - waste disposal 318-319
- Records
 - disposal 135
 - for site assessment 34
 - industrial archaeology 73
 - maintenance 542-544
 - mining 98
 - of processes 583
 - of reclamation 472-473, 542-544, 566
 - site 542
- Recycling
 - demolition materials 131
 - of materials 136, 137, 313, 424, 623
 - of wastes 422
- Reedmace (*Typha latifolia*) 392
- Refractory linings 267, 278
- Reservoirs 458, 591
- Retorts (coal carbonisation) 283
- Reuse
 - of waste material 602, 605
- Revegetation (see also Vegetation) 477-529, 589
 - establishment and care 477-529
 - low cost 430
 - naturalistic 482
 - temporary 478
- Rhizobium* bacteria 505
- Rhizomes 491
- Ripping 493-496, 589
- Risk
 - assessment 67, 71
 - contaminated land 67
 - explosion 104, 222
- Rivers (subsidence damage) 95
- Roads
 - construction 118
 - subsidence damage 94
- Robinia pseudoacacia* 505, 520
- Rolling programme for reclamation 26
- Room and pillar mining 81, 84, 86, 87

Rotary drilling	46, 48, 49, 101
Rotary vacuum separators	249
Rotational slip	190, 191
Ruhr	22, 440, 627
Run-off	
calculations	456
coefficient	456
Safety	44, 104, 105, 135
combusting spoil	229-231
contamination	318
health risk	134
public	558
spoil combustion	230
tip design	200
tips	188
Salinity (mine waters)	369
Sample collection	61, 64
Sampling	
colliery spoil	236
containers	63
depth	59
frequency	57-60
liquids	63
pattern	55-57
regime	360
slag	273
soils	61-63, 360-361
strategy	55-63
Sandstones	368
Scotland	21
colliery spoil tips	215
land reclamation	573-580
steelworks	215, 577-580
Scrap metal	136, 262, 278
Seat earths	4
Seeding (see Sowing)	
Seismic refraction	53
Selenium	279
Semis	263
Settlement of tips	194
Sewage sludge	348, 389, 500, 527, 551, 553, 577, 580
Shafts	90, 91
collapse	91
filling	113
investigation	102, 103
location	533
subsidence	90-92
treatment	108-114, 589, 611
Shallow mine workings	105

- Shear strength 199
- Sheep 549
- Sheet piles 322
- Shell and auger boreholing 46, 236
- Siderite 150, 256, 373
- Siemens-Martin 262, 295, 624
- Silicates (in slag) 267
- Silt traps 591
- Single European Act 11
- Sink-and-float analyses 237
- Site audit (see Audit)
- Site investigation 32-77, 130, 564-567
 - boreholes 45-51, 101
 - British standard 59, 584
 - coal content of spoil 236, 238
 - contaminated land 54-73, 583
 - demolition 130-133
 - ecological 38, 39, 40
 - ground conditions 42
 - mine workings 96, 99
 - planning 33-36
 - stages 77
 - techniques 44-53
 - tip stability 194-198
 - visual 38, 41
- Site personnel protection 44, 104, 105
- Slag 130, 255, 257, 262, 266-277
 - as aggregate 268, 579, 604, 605
 - as fertiliser 267
 - assessment 273-277
 - blast furnace 257, 267, 272, 486
 - cooling 268
 - expansion 130, 136, 268, 270, 274, 275
 - expansion tests 274-275
 - fertiliser 260, 267, 270, 271
 - formation 257, 260
 - grass growth 486
 - in solidification 341
 - leaching 269, 275, 277, 374
 - liming effect 520
 - metal content 276
 - plant growth 271-273
 - steel 269-271, 417
 - sulphur 268, 269, 374
 - tips 417, 440
 - vegetation of 497, 489
 - weathering 487
- Slag heaps 130, 271, 600
 - retention 601

- Slope
 - design for after-use 460-463, 519
 - gradients 460-463
 - stability 199-201
- Slurry
 - spoil 192
 - materials for containment 323
 - walls 322-324
- Smearing 383
- Smokeless fuel 282
- Smouldering 214, 223
- Soakaways 496
- Sodium benzoate 389
- Sodium carbonate 391
- Sodium hydroxide 391
- Sodium lauryl sulphate 389
- Soil
 - calcareous 475
 - compaction 466-469
 - decontamination 307, 333-363
 - gas surveys 52
 - handling 466-467
 - organic amendments 503, 507, 519, 521
 - organic matter 487
 - probes 52
 - quality 467, 492-507
 - use 466, 496
 - venting 349
 - washing 352-354, 585
- Solid solution 267
- Solidification 340-343, 615
 - binders 341
- Solubility of contaminants 345
- Solvent extraction 354-355
- Sowing methods 514-518
- Spain 14
 - derelict land 633
 - hard coal production 6
 - industry 637
 - land reclamation 633-639
 - steel production in Asturias 7, 123, 638
- Spent oxide 54, 286, 291, 292, 301
- Spoil heap combustion
 - gases 220
 - treatment 226-228
- Spontaneous combustion 215, 224
 - of colliery spoil 147, 218
 - risk 561
- Sports pitch design 462

Stabilisation (of contamination)	340-343
Stability	
of tips	28, 188
remedial measures	200
Stability analysis	194, 198
slopes	199
Standard reference materials	66
Steel	6-9, 255
coating	265
manufacturing process	260
processing	263-265, 267
production (Europe)	6, 7
production (world)	8
raw materials	267
scrap	7
wastes	266-279
Steel making	260-266
contamination	279
electric	263
employment (Europe)	9
integrated	265-266
wastes	266-279
water use	374
Steelworks	122-125, 416-418, 577, 578, 600, 604, 625
site characteristics	122-125, 129, 130
situation	416
Stopping of adits	115
Stratified random sampling	57
Straw	348
as a soil amendment	500
Structural surveys	42
buildings	43
Structures	
buried - location of	53, 543-544
effects of subsidence	116-120
Subsidence	43, 81, 90-92, 215, 417
damage to structures	94-96
due to combustion	220, 221
investigation	96-105
management	556
plans	197
structural damage	82, 83
surface water	420, 606
treatment	105-120
Substrate characteristics	
for revegetation	484
treatment	492
Sulphate	64, 73, 126, 130, 137, 268, 274, 292, 369, 370, 374, 575, 582, 632

- effects on concrete 155, 299
- Sulphide 64, 287, 301, 370, 405, 632
- Sulphoaluminates 268
- Sulphur 64, 259, 260, 269, 274, 282, 292, 374, 380
 - content of coal 235
 - deposition 620
 - elemental 291, 296
 - in coal 620
 - in slag 268, 269
 - pyritic 500
- Sulphur dioxide 220, 221
- Sulphuric acid 279, 292
 - deposition 295
- Supercritical fluid extraction 354
- Surface run-off 368, 369
- Surface slips 190-192
- Surfactants 346, 389
- Swards 484, 487, 528
- Systematic sampling 55
- Tailings lagoons 196
- Tar acids 290
- Tar bases 290
- Tar oils 292, 299, 301
- Temperature monitoring 224
- Thermal analysis of slag 274
- Thermal stripping 339
- Thermal treatment (contaminated soil) 333-338
 - cost 337-338
 - incineration 334-335
 - two-stage 335-336
- Thiobacillus ferrooxidans* 151, 155, 372, 389
- Thiocyanate 287, 292, 405
- Thiosulphate 287
- Thomas process 260
- Tilt subsidence 88
- Tip construction 186-187, 207
- Tip failures 184
 - inspection 210, 211
- Tip stability 188-200
 - analysis 194-200
- Tipping methods 186
- Toluene 288, 290, 293
- Topographical survey 37, 38, 196, 197, 451-453
- Tourism 141
- Town gas 282
- Toxicity 67-68, 286, 300-302
 - risk 399
 - to fish 370
- Trafficking damage 466

- Tree
 - establishment 526
 - on colliery spoil 520
 - planting 518
 - shelters 518
- Tree bark 348
 - as a soil amendment 500
- Trench systems for containment 323
- Treuhandenstalt 623, 626
- Trial pits 44, 45, 99, 100, 236
- Triethylamine 354
- Trigger values (for contamination) 72-73, 405
- Tundish 264
- Tuyeres 260
- Typha latifolia* 392
- Unemployment 4
- United Kingdom 21, 28
 - colliery spoil washing 234
 - contaminated land standards 72, 296, 411
 - hard coal production 6
 - land reclamation 573-594
 - steel production 7
- Utility services (subsidence damage) 96
- Vacuum extraction 349-352, 383
- Validation of clean-up 362
- Vanadium 263
- Vandalism 557, 579
- Vegetation
 - and drainage 438, 459
 - and land use 477, 479
 - assessment and value 39
 - care of 477-529
 - design 481
 - effect of substrate 438, 484-492
 - engineering function 477, 589
 - environmental improvement 479
 - establishment 477-529
 - influences 459
 - in reclamation 478-479
 - maintenance 206, 514
 - management 39, 514, 544
 - metal tolerance 512, 513
 - natural colonisation 436, 482, 589
 - naturalistic 545
 - of colliery spoil 169, 173, 174, 519, 522, 523
 - of slag 271, 273
 - of tips 436, 461
 - on acid spoil 174
 - pH effects 484-486

regression	526, 529
selection	507-512, 589
substrate treatment	492-507
<i>Verbascum lychnitis</i>	271, 273
Vertical barriers	309
Vertical subsidence	88
Vibro compaction	470
Video	448
Visual assessment	39
during site investigation	38
Visual impact	
of drainage	454
of landform	429, 440, 464
of spoil heaps	410
of tips	432
Visual quality	
of landform	425
Vitrification	336-337
<i>in situ</i>	339
Void ratio	219
Volumetric instability of slag	274
Voluntary groups	554
Waelz process	278
Wales	21
colliery spoil heaps	28
land reclamation	26-30, 586-594
Walk-over survey	
mine workings	98
spoil tips	195
Wardening of sites	559
Waste Framework Directive	313
Water use (in industry)	366-368, 374
Water pollution	
assessment	375-380
control	380, 458
Water pollution potential	379-380
Water quality	378-379
Water quality standards and legislation	396-411
Europe	403-404
guide	403-404, 406-408
imperative	403-404, 406-408
Water-gas	222
Water-storing polymers	507
Waterlogging	160, 319, 481, 487, 489, 490
Weather	
effect on earthworks	442
Weathering of minerals	373
Weed control	518-519
and trees	525-526

Weeds	
invasive	491-492
Welsh Development Agency	29, 580, 592
Welsh Office	28
Wet oxidation	336
Wetlands	387, 388, 454, 580, 585
constructed	393
for acid mine drainage	392, 394
management	554
White mullein (<i>Verbascum lychnitis</i>)	272, 273
Wildlife conservation	432
Willow (<i>Salix</i> spp.)	520, 579
Wood (as a soil amendment)	500
Woodland	508, 518, 553, 579, 580
management	553-554
slope design	462
Wrought iron	255
X-ray diffraction	274
Xylene	290, 293
Zinc	134, 166, 265, 278, 613