

## INDEX

- abrasion resistance 361
- absorption 353
  - as a function of time 355
- accuracy 167
- acid neutralising capacity 372, 454
  - as a function of time 372
- acid
  - gas cleaning residue 444
  - leaching 745
- acid-base reactions 491
- actinides 400
- active environmental protection
  - systems 942
  - leachate 942
- activity coefficient 508, 511, 553
- activity-based sorption model 561
- adatoms 551
- adsorption edge 567
- advection 487
- aggregate 895
  - substitute 339
- aging 550, 588
  - reactions 556
- agitation 581
  - extraction tests 581
- air
  - controlled 66
  - excess 62
  - injection 73
  - over-fire 63
  - starved 76
  - under-fire 63
- air pollution control residues 441
- alkali metals
  - fate in combustion 288
- alkalinity 368
- ALS Process 749
- aluminum
  - metallic 271
- amphoterism 540
- anion 517
- ANS 16.1 843, 844
- antimony 673
  - partitioning 311
- apparent specific gravity 353
- arsenic 648
  - partitioning 310
- artificial reefs 896
- ash deposition mechanisms 419
  - Brownian forces & Eddy diffusion 421
  - diffusiophoresis 421
  - Fickian diffusion 421
  - gravitation 421
  - inertial impaction 421
  - interception impaction 421
  - thermophoresis 421
- asphalt 895
- auger electron spectroscopy 251
- availability 854
  - control 639
  - test 640
- barium 657
- base salt 507
- batch tests 483, 684
- BET surface area 370
  - analyses 495
- bias 177
- bidentate 528
- binders
  - blast furnace slag 777
  - cement kiln dust 777
  - coal fly ash 777
  - lime kiln dust 777
- boiler ash 496
- boiler tubes
  - fouling 88
- boilers
  - convection 88
  - economiser 88
  - hoppers 88
  - radiant 88

- superheater 88
- boron 653
- bottom ash 495
- bottom ash removal
  - drag-chain 90
  - plate 90
  - ram 90
- bottom ash composition 401
- bottom liner 934
- Boudouard reaction 267
- boundary layer 491
- bromine
  - containing organic compounds 300
  - partitioning 300
- Brownian motion 498
- bulk
  - analysis 44
  - density 495
  - environment 238
  - specific gravity 353
    - as a function of time 353
- cadmium 650, 657, 663, 673
  - partitioning 306
- calcium
  - CaCl<sub>2</sub> production 752
  - partitioning 291
- California
  - bearing ratio 364
  - WET test 684
- Canada 22
- caps 953
- carbon
  - C/H ratio 267
  - CO formation 313
  - monoxide 139
  - oxidation reaction 312
  - partitioning 312
- cation 517
- cation/anion balances 517
- CCME 22
- chelate 523
- chemical
  - aspects of leaching 487
  - binding 766
  - composition 41
  - characteristics 425, 454
    - acid neutralisation capacity 426
    - cadmium 433
    - CB 437
    - chemical composition 428
    - chromium 433
    - CP 437
    - lead 433
    - nickel 433
    - PAH 437
    - PCB 437
    - PCDD 435
    - PCDF 435
    - pH 426
    - solubility 426
    - zinc 433
  - evaluation tests 773
    - acid neutralisation capacity 775
    - availability 773
    - tank leaching 775
    - total metal concentration 773
    - water solubility 773
  - retention 854
  - weathering 550
- chloride 663
- chlorinated
  - benzenes 406
  - phenols 406
- chlorine
  - electrochemical recovery 758
  - partitioning 297
- chromium 650, 657, 676
- cleaner technology 931
- closed system 592
- co-disposal 944
- cold-crown melting 792
- collection procedures 180
- column test 483, 585, 670
- combined ash 409, 931
  - leachate 940
- combustion
  - products 272
  - zone 267
- compacted granular leaching test 682
- compaction 588
  - properties 447
- complexation 488
- complexing agents 489
- compressive strength 447
- concentration buildup tests 581, 584
- concrete 898
- condensation process 280
- congruent dissolution 553
- contact time 579, 594

- containment, collection and treatment
  - of leachate 945
- contaminants
  - cadmium 154
  - lead 147
  - mercury 147
  - PCDD/F 147
- contamination 944
- control
  - combustion 97
  - emission 118
  - fuel variability 98
  - mercury 113
  - metals 112
  - particulate 111
  - trace organics 101
- controlled contaminant release 950
- copper 650, 657, 663, 676
  - influence on PCDD/PCDF formation 319
  - partitioning 295
- corrosion
  - chloride induced 283
  - sulphate induced 282
- criteria 915
- crystal
  - radii 287
  - structure 509
- crystalline phases 496
- cumulative
  - flux 490
  - release 599, 854
- curing 588
  
- Darcy's Law 498
- Davies equation 513
- de novo synthesis 106
- Deacon Process 283
- Debye-Hückel equation 513
- demonstration projects 897, 899
- Denmark 25
- density 447
  - separation 242
- depth of analysis 247
- diagenesis 509, 556
- differential thermal analysis 246
- diffusion 498, 841
  - coefficient 501, 843
- dioxins 406
- direct approach 44
- disposal 931
  - practices 957
  - strategies 940, 947
- dissociation constant 524
- dissolution 488, 841
  - reaction 488, 531
- dissolvable solids content 351
- DOC 700
- documentation 193
- dot maps 250
- dry scrubber residue 442, 496, 679
- dry system residues 442
- durability 360
- dynamic tests 579, 584
- dynamic multicomponent flow-through
  - leaching model 607
  
- earth-alkali elements
  - concentrations in waste and
    - residues 291
  - fate in combustion 297
- economic benefit 419
- edge 551
- effective
  - diffusion coefficient 843
  - size 357
- electron energy loss spectroscopy 252
- electrostatic
  - precipitator ash 441
  - surface complexation model 564
- elements 377
  - association 246
  - bonding 246
  - distribution by country 380
  - related to biogeochemical cycling 377
- elemental composition 460
- embankment 897
- emission standards
  - 17 BImSchV 142
  - CCME 142
  - EEC 142
  - Ontario A-7 139
  - U.S. EPA 142
- emitted radiation 248
- energy requirements 803
- entombment 948
- environmental impacts 932
  - fugitive dust emissions 932
  - leachate 932
- EP Tox 596
- equilibrium 487

- constant 520
- pH 488
- systems 488
- ettringite 764
- EU Landfill Directive 952
- evaporative cooling 111
- exotic elements 400
- extended
  - Debye-Hückel equation 513
  - x-ray adsorption fine structure 253
- external resistance 491
- extracting agents 244
- extraction tests 579, 580
- fabric filter residue 442
- factors influencing representativeness 168
  - residue streams 170
  - type of APC system 169
  - type of incinerator system 169
  - waste type 168
- FASTCHEM 611
- fate 946
- ferrous content 346
- Fick's second law 501
- field
  - compaction 364
  - investigations 933
- fill material 895, 899
- filtration 595
- final storage quality 944
- flow-around tests 585
- flow-through tests 585, 586
- flue gas stream 420
- fluid
  - flow 486, 498
  - velocity 487
- fluorine
  - partitioning 299
- FLUWA Process 749
- flux 490
- fly ash 441
  - and acid gas scrubbing residue
    - leachate 937
- formation
  - enthalpies 269
  - PCDD/PCDF 317
- formation constant 524
- fouling
  - chemical reaction 421
  - condensation 421
  - corrosion 421
  - particulate 421
- FOWL 634
- France 26
- French X31-210 leaching test 596
- fuel fired melter 804
- fugacity 508
- fugitive dust 954
- furans 406
- furnace
  - configuration
    - centre flow 73
    - contra 70
    - parallel 73
  - fluidised bed 85
  - rotary kiln 77
  - walls
    - refractory 63
    - water 63
- fusion 791, 792, 817
- gas bubbling 591
- gas-side fouling 420
- generation rates 15
- geochemical
  - modelling 658
  - thermodynamic equilibrium models 609
- geochemistry 507
- geological barrier 952
- geotechnical stability 953
- German DIN leaching test 684
- Germany 28
- Gibbs free energy
  - of formation 520
  - minimisation 608
- Gibbs' fundamental equation 269
- Gibbs-Helmholtz equation 269
- glass
  - fraction 367
  - leaching 799
- glassy phase 496
- gradation 357
- grain size distribution 346
- granular
  - material 584
  - (testing) 843
- grate
  - ash 339, 496
  - feed rates 63
  - manufacturers 63

- reciprocating 65
- rocking 65
- roller 66
- siftings 65, 339, 496
- travelling 66
- grinding 222
- gross composition 342
- guidelines 97
  - design 97
  - operating 97
- Güntleberg equation 513
- halogens
  - characteristics 296
  - thermal dissociation of hydrogen halides 297
- HCl recovery 755
- heat transfer surface 420
- heating value 41
- heterogeneous reactions 507
- historical excursus 1
- homogeneous reactions 507
- Horsefall cell-type incinerator 4
- hydraulic conductivity 447, 499
- hydrodynamic dispersion 503
- hydrogen evolution 451
- hydroxyl 507
- impregnation 243
- incongruent dissolution 547
- increment collection classification 175
- indirect approach 44
- infiltration 492
- influence
  - of aging 367
  - of combustor type and operation 374
- infrared spectroscopy 254
- injection systems
  - duct 111
  - furnace 111
  - reactor 111
- inner sphere complexes 523
- inorganic
  - characteristics 376
  - constituents 460
  - salts 957
- intended lifetime 942
- internal
  - porosity 491
  - resistance 491
- intrinsic properties 942
- ion
  - activity 511
  - activity product 534
  - exchange 746
  - pairs 515
- iron
  - partitioning 293
  - separation 739
- isodynamic separation 241
- isotopes 400
- Japan 31
- Japanese leaching test 686
- jaw crushing 240
- kinetic
  - model 507
  - systems 488
- kinks 551
- L/S 933
- laboratory-field translation 881
- landfill disposal
  - APC residue 149
  - fly ash 149
  - grate ash 149
- landfill
  - design 945
  - operation 945
  - siting 945
- lanthanides 400
- leachant 491, 579
  - composition 579, 589
  - renewal 579
- leachate
  - collection systems 951
  - management 948
  - treatment 957
- leaching 905
  - behaviour 637
  - modelling 490, 622
  - regime 493
  - scenarios 493
  - solution 492
  - system 485, 491
  - tests 489, 509, 510, 579
  - time frame 493
- lead 653, 657, 666, 676, 711
  - partitioning 309

- ligand 507
- liquid-to-solid ratio 488, 579, 592
- lithophilic elements 339
  - heavy metal concentrations in waste and residues 292
- local equilibrium assumption 487
- Los Angeles abrasion test 361
- loss on ignition 347, 453
- lysimeter 586
  
- macro-encapsulation 763
- magnetic separation 241
- major
  - elements 464
  - matrix elements 379
- management aspects 899
- Martin reverse-acting grate 8
- mass burn incinerators
  - European 62
  - modular 62
- mass
  - balance 813
  - burn incinerator 704
  - streams in a MSW incinerator 285
  - transfer 498
    - constraints 491
    - rate 492
- maximum concentration levels 933
- melt structure 369
- mercury 657
  - chloride induced 304
  - Hg recovery from flue gas scrubbing solutions 751
  - porosimetry 495
- metal
  - cation 507
  - metallic components in fly ashes 272
  - separation from bottom ashes 739
- metastability 536
- micro-encapsulation 763
- MINEQL 609
- mineral
  - predominance 509
  - waste 943
- mineralogy 250, 368, 450
- minicolumns 626
- minor
  - elements 469
  - matrix elements 383
  
- MINTEQ 609
- MINTEQA2 530
- monitoring 954, 955
- monofill 149, 934
- monolithic
  - material 592
  - (testing) 843
- morphology 247, 450
- MR-Process 746
- MSW management tool 419
- MSWI
  - APC residues 679
  - boiler ash 687, 695
  - bottom ash 673
  - economiser ash 642
  - ESP ash 679
  - grate siftings 637
  - semi-dry scrubber residues 679
  - wet scrubber residues 638
- multiphase heterogeneous system 491
- municipal solid waste
  - definition 15
  
- near surface environment 238
- NEN 7345 843, 844
- Netherlands 33
- neutral species 512
- nickel 653, 677, 711
  - partitioning 295
- NITEP 24
- nitrogen
  - oxide emission limits 302
  - oxide formation 302
  - rfate in combustion 302
- non-agitated extraction tests 581–583
- non-selective catalytic reduction (SNCR)
  - Exxon's DeNOx 116
  - NOxOut 117
  - RAPENox 117
- NOx removal 115
- nuclear magnetic resonance 253
- NVOC 932
  
- on-line cleaning 420
- open system 592
- organic
  - additives 783
  - characteristics 406
  - constituents 473
- other

- minor elements 385
- trace elements 388
- outer sphere complex 522
- oversaturation 534
- oxidation-reduction potential 489
- PAH 324
- partial pressure 508, 543
- particle
  - loading 420
  - characteristics 486, 495
  - morphology 368, 424, 496
    - char 425
    - crystals 425
    - fused spheres 425
    - opaques 425
    - polycrystallines 425
  - size 642
    - distribution 422, 444
    - reduction 221, 581
- particulate
  - control 111
    - cyclone 103
    - dry systems 111
    - electrostatic precipitators 111
    - fabric filter 106
    - settling 103
    - wet systems 109
  - matter 441
- passive environmental protection systems 942
- paving applications 899, 911
- PCB 320, 700
- PCDD/PCDF
  - abatement strategies 317
  - characteristics 314
  - concentrations 317
  - influence
    - of burnout 317
    - of chlorine 314
    - of copper 319
  - thermal destruction 319
  - toxic equivalents 314
- Peclet number 504
- penetration resistance 365
- percent fines 359
- percolation 485, 842
- permeability 366, 842, 950
- petrography 247
- pH 372, 454, 486, 488
  - static test 724
- pH-dependent leaching 599
- phase transfer of SiO<sub>2</sub> 273
- philosophy 941
- PHREQPITZ 517
- phthalates 474, 476
- physical
  - aspects of leaching 485
  - characteristics 342
  - evaluation tests 771
    - durability 772
    - grain size distribution 771
    - moisture content 771
    - permeability 772
    - Proctor compaction test 772
    - total carbon content 771
    - unconfined compressive strength 772
- Pitzer equation 512
- plasma arc melter 804
- polishing 245
- polyaromatic hydrocarbons 406
- polychlorinated
  - benzenes 322
  - biphenyls 320, 406, 474, 476
  - dibenzofurans 474
  - dibenzo-p-dioxins 473
  - phenols 323
- polycyclic aromatic hydrocarbons 324, 474, 476
- pore
  - area 495
  - diameter 369, 486
- porosity 486, 842
- postclosure care 942
- potassium
  - partitioning 289
- pozzolanic reactions 766
- precipitation reaction 531
- precision 178
- predictive capability 607
- preservation 588
- pretreatment 957
- processing 895, 901
  - RDF 79
  - waste 62
- Proctor
  - compaction test 362
  - density 362
  - moisture 362
  - tests 447

- PRODEFA2 609
- proton 507
- proximate analysis 41
- pyrolysis 265
  
- Raman spectroscopy 254
- RDF incinerators
  - semi-suspension 82
  - stoker 82
- reaction stoichiometry 488
- REDEQL 609
- redox 488
  - potential 725
  - reaction 508
- regulations
  - utilisation 137
- regulatory
  - issues 901
  - leach test 648
- reject fraction 342
- release 590, 860, 910
  - models 858
  - nomographs 887
- representative sample 167
- Reynolds number 499
- road base 670, 897
  
- salt mines 948, 959
- sample
  - drying 240
  - preparation concerns 183
  - preservation 185
  - size reduction 183
  - storage 186
- sampling
  - considerations 175
  - protocols 174
  - strategies 194
    - APC system residues 199
    - boiler/economiser ash 198
    - bottom ash 194
    - grate siftings 197
- sanitary 943, 944
- saturated
  - solution approach 611
  - surface dry specific gravity 353
- saturation index 534
- scanning
  - electron microscopy 247, 424
  - transmission electron microscopy 246
  - tunnelling microscopy 249
- seasonal variations 18
- secondary ion mass spectroscopy 252
- selective
  - non-catalytic reduction 115
  - phase dissolution 242
- semi-dry process residues 442
- separation processes 735
  - crystallisation 751
  - definition 735
  - distillation 755
  - electrochemical 755
  - evaporation 751
  - Ion Exchange 749
  - on-site 737
  - physico-chemical and chemical 741
- sequential chemical extraction tests
  - 581, 583
- serial batch tests 585
- shaking 591
- short-term effects 940
- sintering 272, 791, 830
- site density 555
- siting 951
- skeletal density 496
- slag 339
- sodium
  - NaCl production 751
  - partitioning 289
  - sulphate soundness test 360
- SOLGASWATER 609
- solid
  - phase control 492
  - phase approach 611
- solidification 764
- SOLMINEQ 88 517
- SOLTEQ 517, 610
- solubility 874
  - control 544, 642
  - product 532
- solution control 492
- solvent 491
- soot blowing 420
- sorption 112, 488, 489
  - reactions 489
  - surface 112
- soundness 360
- specific gravity 353, 495
- stabilisation 682, 764
- stability constant 524

- standard
  - enthalpy 520
  - entropy 520
  - free energy change 520
- static leach tests 591
- stirring 591
- stockpiling 918
- Stoke's law 500
- storage
  - ash 63
  - waste 59
- submerged electrode melter 804
- sulphate 659, 677
  - attack 778
  - gypsum production 752
  - thermal stability 268
- sulphation 426
- sulphur
  - partitioning 301
- surface
  - adsorption models 611
  - area to volume ratio 486
  - reactions 505
  - sorption reactions 508
  - wash off 841, 847
  - washing 588
- Sweden 35
- Swiss fly ash treatment process 743
- Switzerland 37
- tank leaching tests 843
- TCLP 596
- TDS 724
- technical requirements 914
- temperature
  - fuel bed 265
  - gas phase 265
  - zones on the grate 265
- thermal treatment 803
- thermodynamic equilibrium model 507
- thin
  - foils 245
  - section 243
- time series of leachate quality
  - measurements 936
- time-dependent data 339
- TMT (trimercaptotriazine) 442, 933
- TMT#15 776
- top
  - atomic layer 238
  - covers 953
- tortuosity 501, 842
- tortuous path length 491
- total
  - amounts of major and trace
    - components leached 937
  - available concentration asymptote 604
  - containment 948
  - intrusion volume 496
- toxic
  - equivalency factor 314
  - equivalent 147
- trace
  - elements 377, 470
  - oxyanionic elements 377
- transmitted light microscopy 247
- triple layer model 564
- tumbling 591
- TVA leaching test 597
- ultimate analysis 41
- underground storage 948
- undersaturation 534
- unified
  - approach 491
  - leaching 653
  - pH curves 648
- uniformity coefficients 357
- unit weight 356
- United Kingdom 37
- United States 39
- unrestricted contaminant release 948
- utilisation 638, 895
- valency 246
- Van't Hoff relationship 522
- vapour pressure
  - of metal compounds 272
- vesicles 496
- visual classification 343
- vitrification 791, 805
- vitrified ash
  - composition 801
  - leaching 801
- volatile metals
  - concentrations in waste and residues 303
  - fate in combustion 303
- Vølund Incinerator at Gentofte 9

Von Roll Borsigstrasse Incinerator at  
Hamburg 11

washing 741

air pollution control residues 743

bottom ashes 741

waste categories

combustibles 18

finer 18

glass 18

metals 18

non-combustibles 18

paper and card 18

plastics 18

putrescibles 18

textiles 18

waste

composition 17

management policy 931

WASTE Program 45

WATEQ3 609

water

content 345

solubility 452

weathering 493, 764

erosion 764

freeze/thaw 764

wet/dry 764

WES-Phix process 779

wet

process (WP) residue 442

scrubber residue 442

x-ray

fluorescence 230

photoelectron spectroscopy 251

powder diffraction 249

XRPD 451

zero point of charge 555

zinc 653, 657, 666, 677, 711

partitioning 307